**Full title: A proteomic characterization shows differences in the milk fat globule
membrane of buffalo and bovine milk**

Running title: Milk fat globule membrane proteome of buffalo and bovine milk

Hanh T.H. Nguyen ^{a,b,c}, Lydia Ong ^{a,b}, Ashfaul Hoque ^b, Sandra E. Kentish ^a, Nicholas
Williamson ^b, Ching-Seng Ang ^b, and Sally L. Gras ^{a,b*}

^a The ARC Dairy Innovation Hub, Department of Chemical and Biomolecular Engineering,
The University of Melbourne, Parkville, Victoria 3010, Australia.

^b The Bio21 Molecular Science and Biotechnology Institute, The University of Melbourne,
Parkville, Victoria 3010, Australia.

^c Dairy Foods Team, Food and Bio-based Products Group, AgResearch, Grasslands Research
Centre, Palmerston North 4442, New Zealand.

*Corresponding author: The Bio21 Molecular Science and Biotechnology Institute, The
University of Melbourne, Parkville, Victoria 3010, Australia. Tel.: +61 38344 6281; fax: +61
3 8344 4153. E-mail address: sgras@unimelb.edu.au

Abstract

The proteins of the milk fat globule membrane (MFGM) have a number of functions, such as the regulation of milk fat secretion and metabolism, the uptake and transportation of fatty acids in the intestine, and potential protection from bacterial or viral infection. While the proteome of the MFGM in bovine milk has been extensively characterized, knowledge of these proteins in buffalo milk is limited. In this study, a proteomic approach was used to characterize the proteome of the buffalo MFGM. Multiple extraction techniques were used to increase the number of proteins identified, while label free relative quantitative liquid chromatography tandem mass spectrometry was used for comparison between the buffalo and bovine MFGM proteomes. A total of 220 buffalo MFGM proteins and 234 bovine MFGM proteins were identified after being filtered from the initial dataset of 757 and 680 proteins, respectively. A sixfold higher concentration of xanthine oxidoreductase was identified per mass of buffalo MFGM protein extracted, together with significantly greater concentrations of platelet glycoprotein 4, heat shock cognate and calcineurin B homologous protein. The expression of xanthine oxidoreductase in the MFGM of buffalo milk, which can affect milk shelf-life and flavor, was confirmed by Western blot analysis and a heterogeneous distribution of this protein observed *in situ* on the surface of the MFGM. The high concentration of fat in buffalo milk, together with the differences in the MFGM proteome provide insights into the differences in nutritional profile, biological function and properties of these two milk products.

Key words

Calcineurin B, heat shock cognate, platelet glycoprotein 4 and xanthine oxidoreductase.

1. Introduction

The fat in milk occurs as dispersed globules consisting of a triglyceride core surrounded by a milk fat globule membrane (MFGM), which assists emulsification (Walstra et al., 2006). The MFGM is 10-20 nm thick and consists of proteins and polar lipids (Heid & Keenan, 2005). The proteins of the MFGM are predominantly glycosylated and comprise approximately 22-70% of the MFGM matter, dependent upon the isolation and analysis techniques applied (Fong et al., 2007; Le et al., 2014; Le et al., 2009). These proteins account for only 1-2% of the total milk protein (Riccio, 2004) but they are associated with several biological functions (Dewettinck et al., 2008; Harmon & Abumrad, 1993; Robenek et al., 2006) such as regulation of milk fat globule secretion and lipid metabolism, and inhibit the growth of pathogenic bacteria (Clare et al., 2008; Harmon & Abumrad, 1993; Robenek et al., 2006; Vorbach et al., 2002). MFGM proteins, such as xanthine oxidoreductase (also known as xanthine dehydrogenase (XDH) or the oxidized form of the enzyme xanthine oxidase (XO)), may also affect the flavor of dairy products, such as cheese and milk during ripening and storage (Aurand et al., 1967).

Much is known about the proteins of the MFGM in the milk of bovine and other selected species due to a series of proteomic studies (Le et al., 2013; Pisanu et al., 2011; Reinhardt & Lippolis, 2006). A total of 225 proteins were identified for the MFGM fraction of bovine milk (Le et al., 2013) and 140 proteins in sheep milk (Pisanu et al., 2011). The major proteins within these samples were butyrophilin (BTN), xanthine oxidoreductase, lactadherin (also known as periodic acid Schiff PAS 6/7), perilipin-2 (also known as adipophilin ADPH), mucin 1 (often abbreviated as MUC1), mucin 15 (also known as MUC15 or PAS III) and platelet glycoprotein 4 (CD36) (Cebo, 2010; Fong & Norris, 2009; Le et al., 2009).

Less is known about the proteome of the buffalo MFGM, despite buffalo milk being the second largest source of milk worldwide (IDF, 2009). A total of 50 proteins have been identified within the MFGM of buffalo milk, most of which are cytoplasmic and membrane associated proteins (D'Ambrosio et al., 2008). This number is still relatively low, however, compared to the protein profile of the MFGM in bovine and sheep milk, suggesting that there could be more unidentified proteins within the buffalo MFGM. There has also been no quantitative comparison between the proteins present in the MFGM of buffalo and bovine milk to date. Such a comparison would enable a better understanding of the biological function and nutritional properties of the buffalo MFGM, establish species differences for these two milk types and improve the understanding of the products made from these two types of milk.

This study aims to characterize the composition, together with the localization, molecular function and biological activity of buffalo MFGM proteins using a combination of techniques including one dimensional sodium dodecyl sulfate polyacrylamide gel electrophoresis (1D-SDS-PAGE) and liquid chromatography coupled with tandem mass spectrometry (LC-MS/MS). Relative quantitative comparisons between the buffalo and bovine MFGM proteins were also done. Finally, the higher concentration of the MFGM protein xanthine oxidoreductase in the buffalo MFGM was confirmed using Western blot and visualized using immunofluorescent microscopy techniques.

2. Materials and methods

2.1. Milk samples

Buffalo (*Bubalus bubalis*, Riverine breed) milk was provided by a local farm in Yambuk (VIC, Australia), while bovine (*Bos taurus*, Friesian breed) milk was obtained from a local farm in Donnybrook (VIC, Australia). The buffalo herd was fed with pasture grass and

supplemented with hay, silage and grain pellets. The bovine herd was fed with pasture grass and grain pellets. Both buffalo and bovine milk samples were mixtures of the milks of individual animals collected from bulk vats and transported under refrigerated conditions (~4°C) overnight. The isolation of the MFGM from the milk samples was done within the day of milk receipt to ensure the microbiological quality of the milk. Two batches of milk samples were collected for analysis at different seasons, including one batch in autumn and the other in summer.

2.2. Isolation of MFGM proteins

Buffalo and bovine MFGM proteins were isolated following the method previously described by Ong et al. (2010) with some modifications (Supplementary Figure 1). Briefly, 7.15 g of sucrose (Merck, Kilsyth, VIC, Australia) was added to 25 g of milk to increase the density difference between the fat and the serum phase. The fat layer obtained by centrifugation (Eppendorf 5810R, North Ryde, VIC, Australia) of the milk mixture at 3,220 X g, 20°C for 30 min was then subjected to several steps including washing, freezing, churning by vigorously mixing using a Vortex shaker (Ratek, Boronia, VIC, Australia) and centrifugation at 3,220 X g, 20°C for 10 min to collect the buttermilk. Butter granules were also collected, heated at 50°C and centrifuged at 3,220 X g, 4°C for 5 min to collect the butter serum. The butter serum and buttermilk were combined and acidified to pH 4.8 using 0.1 N HCl (Univar, Ingleburn, NSW, Australia) to precipitate the proteins, followed by centrifugation (Beckman Optima L-100XP Ultracentrifuge, Fullerton, CA, USA) at 10,000 X g, 4°C for 30 min to form a MFGM protein pellet. For a detailed description, refer to the flow diagram presented in Supplementary Figure 1. The recovered pellet was re-suspended in a 200 µL solution containing 8 M urea (Electrophoresis grade ≥98%, Sigma Aldrich, Castle Hill, NSW, Australia) and 50 mM triethylammonium bicarbonate buffer (TEAB buffer, Sigma Aldrich) to serve as a stock solution and stored at -20°C. The protein concentration of all samples was determined using a

micro bicinchoninic acid (BCA) assay following the recommended protocols (Thermo Scientific, Rockford, IL, USA). Briefly, a working solution was prepared by mixing 25 parts of reagent A and 24 parts of reagent B with 1 part of reagent C. A 150 μ L of sample was then mixed with 150 μ L of working solution, incubated at 37°C for 2 h and cooled down to room temperature prior to the measurement of absorbance at 562 nm using a Fluostar Optima spectrophotometer (BMG Labtech, Ortenberg, Germany). A calibration curve was built based on a set of protein standards of concentrations ranging from 2.5 to 40 μ g/mL prepared by serial dilutions of a liquid bovine serum albumin (BSA, Thermo Scientific) stock of 2 mg/mL (as provided in the kit) with water. A blank standard of water was also used.

2.3. SDS-PAGE

SDS-PAGE of the MFGM proteins was done following the method previously described by Ong et al. (2010) using precast Bis-Tris 4-12% polyacrylamide gels and an electrophoresis system (both purchased from Invitrogen, Mount Waverley, VIC, Australia). Separation was based on protein's electrophoretic mobility, which depends primarily on their sizes. A solution containing 0.025% w/v Coomassie (Invitrogen), 40% v/v methanol and 7.5% v/v acetic acid was used for gel staining and a 7.5% v/v acetic acid solution was used for gel destaining. The gel was visualized using a Fuji Film Intelligent Dark Box II with Fuji Film LAS-3000 V2.2 software (Brookvale, NSW, Australia). Preliminary identification of MFGM proteins was done by comparison to the apparent molecular weight of protein standards (Mw 3.5 - 260 kDa, Novex Sharp Pre-stained Protein Standard, Invitrogen in Figure 1 or Mw 10 - 250 kDa, Precision Plus Protein - All Blue Standard, Biorad, Gladesville, NSW, Australia in Supplementary Figure 3) and the results of previous studies (Le et al., 2009; Ong et al., 2010).

2.4. Protein in gel digestion

SDS-PAGE gel digestion followed by LC-MS/MS was carried out as described earlier (Ang et al., 2008). Briefly, one whole gel lane containing proteins from the buffalo or bovine MFGM was divided into 13 equal pieces. Each gel piece was de-stained with 50 mM triethylammonium bicarbonate (TEAB, Sigma Aldrich) and 50% v/v acetonitrile (HPLC grade $\geq 99.93\%$, Burdick & Jackson, Morristown, NJ, USA) followed by reduction with 10 mM tris-(2-carboxyethyl) phosphine (TCEP, Sigma-Aldrich), alkylation with 55 mM iodoacetamide (Sigma-Aldrich) and digestion overnight at 37°C using sequence grade modified trypsin where lysine residues have been modified by reductive methylation to reduce self-degradation (Thermo Scientific) before LC-MS/MS analysis.

2.5. Protein in solution digestion

Digestion of proteins in solution was done following a previously described method (Ang et al., 2011). Briefly, aliquots containing 100 μ g MFGM proteins initially in 8 M urea (see section 2.2) were reduced with 10 mM TCEP, alkylated with 55 mM iodoacetamide followed by dilution to 1 M urea (v/v) prior to digestion with sequencing grade modified trypsin (Thermo Scientific) at a ratio of 1:25 (w:w trypsin:protein). Whole protein digest aliquots were acidified with formic acid to a final 1% v/v and cleaned up using Oasis HLB cartridges (Waters Cooperation, Milford, MA, USA). Briefly, the cartridge was first activated and equilibrated by the addition of 1 mL solution B (containing 80% v/v acetonitrile and 0.1% v/v formic acid) and 1.2 mL of solution A (containing 0.1% v/v formic acid). The acidified digested samples were then added to the cartridges followed by the addition of 1.2 mL solution A to wash off all contaminated materials (materials other than peptides) binding to the cartridges. The peptides were finally eluted with 800 μ L solution B and concentrated in a Speed Vac (Labcono Centrivap Concentrator, Kansas, MO, USA). The eluted peptide solution was then freeze-dried overnight. The samples were rehydrated in 3% v/v acetonitrile and 0.1% v/v formic acid and

subjected to LC-MS/MS analysis. A total of four independent solution protein digestions were done. The digested protein samples were then subjected to profiling and quantitative analysis.

2.6. Liquid chromatography-tandem mass spectrometry

Peptide mixtures from the gel and solution protein digests were analyzed using LC-MS/MS as previously described (Ang et al., 2011). The LC-MS/MS system included an LTQ Orbitrap Elite (Thermo Scientific) with a nanoelectrospray interface in conjunction with an Ultimate 3000 RSLC nanosystem (Dionex Ultimate 3000, Thermo Scientific). The LC system was equipped with an Acclaim Pepmap nano-trap column (Dionex-C18, 100 Å, 75 µm x 2 cm) and an Acclaim Pepmap RSLC analytical column (Dionex-C18, 100 Å, 75 µm x 15 cm). The tryptic digest was injected into the enrichment column at an isocratic flow of 5 µL/min of 3% v/v acetonitrile containing 0.1% v/v formic acid for 5 min before the enrichment column was switched in-line with the analytical column. The eluents were 0.1% v/v formic acid (solvent A) and 100% v/v acetonitrile in 0.1% v/v formic acid (solvent B). The flow gradient was (i) 0-5 min at 3% B, (ii) 5-6 min, 3-6% B, (iii) 6-18 min, 6-10% B, (iv) 18-38 min, 10-30% B, (v) 38-40 min, 30-45% B, (vi) 40-42 min, 45-80% B, (vii) 42-45 min, 80% B, (viii) 45-46 min, 80-3% B and (ix) 46-53 min, 3% B. The LTQ Orbitrap Elite spectrometer was operated in a data-dependent mode with a nano-ESI spray voltage of 2.0 kV, capillary temperature of 275°C and S-lens RF value of 55%. All spectra were acquired in positive ion mode on the mass spectrometer. Full scan precursor spectra were from m/z 300-1650 in the Orbitrap. The scan resolution was at 240,000 and the automated gain control (AGC) setting was set at 1.0e⁶. The top ten most intense precursors were subjected to collision induced dissociation (CID) in the linear ion trap with a normalized collision energy of 30 and activation Q of 0.25.

2.7. Database searching and protein identification

Data analysis was carried out using the Proteome Discoverer software (Thermo Scientific, version 1.4) with Mascot protein identification search engine (Matrix Science, version 2.4). All experimental raw files (in gel and in solution digests) were combined as a single search file (Supplementary Figure 2). This combined approach has successfully been used to increase the number of proteins identified in other proteomics studies (Ang et al., 2011). Due to the incomplete sequence of the buffalo and bovine genomes, identification of the proteins was done by searching against the comprehensive non-identical protein sequence Uniprot database (containing over 26 million sequences compiled by the Mass Spectrometry and Proteomics Facility at the Bio21 Institute at The University of Melbourne Australia) with the Mammalia taxonomy filter. This approach has also been reported in previous proteomic studies (D'Ambrosio et al., 2008). Search parameters were a precursor mass tolerance of 20 ppm and fragment mass tolerance of 0.8 Da. Carbamidomethyl of cysteine (+57 Da mass shift) was set as a fixed modification and oxidation of methionine (+16 Da mass shift) as a variable modification (Ang et al., 2011). Search parameters also included trypsin with 0 missed cleavages to reduce variation for the subsequent quantitation experiment. The initial data were further filtered to generate a list of proteins for the bovine and buffalo MFGM, where only proteins with a maximum of 1% false discovery rate (FDR) and a minimum of 2 unique peptides per protein were retained. Annotation of the identified protein was carried using the “annotation” node in Proteome Discoverer, which essentially uses the ProteinCenter software (Thermo Scientific ProteinCenter) that draws data from more than 20 public databases (Uniprot, NCBI, IPI, etc.). A similar procedure was done with the MS spectrum file of the in-gel digest of each individual SDS-PAGE gel section to obtain the top 10 protein hits for each gel section (where fewer hits were available, only available hits are cited). The mass spectrometry proteomics data have been deposited in the ProteomeXchange Consortium

database via the PRIDE (Vizcaino et al., 2016) partner repository program with the dataset identifier PXD005318.

2.8. Label free quantitative comparison of buffalo and bovine MFGM proteins

Label free quantitation was carried out using SIEVE (version 2.1, Thermo Scientific). SIEVE is a label-free differential expression package that allows one to compare relative amounts of peptides across multiple LC-MS/MS experiment through alignment of the mass spectra over time (America & Cordewener, 2008). Parameters used in SIEVE were retention time window from 5-45 min and frame m/z width and time width at 10 ppm and 2.5 min, respectively. Identified features (retention time and m/z) that were significantly different across samples were further filtered using the criteria that the coefficient of variance (CV) of all data is to be less than 15%, $P < 0.001$ and PR element, defined as the cluster element corresponding to the C12 monoisotopic peak, less than 1. The list of filtered proteins obtained was then manually checked with the proteins in the identification list (section 2.7). Quantitative comparison was done for those proteins of buffalo and bovine MFGM having the same name and a sequence similarity $>95\%$ using a pairwise sequence alignment (Uniprot, 2015). For each protein, the frames including the spectra and ratios of the individual peptide components were also manually checked to ensure the correct peak was used for quantitation. The final ratio of the quantity of buffalo to bovine MFGM was calculated for each protein from the final filter list and the mean of ratios of the retained peptides in the four replicates is presented.

2.9. Western blot analysis for xanthine oxidoreductase

Western blot analysis for xanthine oxidoreductase was done using a previously described method (Hossain et al., 2015) with some modifications. Briefly, equal amounts of buffalo and bovine MFGM protein samples (2.5 $\mu\text{g}/\text{well}$) were analyzed on SDS-PAGE alongside a molecular weight protein standard (Precision Plus Protein - All Blue Standard) followed by

transfer to a polyvinyl difluoride (PVDF) membrane (Life Technologies, Carlsbad, CA, USA) using a Western blot transferring system (Biorad). For SDS-PAGE analysis (Supplementary Figure 3), twice the amount of the protein sample (5 μ g) was loaded into each well of the gel due to the lower sensitivity of this technique. A rabbit polyclonal antibody against bovine xanthine oxidoreductase, at a dilution of 1:2000, as recommended by the producer (R1119A; Acris Antibodies, Hiddenhausen, Germany) and a goat anti-rabbit IgG horseradish peroxidase-conjugated secondary antibody (Antibodies Australia, Clayton, VIC, Australia), at a dilution of 1:5000, were used for the detection of the xanthine oxidoreductase. The membrane was immersed in enhanced chemiluminescence solution (ECL, Amersham Biosciences, Little Chalfont, Buckinghamshire, UK) and visualized in a Fuji Film Intelligent Dark Box II. Images were taken using Fuji Film LAS-3000 and the intensity of the protein bands was quantified using LAS-3000 Image Gauge software (Fuji Film).

2.10. Immunofluorescence microscopy for visualisation of xanthine oxidoreductase

Immunofluorescence microscopy was done as previously described (Robenek et al., 2006). Briefly, buffalo or bovine milk was fixed with 2% v/v paraformaldehyde (Ajax FineChem, Taren Point, NSW, Australia) with 0.5% v/v Triton X-100 (Chem Supply, Gillman, Adelaide, Australia) added to permeabilize the milk fat globule membrane. The sample was then blocked with 1% BSA, followed by labelling with the rabbit polyclonal antibody against bovine xanthine oxidoreductase (5 μ g/mL, Acris Antibodies). The labelled xanthine oxidoreductase was visualized using a F(ab)₂ fragment-Phycoerythrin (PE) conjugated donkey anti-rabbit antibody (5 μ g/mL, Acris Antibodies). The sample was covered with 70% glycerol (Chem Supply) and observed using an inverted confocal scanning laser microscope (Leica TCS SP2; Leica Microsystems, Heidelberg, Baden-Wurttemberg, Germany) powered by Ar/Kr laser with a $\times$ 100 objective and excitation and emission wavelengths at 488 nm and 550-620 nm, respectively.

2.11. Statistical analysis

Data were analysed using statistical Minitab software (V16, Minitab Inc., Stage College, PA, USA). One way analysis of variance (ANOVA) and Tukey's paired comparison were used to assess the differences between means, with a significance level of $P = 0.05$.

3. Results and discussion

3.1. Isolation of buffalo and bovine MFGM proteins

The yield of MFGM proteins isolated from buffalo and bovine milk per gram of fat (Table 1) using an identical isolation procedure (section 2.2) was found to be statistically similar ($P>0.05$). The mass of the MFGM proteins per unit surface area of each fat globule is also similar when calculated using the average surface area of fat globules in each milk type (Supplementary Table 1). The higher fat content per volume of buffalo milk consumed impacts on the nutritional profile compared to bovine milk but the similar surface coverage of the MFGM proteins on buffalo and bovine fat globules, points to the similar mechanism by which these fat globules are secreted, with the buffalo MFGM potentially being an enlarged version of the bovine MFGM.

The average yield for bovine samples of 1.9 mg/g fat, is smaller than the 4.0-5.1 mg/g fat reported in previous studies for this type of milk (Fong et al., 2007; Le et al., 2009). Previous studies have isolated MFGM proteins on a large scale (5-30 L per trial, using a cream separator for fat separation), whereas isolation was performed on a small scale in this study (25 mL per trial, using a laboratory centrifuge for fat separation), likely leading to the small differences in yield. The isolation and extraction of the MFGM protein is also more complicated when the milk fat content is high, as in the case of sheep (6.8% w/v) (Pisanu et al., 2011) or buffalo milk (7.6% w/v). When the MFGM proteins of sheep milk were isolated on a small scale, a

yield of 0.75 ± 0.18 mg of MFGM proteins/g fat (% CV 24.5) was obtained (Pisanu et al., 2011), significantly lower than in the present case for buffalo or bovine milk, indicating that the yield here is acceptable.

3.2 Profiling of buffalo and bovine MFGM proteins

The initial profiling of buffalo and bovine MFGM proteins was carried out using SDS-PAGE, followed by one in-gel digestion, four in-solution digestions and then LC-MS/MS analyses (triplicate or six replicate LC-MS/MS runs for each digestion sample), resulting in a total of 56 LC-MS/MS runs. This approach combining multiple extraction techniques has been shown to increase the number of proteins identified in other proteomic studies (Ang et al., 2011).

A total of 757 proteins were initially identified within the MFGM fraction of buffalo milk and 680 proteins for the MFGM fraction of bovine milk samples (Supplementary Tables 2 and 3) in a search of mammalian taxonomy of the Uniprot database (consisting of 26,617,536 sequences). After filtering with the criteria for at least 2 unique peptides per protein and a maximum of 1% FDR, the list contained 220 and 234 proteins for the MFGM of buffalo and bovine samples, respectively (Supplementary Tables 4 and 5). The refined dataset included the major MFGM proteins including xanthine oxidoreductase, butyrophilin, perilipin-2 and lactadherin (or periodic acid Schiff). Some proteins from other species (e.g. human, rat, sheep) were also found in the dataset (Supplementary Tables 4 and 5). This is possibly due to the similar sequences of these proteins and those of buffalo (or bovine milk), which either have not been annotated in the currently used database or have not previously been sequenced. The top 10 protein hits for the 13 individual gel sections of buffalo and bovine MFGM protein samples are also summarized in Supplementary Table 6.

Casein was found in both buffalo and bovine MFGM protein fractions after isolation, despite several washing steps. The presence of casein has also been reported in the MFGM protein fractions isolated in previous studies for buffalo, bovine and goat milk (Cebo, 2010; D'Ambrosio et al., 2008; Fong et al., 2007; Le et al., 2013; Ong et al., 2010). Casein is thought to bind to the MFGM fragments or the surface of damaged fat globules. While the milk samples are unhomogenized in this study, some small degrees of damage can still occur during transportation, cold storage or during processing where creaming and centrifugation steps involved in fat isolation can lead to casein binding to the MFGM, making the presence of casein in the MFGM fraction difficult to avoid.

A total of 195 out of the 220 proteins identified for the buffalo MFGM were novel (proteins coded as “N” in the last column, Supplementary Table 4) as they were not one of the 50 proteins identified in the first comprehensive investigation of the buffalo MFGM protein fraction by D'Ambrosio et al. (2008). Similarly, 123 out of 234 proteins identified for the bovine MFGM have not been reported previously (Le et al., 2013). The larger number of MFGM proteins identified here is likely due to the difference in sample preparation, the combination of multiple extracts from the in-gel digestion and in-solution digestion and the use of a new generation LTQ Orbitrap Elite for LC-MS/MS analysis. The differences observed here indicate that while the density of MFGM proteins across the surface of milk fat globules is similar in both types of milk (Supplementary Table 1), the composition of these MFGM proteins varies significantly between species.

Differences were also observed in the MFGM proteins isolated from buffalo and bovine samples when analyzed by SDS-PAGE (Figure 1). These differences include the bands containing xanthine oxidoreductase, which migrate slightly faster, producing a wider band with greater intensity for the buffalo MFGM. The region corresponding to casein proteins at ~30

kDa also contains additional bands that have greater intensity for buffalo samples. Further bands at ~260, ~80 and ~15 kDa are only visible in the buffalo MFGM protein fraction. The molecular weights of xanthine oxidoreductase, BTN, ADPH and PAS6/7 determined by SDS-PAGE were consistent with those determined by LC-MS/MS. Label free relative quantitation techniques were next used to further examine these key differences. No significant differences in the MFGM proteins were observed by SDS-PAGE as a function of season. Other studies have previously reported a qualitatively greater concentration of xanthine oxidoreductase in early and later season milk (August and May) compared to mid-season milk (January to March) (Ye et al., 2002). The effect of seasonality, however, is not the focus of the current study.

3.3 Classification of identified buffalo and bovine proteins

The proteins isolated and identified in the MFGM of buffalo and bovine milk were classified according to their molecular function, biological process and localization (Figure 2, Supplementary Tables 7 and 8) using ProteinCenter software that contains data from several databases such as Uniprot, National Center for Biotechnology Information (NCBI) and International Protein Index (IPI).

Among 13 groups categorized for their molecular function, proteins having the functions of catalytic activity or protein and nucleotide binding are the most abundant in both buffalo and bovine MFGM samples (Figure 2A). Based on biological processes, the four groups of metabolic processes, biological regulation, biological transport or movement and stimulus or defense response comprised more than 50% of the total identified proteins (Figure 2B). Biological processes associated with transport/metabolism, defense and biological regulation have also been reported for buffalo, bovine and sheep MFGM proteins in previous studies

(D'Ambrosio et al., 2008; Le et al., 2013; Pisanu et al., 2011), consistent with these observations.

As expected, the group of proteins known to localize at the biological membrane comprised the highest percentage of proteins isolated, followed by the proteins in the cytoplasm (Figure 2C). These results are in agreement with the findings in previous studies for the MFGM proteins of buffalo, bovine and sheep milk (D'Ambrosio et al., 2008; Le et al., 2013; Pisanu et al., 2011), where membrane associated proteins are reported to be the most abundant, consistent with the proposed mechanism for the formation of the MFGM and fat globule secretion.

3.4. Quantitative comparison between buffalo and bovine MFGM proteins

Next a label free relative quantification experiment for buffalo and bovine MFGM proteins was conducted to allow quantitative comparisons between these two species. The same mass of buffalo and bovine MFGM protein (100 µg) was subjected to in-solution digest followed by LC-MS/MS and label free quantification using the SEIVE label free quantification workflow system. To ensure reproducible results, the quantitative comparison was performed in four replicate experiments and only those proteins present in common within the replicates were retained for further analysis. After filtering and checking steps, as described in sections 2.7 and 2.8, a final list of 16 proteins was obtained (Table 2).

Significant differences were observed between the concentration of MFGM proteins in a similar mass of buffalo and bovine MFGM protein samples (Table 2). The buffalo MFGM had a significantly higher concentration of xanthine oxidoreductase, platelet glycoprotein 4, heat shock cognate 71, calcineurin B homologous protein 1, beta-casein and some uncharacterized proteins (defined as uncharacterized 1, 3, 4, 6) compared to bovine milk (Table 2). In contrast, smaller amounts of polymeric immunoglobulin receptor (PIGR), lactadherin and

uncharacterized proteins 2, 5, 7 and 8 were observed in the buffalo MFGM protein sample compared to that of bovine milk (Table 2). A blast search showed that the uncharacterized proteins are >97% similar to fatty acid synthase (uncharacterized protein 1), the Ras-related protein Rab-1A (uncharacterized protein 3), syntaxin binding protein (uncharacterized protein 4), putative cation-transporting ATPase (uncharacterized protein 6) and the immunoglobulin Ig alpha-1 chain C region (uncharacterized protein 8).

The greater quantities of xanthine oxidoreductase and casein observed in the label free quantification experiments are consistent with the more intense bands observed for these proteins following SDS-PAGE analysis (Figure 1). The other proteins presented in Table 2 were either not observed or not significantly different between buffalo and bovine samples when analyzed by SDS-PAGE (Figure 1), probably due to the low resolution/sensitivity of this method. This result highlights the advantages of LC-MS/MS analysis.

While the proteins of the MFGM represent only 1-2% of the total milk protein, they could represent up to 2.3 mg/100 mL of milk for proteins with high concentration within the MFGM, such as xanthine oxidoreductase (as estimated by the comparison of the intensity of staining by SDS-PAGE). These proteins could impact in a number of ways on the nutritional profile and biological function of milk consumed by the young animals, particularly given that these proteins vary in composition and concentration between species and that more MFGM proteins may be consumed per unit volume of buffalo milk consumed. The MFGM proteins could also impact on the properties of milk and dairy products before and after processing, particularly when these MFGM proteins are enriched. In buttermilk, for example, the MFGM proteins are enriched 10-20 fold; this enrichment is known to increase the heat stability of dairy products such as recombined evaporated and reconstituted concentrated milk (Singh & Tokley, 1990). The nutritional properties and functions of key MFGM proteins that differ between the species

are summarized in Table 3 and the possible negative and positive implications are discussed next in turn for each protein.

The six fold difference in the ratio of xanthine oxidoreductase between the two species per mass of MFGM protein extracted is the most significant finding (Table 2). Xanthine oxidoreductase has been found in the MFGM proteome of most mammalian species, including bovine, sheep, goat, human and buffalo milk (Cebo, 2010; D'Ambrosio et al., 2008; Le et al., 2009; Liao et al., 2011; Pisanu et al., 2011), where it is thought to have an oxido-reductive enzymatic function. Xanthine oxidoreductase is involved in lipid secretion (Spitsberg, 2005) and is a key enzyme in the metabolism of purine, where it specifically catalyzes the oxidation of hypoxanthine to xanthine and xanthine to uric acid (Harrison, 2004; Martin et al., 2004). Xanthine oxidoreductase has long been recognized as an important enzyme in the host defence system and in innate immunity and inflammatory responses (Hancock et al., 2002; Kim et al., 2001; Martin et al., 2004; Silanikove & Shapiro, 2007).

The amount of xanthine oxidoreductase present in the MFGM proteins is known to vary, depending on the breed and stage of lactation, as well as the isolation technique employed (Kathriarachchi et al., 2014; Mondy & Keenan, 1993). Xanthine oxidoreductase comprised an average of 19% of the MFGM proteins for milk from Holstein bovine and 12% for milk from a Jersey bovine breed (Mondy & Keenan, 1993). The concentration of xanthine oxidoreductase isolated from the MFGM was approximately 2-2.5 times higher in early and late lactation (1st and 10-13th month of the lactation) compared to the middle lactation (2nd-5th month of the lactation) (Mondy & Keenan, 1993). A greater concentration of xanthine oxidoreductase, indicated by the higher intensity of the xanthine oxidoreductase band when analyzed by SDS-PAGE, was also obtained when the number of washing steps was increased and distilled water was used for washing instead of stimulated milk ultra-filtrate in a previous study

(Kathriarachchi et al., 2014). These variations, however, are significantly less than the six fold difference in concentration observed between buffalo and bovine samples in this study, indicating there is a significant difference in the concentration of xanthine oxidoreductase between the two species per unit gram of protein extracted. The higher concentration of milk fat in buffalo milk combined with the greater expression of xanthine oxidoreductase observed here makes buffalo milk a particularly rich source of xanthine oxidoreductase MFGM protein per unit volume of milk. This is expected to translate to a different surface density of xanthine oxidoreductase on the MFGM surface.

The higher concentration of xanthine oxidoreductase in buffalo milk could possibly contribute to a longer natural shelf life, which has been reported previously (Sahai, 1996). Xanthine oxidoreductase has a bactericidal effect against a wide range of bacteria, such as *Staphylococcus aureus*, *Escherichia coli* and *Salmonella enteritidis* (Hancock et al., 2002; Martin et al., 2004). The concentration of this enzyme required to exert significant effects, however, is not known. The antimicrobial activity arises from the enzyme's capacity to oxidise a wide range of substrates producing reactive oxygen species (ROS), such as hydrogen peroxide and superoxide anions. The reduction of nitrite to reactive nitrogen species, such as peroxynitrite, also reduces the viability of bacteria (Hancock et al., 2002; Martin et al., 2004) although the reduction of nitrite can potentially affect flavor (Table 3). A range of aldehydes present in milk are known to be oxidized and could be affected by xanthine oxidoreductase, including acetaldehyde, 3-methyl butanal, 2-methyl-butanal and 2-methyl propanol (Kathriarachchi et al., 2014) and this could contribute to the different flavors of buffalo and bovine milk products. For example, the oxidation of unsaturated fatty acids leading to the formation of aldehydes such as butanal, but-2-enal, pent-2-enal and hex-2-enal has also previously been reported to cause an oxidized off-flavor in bovine milk (Aurand et al., 1967).

Concentrations leading to 120 units of enzyme activity per ml of milk are thought to contribute to this oxidized off-flavor (Aurand et al., 1967).

In contrast, the polymeric immunoglobulin receptor (PIGR) protein is 33 fold less abundant in the MFGM of buffalo milk (Table 2). This receptor protein is involved in the secretion of immunoglobulins (Kulseth et al., 1995). An increase in the level of PIGR is known to correlate with an increase in the concentration of immunoglobulin A (IgA) in mice milk (De Groot et al., 2000) and may protect the host intestine. Consequently, the significantly lower concentration of PIGR in the MFGM of buffalo milk compared to the MFGM of bovine milk observed in this study may explain the lower concentration of IgA in buffalo milk (0.04 mg/mL) compared to bovine milk (1.36 mg/mL) reported in previous studies (El-Loly et al., 2007; Kocina et al., 2012).

Heat shock cognate 71 kDa protein (HSP7C) was ~2.8 fold higher in the MFGM of buffalo milk (Table 2). This protein protects cellular proteins from damage or degradation when exposed to elevated temperatures or other adverse conditions, such as oxidative stress (De Simone et al., 2011; Sarker & Amin, 2013). The higher concentration of HSP7C observed here (Table 2), is consistent with the higher heat stability of buffalo milk compared to bovine milk (Tayal & Sindhu, 1983), a useful property in milk handling and dairy processing, especially during unit operations such as the heat treatment experienced during pasteurization or sterilization where temperatures can reach 140°C.

Calcineurin B homologous protein 1 (CHP1), which is more abundant in the buffalo MFGM, is a calcium binding protein that is involved in the regulation of pH and Ca^{2+} concentration; acting as a signalling molecule that controls the activity of membrane Na^+/H^+ exchange (Pang et al., 2004) and a transporter of Ca^{2+} across membrane (Yáñez et al., 2012). It can also act as a Ca^{2+} sensor for exocytosis (Di Sole et al., 2012) and is involved in the inhibition of calcineurin

phosphatase activity (Lin et al., 1999), membrane trafficking (Naoe et al., 2005) and gene transcription (Di Sole et al., 2012). Consistent with the results obtained here, CHP1 has also been reported in bovine and buffalo MFGM fractions previously (D'Ambrosio et al., 2008; Le et al., 2013). The greater concentration of CHP1 in the MFGM of buffalo milk detected here (Table 2) is consistent with the greater concentration of calcium in buffalo milk compared to bovine milk (47 ± 1 mM vs. 31 ± 1 mM; Ahmad et al. (2008)). Even when enriched (e.g. in products with buttermilk), the concentration is still expected to be low ($<1 \times 10^{-4}$ mM) relative to the high concentration of calcium in milk and it is unlikely that the coagulation or textural properties of dairy products would be affected.

The remaining three proteins in Table 3, including platelet glycoprotein 4, perilipin-2 and lactadherin are the most abundant glycoproteins in the MFGM (Struijs et al., 2013). These glycoproteins have several health effects and biological functions, including bacterial or viral protection of the host from bacterial or viral infection (Mather, 2000; Pisanu et al., 2011; Riccio, 2004; Struijs et al., 2013).

The higher concentration of platelet glycoprotein 4 and perilipin-2 in the MFGM of buffalo milk compared to bovine milk indicates potential differences in the protective effect of each milk type against bacterial and viral infection, as well as possible differences in the metabolism of lipids and secretion of milk in these two animal species. Future studies to examine the absolute concentration of these MFGM glycoproteins in each milk type could yield further insight into these differences and their potential implications.

3.5. Occurrence of xanthine oxidoreductase within buffalo and bovine MFGM observed using Western blot analysis and immunofluorescent microscopy

The xanthine oxidoreductase proteins in buffalo and bovine milk are known to share a high sequence identity (>97%, Uniprot database), so an antibody for bovine xanthine oxidoreductase was used to probe the expression of these proteins in both milk samples by Western blot analysis. The presence of xanthine oxidoreductase was confirmed in both buffalo and bovine MFGM samples and the intensity of xanthine oxidoreductase was found to be higher in the MFGM of buffalo milk samples (Figure 3A), consistent with the quantitative results determined by label free quantification (Table 2). This result also confirms a cross reactivity of the rabbit polyclonal antibody for xanthine oxidoreductase isolated from buffalo and bovine milk.

Some additional faint staining was observed in the low molecular weight region of the Western blot (~50-75 kDa, Supplementary Figure 3B). This could be due to the fragments of xanthine oxidoreductase, which may be the product of protein degradation. Alternatively, there may be some non-specific binding of the antibody to other low molecular weight proteins.

The distribution of xanthine oxidoreductase visualized *in situ* within the MFGM of the milk fat globule here was found to be similar for both species (Figure 3B and 3C), with a heterogeneous distribution across the membrane surface with possible sites of localized intensity. Given the similar protein sequence and assumed similar function of xanthine oxidoreductase in buffalo and bovine milk, this similar distribution is expected, although a more sensitive technique may be able to observe more subtle differences in the localization and behavior of xanthine oxidoreductase in the MFGM membrane in future studies. Localization of proteins within different layers of the MFGM (e.g. CD36 localized at the outer layer, ADPH at the inner layer and xanthine oxidoreductase between the two layers) is a further future challenge.

A recent study has shown further differences in the appearance of lipid domains *in situ* on the fat globule surface of buffalo milk (Nguyen et al., 2015). Both circular and non-circular domains were observed, consistent with the formation of phase domains not previously observed in the MFGM of bovine milk fat (Lopez et al., 2010). These structural differences are consistent with the differences in MFGM protein composition observed here.

4. Conclusion

One of the largest profiling experiments for the MFGM of bovine and buffalo milk to date has been conducted; 220 proteins were identified for the MFGM of buffalo milk and compared to 234 proteins for the MFGM of bovine milk. Significant differences were observed in the type and quantity of proteins between the milk fat fractions in the two species using label free LC-MS/MS. Most of the identified proteins were classified as originating from the cell membrane or cell cytoplasm regions prior to lipid secretion, with molecular functions including catalytic activity or protein and nucleotide binding. Most proteins are involved in metabolic processes, biological regulation, transport and defense responses in both buffalo and bovine MFGM samples. The buffalo MFGM was found to contain significantly more xanthine oxidoreductase, platelet glycoprotein 4, heat shock cognate and calcineurin B homologous protein, while the bovine MFGM had more polymeric immunoglobulin receptor. This higher xanthine oxidoreductase concentration was confirmed by Western blotting and xanthine oxidoreductase observed to have a heterogeneous distribution *in situ* across the surface of the MFGM of fat globules in both buffalo and bovine milk. Such higher concentrations of xanthine oxidoreductase protein could lead to differences in the longevity and flavor of buffalo milk products. Differences in the concentration of other MFGM proteins could also impact on the nutrition and processability of these two milk products. This study increases understanding of

MFGM proteomics, has illustrated compositional differences between buffalo and bovine MFGM proteins and provides possible links between MFGM composition and milk properties.

5. Acknowledgements

The authors acknowledge the Australian Government for providing an Australian Postgraduate Award (International) (APA - International) scholarship, the Rural Industries Research and Development Cooperation (RIRDC) for financial support, Paul O'Donnell for his assistance with experimental design and interpretation of mass spectrometry data and also Shaw River and La Latteria for supplying the buffalo and bovine milk used in this study. The authors also thank the Mass Spectrometry and Proteomics Facility of the Bio21 Molecular Science and Technology Institute and Associate Professor Heung-Chin Cheng's laboratory for access to equipment. Dr Hanh Nguyen, Dr Lydia Ong, Professor Sandra Kentish and Associate Professor Sally Gras are supported by the ARC Dairy Innovation Hub, a collaboration between the University of Melbourne, the University of Queensland and Dairy Innovation Australia [IH20100005].

The authors declare that there is no conflict of interest related to this work.

6. References

- Ahmad, S., Gaucher, I., Rousseau, F., Beaucher, E., Piot, M., Grongnet, J.F., & Gaucheron, F. (2008). Effect of acidification on physico-chemical characteristics of buffalo milk: A comparison with cow's milk. *Food Chemistry*, 106, 11-17.
- America, A.H.P., & Cordewener, J.H.G. (2008). Comparative LC-MS: A landscape of peaks and valleys. *Proteomics*, 8(4), 731-749.
- Ang, C.S., Binos, S., Knight, M.I., Moate, P.J., Cocks, B.G., & McDonagh, M.B. (2011). Global survey of the bovine salivary proteome: Integrating multidimensional

prefractionation, targeted, and glycocapture strategies. *Journal of Proteome Research*, 10(11), 5059-5069.

Ang, C.S., Veith, P.D., Dashper, S.G., & Reynolds, E.C. (2008). Application of 16O/18O reverse proteolytic labeling to determine the effect of biofilm culture on the cell envelope proteome of *Porphyromonas gingivalis* W50. *Proteomics*, 8(8), 1645-1660.

Aurand, L.W., Chu, T.M., Singleton, J.A., & Shen, R. (1967). Xanthine oxidase activity and development of spontaneously oxidized flavor in milk. *Journal of Dairy Science*, 50(4), 465-471.

Brandtzaeg, P., & Johansen, F.E. (2007). IgA and intestinal homeostasis. In C. S. Kaetzel (Ed.), *Mucosal immune defense: Immunoglobulin A*. Lexington, KY, USA: Springer, 221-268.

Cebo, C. (2010). Major proteins of the goat milk fat globule membrane. *Journal of Dairy Science*, 93(3), 868-876.

Clare, D.A., Zheng, Z., Hassan, H.M., Swaisgood, H.E., & Catignani, G.L. (2008). Antimicrobial properties of milkfat globule membrane fractions. *Journal of Food Protection*, 71(1), 126-133.

D'Ambrosio, C., Arena, S., Salzano, A.M., Renzone, G., Ledda, L., & Scaloni, A. (2008). A proteomic characterization of water buffalo milk fractions describing PTM of major species and the identification of minor components involved in nutrient delivery and defense against pathogens. *Proteomics*, 8(17), 3657-3666.

De Groot, N., Van Kuik-Romeijn, P., Lee, S.H., & De Boer, H.A. (2000). Increased immunoglobulin A levels in milk by over-expressing the murine polymeric immunoglobulin receptor gene in the mammary gland epithelial cells of transgenic mice. *Immunology*, 101(2), 218-224.

De Simone, C., Ferranti, P., Picariello, G., Scognamiglio, I., Dicitore, A., Addeo, F., Chianese, L., & Stiuso, P. (2011). Peptides from water buffalo cheese whey induced senescence cell death via ceramide secretion in human colon adenocarcinoma cell line. *Molecular Nutrition and Food Research*, 55(2), 229-238.

Dewettinck, K., Rombaut, R., Thienpont, N., Le, T.T., Messens, K., & Van Camp, J. (2008). Nutritional and technological aspects of milk fat globule membrane material. *International Dairy Journal*, 18(5), 436-457.

Di Sole, F., Vadnagara, K., Moe, O.W., & Babich, V. (2012). Calcineurin homologous protein: A multifunctional Ca²⁺ binding protein family. *American Journal of Physiology - Renal Physiology*, 303(2), 165-179.

El-Loly, M.M., Awad, A.A., & Mansour, A.I.A. (2007). Thermal kinetics denaturation of Buffalo milk immunoglobulins. *International Journal of Dairy Science*, 2(4), 292-301.

Fong, B.Y., & Norris, C.S. (2009). Quantification of milk fat globule membrane proteins using selected reaction monitoring mass spectrometry. *Journal of Agricultural and Food Chemistry*, 57(14), 6021-6028.

Fong, B.Y., Norris, C.S., & MacGibbon, A.K.H. (2007). Protein and lipid composition of bovine milk-fat-globule membrane. *International Dairy Journal*, 17(4), 275-288.

Hancock, J.T., Salisbury, V., Ovejero-Boglione, M.C., Cherry, R., Hoare, C., Eisenthal, R., & Harrison, R. (2002). Antimicrobial properties of milk: Dependence on presence of xanthine oxidase and nitrite. *Antimicrobial Agents and Chemotherapy*, 46(10), 3308-3310.

Harmon, C., & Abumrad, N. (1993). Binding of sulfosuccinimidyl fatty acids to adipocyte membrane proteins: Isolation and amino-terminal sequence of an 88-kD protein implicated in transport of long-chain fatty acids. *The Journal of Membrane Biology*, 133(1), 43-49.

- Harrison, R. (2004). Physiological roles of xanthine oxidoreductase. *Drug Metabolism Reviews*, 36(2), 363-375.
- Heid, H.W., & Keenan, T.W. (2005). Intracellular origin and secretion of milk fat globules. *European Journal of Cell Biology*, 84(2-3), 245-258.
- Hossain, M.I., Hoque, A., Lessene, G., Kamaruddin, M.A., Chu, P.W.Y., Ng, I.H.W., Irtegun, S., Ng, D.C.H., Bogoyevitch, M.A., Burgess, A.W., Hill, A.F., & Cheng, H.C. (2015). Dual role of Src kinase in governing neuronal survival. *Brain Research*, 1594(0), 1-14.
- IDF. (2009). The world dairy situation 2009. Brussels, Belgium: International Dairy Federation.
- Kathirarachchi, K., Leus, M., & Everett, D.W. (2014). Oxidation of aldehydes by xanthine oxidase located on the surface of emulsions and washed milk fat globules. *International Dairy Journal*, 37(2), 117-126.
- Kim, Y.S., Nam, H.J., Chung, H.Y., Kim, N.D., Ryu, J.H., Lee, W.J., Arking, R., & Yoo, M.A. (2001). Role of xanthine dehydrogenase and aging on the innate immune response of *Drosophila*. *Journal of the American Aging Association*, 24(4), 187-193.
- Kocina, I., Antane, V., & Lusiš, I. (2012). The concentration of immunoglobulins A, G and M in cow milk and blood in relation with cow seasonal keeping and pathogens present in the udder. *Proceedings of the Latvia University of Agriculture*, 27(1), 44-53.
- Kulseth, M.A., Krajci, P., Myklebost, O., & Rogne, S. (1995). Cloning and characterization of two forms of bovine polymeric immunoglobulin receptor cDNA. *DNA and Cell Biology*, 14(3), 251-256.
- Kvistgaard, A.S., Pallesen, L.T., Arias, C.F., López, S., Petersen, T.E., Heegaard, C.W., & Rasmussen, J.T. (2004). Inhibitory effects of human and bovine milk constituents on rotavirus infections. *Journal of Dairy Science*, 87(12), 4088-4096.
- Le, T.T., Debyser, G., Gilbert, W., Struijs, K., Van Camp, J., Van de Wiele, T., Devreese, B., & Dewettinck, K. (2013). Distribution and isolation of milk fat globule membrane proteins during dairy processing as revealed by proteomic analysis. *International Dairy Journal*, 32(2), 110-120.
- Le, T.T., Van Camp, J., & Dewettinck, K. (2014). Milk fat globule membrane material: Isolation techniques, health beneficial properties, and potential applications. In A. U. Rahman (Ed.), *Studies in natural products chemistry*. Oxford, UK: Elsevier, vol. 41, 347-382.
- Le, T.T., Van Camp, J., Rombaut, R., Van Leeckwyck, F., & Dewettinck, K. (2009). Effect of washing conditions on the recovery of milk fat globule membrane proteins during the isolation of milk fat globule membrane from milk. *Journal of Dairy Science*, 92(8), 3592-3603.
- Liao, Y., Alvarado, R., Phinney, B., & Lönnerdal, B. (2011). Proteomic characterization of human milk fat globule membrane proteins during a 12 month lactation period. *Journal of Proteome Research*, 10(8), 3530-3541.
- Lin, X., Sikkink, R.A., Rusnak, F., & Barber, D.L. (1999). Inhibition of calcineurin phosphatase activity by a calcineurin B homologous protein. *Journal of Biological Chemistry*, 274(51), 36125-36131.
- Lopez, C., Madec, M.N., & Jimenez-Flores, R. (2010). Lipid rafts in the bovine milk fat globule membrane revealed by the lateral segregation of phospholipids and heterogeneous distribution of glycoproteins. *Food Chemistry*, 120(1), 22-33.
- Martin, H.M., Hancock, J.T., Salisbury, V., & Harrison, R. (2004). Role of xanthine oxidoreductase as an antimicrobial agent. *Infection and Immunity*, 72(9), 4933-4939.
- Mather, I. (2000). A review and proposed nomenclature for major proteins of the milk-fat globule membrane. *Journal of Dairy Science*, 83(2), 203-247.

- Mondy, B., & Keenan, T.W. (1993). Butyrophilin and xanthine oxidase occur in constant molar proportions in milk lipid globule membrane but vary in amount with breed and stage of lactation. *Protoplasma*, 177(1-2), 32-36.
- Naoe, Y., Arita, K., Hashimoto, H., Kanazawa, H., Sato, M., & Shimizu, T. (2005). Structural characterization of calcineurin B homologous protein 1. *Journal of Biological Chemistry*, 280(37), 32372-32378.
- Nguyen, H.T.H., Ong, L., Beaucher, E., Madec, M.N., Kentish, S.E., Gras, S.L., & Lopez, C. (2015). Buffalo milk fat globules and their biological membrane: *in situ* structural investigation. *Food Research International*, 67, 35-43.
- Ong, L., Dagastine, R.R., Kentish, S.E., & Gras, S.L. (2010). The effect of milk processing on the microstructure of the milk fat globule and rennet induced gel observed using confocal laser scanning microscopy. *Journal of Food Science*, 75(3), 135-145.
- Pallesen, L.T., Pedersen, L.R.L., Petersen, T.E., Knudsen, C.R., & Rasmussen, J.T. (2008). Characterization of human mucin (MUC15) and identification of ovine and caprine orthologs. *Journal of Dairy Science*, 91(12), 4477-4483.
- Pang, T., Hisamitsu, T., Mori, H., Shigekawa, M., & Wakabayashi, S. (2004). Role of calcineurin B homologous protein in pH regulation by the Na⁺/H⁺ exchanger 1: Tightly bound Ca²⁺ ions as important structural elements. *Biochemistry*, 43(12), 3628-3636.
- Pisanu, S., Ghisaura, S., Pagnozzi, D., Biosa, G., Tanca, A., Roggio, T., Uzzau, S., & Addis, M.F. (2011). The sheep milk fat globule membrane proteome. *Journal of Proteomics*, 74(3), 350-358.
- Reinhardt, T.A., & Lippolis, J.D. (2006). Bovine milk fat globule membrane proteome. *Journal of Dairy Research*, 73(4), 406-416.
- Riccio, P. (2004). The proteins of the milk fat globule membrane in the balance. *Trends in Food Science and Technology*, 15(9), 458-461.
- Robenek, H., Hofnagel, O., Buers, I., Lorkowski, S., Schnoor, M., Robenek, M.J., Heid, H., Troyer, D., & Severs, N.J. (2006). Butyrophilin controls milk fat globule secretion. *Proceedings of the National Academy of Sciences*, 103(27), 10385-10390.
- Sahai, D. (1996). *Buffalo milk: Chemistry and processing technology*. New Delhi, India: Karnal, SI Publication.
- Sarker, A., & Amin, A. (2013). A comparative *in silico* study finds a functional co-relation between human and HSP7C and plant protein. *International Journal on Bioinformatics and Biosciences*, 3(2), 1-9.
- Shi, J., Heegaard, C.W., Rasmussen, J.T., & Gilbert, G.E. (2004). Lactadherin binds selectively to membranes containing phosphatidyl-l-serine and increased curvature. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1667(1), 82-90.
- Silanikove, N., & Shapiro, F. (2007). Distribution of xanthine oxidase and xanthine dehydrogenase activity in bovine milk: Physiological and technological implications. *International Dairy Journal*, 17(10), 1188-1194.
- Singh, H., & Tokley, R.P. (1990). Effects of preheat treatments and buttermilk addition on the seasonal variations in the heat stability of recombined evaporated milk and reconstituted concentrated milk. *Australian Journal of Dairy Technology*, 45(1), 10-16.
- Spitsberg, V.L. (2005). Bovine milk fat globule membrane as a potential nutraceutical. *Journal of Dairy Science*, 88, 2289-2294.
- Struijs, K., Van de Wiele, T., Le, T.T., Debyser, G., Dewettinck, K., Devreese, B., & Van Camp, J. (2013). Milk fat globule membrane glycoproteins prevent adhesion of the colonic microbiota and result in increased bacterial butyrate production. *International Dairy Journal*, 32(2), 99-109.
- Tansey, J.T., Sztalryd, C., Hlavin, E.M., Kimmel, A.R., & Londos, C. (2004). The central role of perilipin A in lipid metabolism and adipocyte lipolysis. *IUBMB Life*, 56(7), 379-385.

- Tayal, M., & Sindhu, J.S. (1983). Heat stability and salt balance of buffalo milk as affected by concentration and addition of casein. *Journal of Food Processing and Preservation*, 7(3), 151-160.
- The Uniprot Database <http://www.uniprot.org/align/> (accessed 19 March 2015).
- Vizcaino, J.A., Csordas, A., del-Toro, N., Dianes, J.A., Griss, J., Lavidas, I., Mayer, G., Perez-Riverol, Y., Reisinger, F., Ternent, T., Xu, Q.W., Wang, R., & Hermjakob, H. (2016). 2016 update of the PRIDE database and its related tools. *Nucleic Acids Research*, 44(D1), D447-D456.
- Vorbach, C., Scriven, A., & Capecchi, M.R. (2002). The house keeping gene xanthine oxidoreductase is necessary for milk fat droplet enveloping and secretion: gene sharing in the lactating mammary gland. *Genes and Development*, 16, 3223-3235.
- Walstra, P., Wouters, J.T.M., & Geurts, T.J. (2006). *Dairy science and technology* (2nd ed.). Boca Raton, FL, USA: CRC Press.
- Yáñez, M., Gil-Longo, J., & Campos-Toimil, M. (2012). Calcium binding proteins. In S. M. Islam (Ed.), *Calcium signaling*. Dordrecht, the Netherlands: Springer, 461-482.
- Ye, A., Singh, H., Taylor, M.W., & Anema, S. (2002). Characterization of protein components of natural and heat-treated milk fat globule membranes. *International Dairy Journal*, 12(4), 393-402.

Table 1. Yield of MFGM protein isolated from buffalo and bovine milk. Results are presented as the mean $\pm$ standard deviation of the mean (n = 3).

Milk type	Fat content (g/100 mL)	Mass of MFGM protein (mg/g fat)	Mass of MFGM protein (mg/100 mL)
Buffalo	7.6 $\pm$ 0.9 ^a	1.5 $\pm$ 0.3 ^a (% CV 20)	12 $\pm$ 4 ^a (% CV 31)
Bovine	3.4 $\pm$ 0.2 ^b	1.9 $\pm$ 0.2 ^a (% CV 11)	6 $\pm$ 1 ^a (% CV 14)

% CV = % coefficient of variation.

^{a,b} Means in the same column with different superscript are statistically different (P<0.05).

731 **Table 2.** Quantitative comparison between buffalo and bovine MFGM proteins isolated in this study. The ratio of buffalo and bovine MFGM
732 proteins is presented as the mean $\pm$ standard deviation of the mean (n = 4) determined from a similar mass (100 μ g) of MFGM proteins.
733

Protein name	Accession entry	Gene name	MW (kDa)	Aas	pI	# Peptides	Molecular function	Cellular component	Ratio (BM/CM)
Xanthine dehydrogenase/oxidase	F1MUT3_BOVIN/ G1AQP3_BUBBU	XDH	147	1332	7.7	17, 8, 9, 13	catalytic activity; metal ion binding; nucleotide binding	extracellular; cytoplasm	6.1 $\pm$ 2.8
Polymeric immunoglobulin receptor	PIGR_BOVIN/ A6QNW3_BOVIN	PIGR	82	757	7.3	4, 4, 1, 5	protein binding	extracellular; membrane	0.03 $\pm$ 0.01
Platelet glycoprotein 4	CD36_BOVIN	CD36	53	472	8.1	2, 1, 1, 1	na	membrane	2.6 $\pm$ 0.6
Perilipin-2	F1N1N6_BOVIN/ F1MQB0_BOVIN	PLIN2	49	450	8.6	11, 1, 1, 2	na	membrane	1.7 $\pm$ 0.5
Lactadherin	MFGM_BOVIN	MFGE8	47	427	7.2	9, 2, 2, 5	protein binding	extracellular; membrane	0.5 $\pm$ 0.1
Heat shock cognate 71 kDa protein	HSP7C_BOVIN	HSPA8	71	650	5.5	4, 2, 1, 3	nucleotide binding; protein binding; catalytic activity	nucleus; organelle lumen; cytoplasm; cytosol; cell surface; extracellular	2.8 $\pm$ 1.1

Protein name	Accession entry	Gene name	MW (kDa)	Aas	pI	# Peptides	Molecular function	Cellular component	Ratio (BM/CM)
Calcineurin B homologous protein 1	CHP1_BOVIN	CHP1	22	195	5.1	4, 1, 1, 2	enzyme regulator activity; transporter activity; metal ion binding; protein binding	cytoplasm; Golgi; membrane; nucleus; endoplasmic reticulum; cytoskeleton	2.6 ± 0.7
Beta casein	CASB_BOVIN/ CASB_BUBBU	CSN2	25	224	5.4	3, 1, 1, 2	enzyme regulator activity; transporter activity; protein binding; antioxidant activity; catalytic activity	extracellular	6.5 ± 0.9
Uncharacterized protein 1	F1N2D9_BOVIN	na	273	2503	6.2	6, 9, 5, 7	nucleotide binding; catalytic activity; protein binding; metal ion binding	na	2.3 ± 0.6
Uncharacterized protein 2	G5E5T5_BOVIN	na	42	389	5.0	5, 3, 1, 2	protein binding	membrane	0.05 ± 0.03
Uncharacterized protein 3	F1MYU3_BOVIN	na	22	201	6.2	2, 2, 1, 2	catalytic activity; nucleotide binding	nucleus; cytoplasm	2.2 ± 0.3
Uncharacterized protein 4	F1MHC2_BOVIN	STXBP 2	66	593	6.9	1, 2, 1, 1	protein binding	cytoplasm; cytosol; membrane	2.1 ± 0.4

Protein name	Accession entry	Gene name	MW (kDa)	Aas	pI	# Peptides	Molecular function	Cellular component	Ratio (BM/CM)
Uncharacterized protein 5	G5E513_BOVIN	na	50	457	5.5	3, 3, 1, 4	protein binding	na	0.06 ± 0.04
Uncharacterized protein 6	F1N272_BOVIN	ATP13 A4	134	1197	7.5	4, 1, 2, 1	nucleotide binding; catalytic activity; transporter activity; metal ion binding	membrane	1.8 ± 0.3
Uncharacterized protein 7	G5E604_BOVIN	na	11	107	8.0	1, 1, 1, 1	protein binding	na	0.28 ± 0.08
Putative uncharacterized protein 8	A5D7Q2_BOVIN	na	52	487	6.6	3, 1, 1, 2	protein binding	membrane	0.1 ± 0.1

734 The accession entry is the unique entry name that is assigned for an identified protein according to the Uniprot database. The molecular weight (MW), number of amino acids
735 (Aas), isoelectric point (pI), molecular function and cellular component are obtained by using the ‘annotation’ node in Proteome Discoverer which utilizes the ProteinCenter
736 software (Thermo Scientific ProteinCenter) consisting of data from >20 public databases (Uniprot, NCBI, IPI, etc.). # Peptides: the number of peptides used for quantification
737 in 4 replicates. na = information not available from searching databases. The molecular function and cellular component are as described for Figure 2.
738

739 **Table 3.** The nutritional properties and functions of proteins that differ in concentration between the MFGM fraction of buffalo and bovine milk
740 fat.

Protein name	Nutritional or health benefits and biological function	Function in dairy and food processing	Reference
Xanthine dehydrogenase/oxidase (XDH/XO)	An oxidoreductase enzyme involved in lipid secretion, the metabolism of purine, the host defense system and inflammatory responses.	Bactericidal effects, potentially useful for preservation of food products. Oxido-reduction activities, potentially negatively affecting flavors of cheese and dairy products leading to rancidity in milk.	(Aurand et al., 1967; Hancock et al., 2002; Harrison, 2004; Kathriarachchi et al., 2014; Kim et al., 2001; Martin et al., 2004; Spitsberg, 2005)
Polymeric immunoglobulin receptor (PIGR)	Involved in the secretion of immunoglobulins.	Not clearly understood	(Brandtzaeg & Johansen, 2007; De Groot et al., 2000; Kulseth et al., 1995)
Heat shock cognate 71 kDa protein (HSP7C)	Involved in protection of cellular proteins from damage and degradation when exposed to high temperatures or oxidative stress.	Could improve heat stability during the pasteurization of milk or thermal treatment of dairy products.	(De Simone et al., 2011; Sarker & Amin, 2013; Singh & Tokley, 1990; Tayal & Sindhu, 1983)
Calcineurin B homologous protein 1 (CHP1)	Involved in pH regulation, signalling and Na ⁺ /H ⁺ exchange and acts as a Ca ²⁺ sensor for exocytosis. The protein also inhibits calcineurin phosphatase activity and assists in membrane trafficking and gene transcription.	Whilst this calcium binding protein could bind calcium present in milk, the concentration of this protein in the MFGM is very low.	(Di Sole et al., 2012; Lin et al., 1999; Naoe et al., 2005; Pang et al., 2004)
Platelet glycoprotein 4 (CD36) Perilipin-2 (PLIN2 or ADPH) Lactadherin (MFGE8 or PAS 6/7)	Involved in the host protection against bacterial and viral infection, fatty acid transportation, storage and breakdown of lipids, cellular movement, phospholipid binding and anticoagulant activities.	Not clearly understood	(Kvistgaard et al., 2004; Riccio, 2004; Shi et al., 2004; Spitsberg, 2005; Struijs et al., 2013; Tansey et al., 2004)

List of Figures and Figure Legends

Figure 1. Image of representative SDS-PAGE (4-12% acrylamide) separation of buffalo (BM) and bovine (CM) MFGM protein samples. STD = standard molecular weight, XO = Xanthine oxidoreductase, BTN = Butyrophilin, ADPH = Adipophilin, PAS 6/7 = Lactadherin. The arrows with a broken line indicate possible differences between buffalo and bovine MFGM proteins. Protein bands were identified initially by comparison to molecular weight standards and the results of previous studies (Le et al., 2009; Ong et al., 2010); protein identity was then confirmed by LC-MS/MS analysis.

Figure 2. Breakdown of the proposed molecular function (A), biological process (B) and localization (C) of the buffalo (outer circle) and bovine (inner circle) MFGM proteins isolated in this study.

Figure 3. Western blot (A) and CLSM images (B-C) showing the difference in the concentration (A) or distribution of xanthine oxidoreductase within samples of the bovine (B) or buffalo (C) milk fat globule membrane.

756 **Figure 1**

757

758 **Figure 2**

759

760 **Figure 3**

761

762

Supplementary Figure 1. Flow diagram of the process used to isolate milk fat globule membrane proteins in buffalo or bovine milk samples.

Supplementary Figure 2. The 13 individual SDS-PAGE gel sections and flow diagram of the process used to identify proteins in the milk fat globule membrane of buffalo or bovine milk samples.

Supplementary Figure 3. Images of SDS-PAGE separation (A) and Western blot analysis (B) of buffalo (BM) and bovine (CM) MFGM protein samples. The same samples were used for each analysis but twice the mass of the sample was loaded for the less sensitive SDS-PAGE technique. BM and CM MFGM protein samples were probed with a rabbit polyclonal antibody against bovine xanthine oxidase and horse radish peroxidase conjugated anti-rabbit antibody for Western blot analysis. STD = standard molecular weight, XO = Xanthine oxidase/dehydrogenase, BTN = Butyrophilin, ADPH = Adipophilin, PAS 6/7 = Lactadherin. The arrows with broken lines (Figure A) indicate possible differences between buffalo and bovine MFGM proteins identified by SDS-PAGE. Protein bands were identified initially by comparison to molecular weight to the standards and the results of previous studies (Le et al., 2009; Ong et al., 2010). The region highlighted by the box (Figure B) indicates the difference in the concentration of XO between buffalo and bovine MFGM analyzed by Western blot. The same region is also reproduced in Figure 3.

Le, T.T., Van Camp, J., Rombaut, R., Van Leeckwyck, F., & Dewettinck, K. (2009). Effect of washing conditions on the recovery of milk fat globule membrane proteins during the isolation of milk fat globule membrane from milk. *Journal of Dairy Science*, 92(8), 3592-3603.

Ong, L., Dagastine, R.R., Kentish, S.E., & Gras, S.L. (2010). The effect of milk processing on the microstructure of the milk fat globule and rennet induced gel observed using confocal laser scanning microscopy. *Journal of Food Science*, 75(3), 135-145.

Supplementary Table 1. Calculation of the mass of MFGM proteins per fat globule and per unit of surface area ^a

	BM			CM		
Mass of MFGM proteins per 100 mL of milk (mg/100 mL milk) determined in this study, as shown in Table 1. (M1)	12 ± 4			6 ± 1		
Mass of MFGM proteins per g fat (mg/g fat) determined in this study, as shown in Table 1. (M2)	1.5 ± 0.3			1.9 ± 0.2		
Average density of fat ^b (g/mL fat) (p)	0.91			0.9		
Mass of MFGM proteins per mL fat (mg/mL fat) calculated using the average density of fat (M3)	1.36			1.71		
Diameter of fat globule ^c (mm) (D)	Min	Mode	Max	Min	Mode	Max
	0.63	5.8	17.4	0.63	3.3	11.5
Volume per fat globule (10 ⁻¹² mL) (V)	0.131	102	2757	0.131	18.8	796
Mass of MFGM proteins per fat globule (mg per globule) (M4)	1.8 x 10 ⁻¹³	1.4 x 10 ⁻¹⁰	3.8 x 10 ⁻⁹	2.2 x 10 ⁻¹³	3.2 x 10 ⁻¹¹	1.4 x 10 ⁻⁹
Surface area per fat globule (mm ²) (S)	1.25	106	951	1.25	34.2	415.3
Mass of MFGM proteins per unit of surface area (mg/mm ²) (M5)	1.4 x 10 ⁻¹³	1.3 x 10 ⁻¹²	3.9 x 10 ⁻¹²	1.8 x 10 ⁻¹³	9.4 x 10 ⁻¹³	3.3 x 10 ⁻¹²

^{a,d} The calculation was performed based on the assumption that all fat globules in buffalo and bovine milk have 100% sphericity and all the proteins present in the MFGM were isolated (yield =100%). In practice, these numbers might be under-estimated due to the loss of MFGM proteins during the isolation procedure such as the washing step, the loss of MFGM proteins on the centrifuge tube during centrifugation. MFGM proteins can also attach to butter granules or some proteins may not be adequately reduced when HCl was added, reducing the concentration of proteins that precipitate.

^b The density of buffalo and bovine milk fat were obtained from the literature (Pandya & Khan, 2006).

^c The diameter of buffalo milk fat globule was determined using light scattering in a previous study (Nguyen, 2014).

Nguyen, H.T.H. (2014). *Characterisation of buffalo milk, yoghurt and cheese*. Unpublished Doctoral dissertation, The University of Melbourne, Australia.

Pandya, A.J., & Khan, M.M.H. (2006). Buffalo milk utilization for dairy products. In Y. W. Park & G. F. W. Haenlein (Eds.), *Handbook of milk of non-bovine mammals*

Equation
$M3=M2*\rho$
$V=4/3*\pi*(D/2)^3$ where π is ~ 3.14
$S=4*\pi*(D/2)^2$ where π is ~ 3.14
$M5=M4/S$

Supplementary Table 2. The intital dataset containing 757 buffalo MFGM proteins identified by LC-MS analysis of combined in-gel and in-solution digest samples.

Accession	Description	Score	Coverage	# Proteins	# Unique Peptides	# Peptides	# AAs	MW [kDa]	pI
G1AQP3_BUBBU	SubName: Full=Xanthine dehydrogenase/oxidase; EC=1.17.1.4; E	54163.81	82.88	55	10	129	1332	147.0	7.61
F1MUT3_BOVIN	SubName: Full=Xanthine dehydrogenase; - OS=Bos taurus (Bovin	51560.18	74.47	54	5	123	1332	146.7	7.68
O97896_SYNCA	SubName: Full=Xanthine:oxygen oxidoreductase; Flags: Fragmen	44463.00	69.65	49	3	109	1328	146.5	7.61
H6VRF8_HUMAN	SubName: Full=Keratin 1; - OS=Homo sapiens (Human).	37096.74	68.94	69	0	57	644	66.0	8.12
H6VRG2_HUMAN	SubName: Full=Keratin 1; - OS=Homo sapiens (Human).	36148.57	68.94	55	0	56	644	66.0	8.12
H2QCX3_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (C	31008.56	61.53	259	27	44	577	58.2	5.16
H2R1Z0_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (C	30846.21	52.61	74	0	52	631	65.4	8.54
F7B786_MACMU	SubName: Full=Cytokeratin-1; SubName: Full=Uncharacterized pr	25034.21	47.33	57	0	45	636	65.2	8.12
G1S7N8_NOMLE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	24935.26	48.29	121	0	46	613	63.1	6.06
F1MQB0_BOVIN	SubName: Full=Perilipin-2; - OS=Bos taurus (Bovine).	24446.78	71.05	56	17	37	411	45.1	8.41
K22E_HUMAN	RecName: Full=Keratin, type II cytoskeletal 2 epidermal; AltName	23100.96	82.16	137	20	56	639	65.4	8.00
H2NHE3_PONAB	SubName: Full=Uncharacterized protein; - OS=Pongo abelii (Sum	22827.80	53.18	50	0	38	519	52.6	8.84
K1C9_HUMAN	RecName: Full=Keratin, type I cytoskeletal 9; AltName: Full=Cytoi	22769.13	63.88	15	32	38	623	62.0	5.24
MFGM_BOVIN	RecName: Full=Lactadherin; AltName: Full=BP47; AltName: Full=	20240.90	61.36	18	14	41	427	47.4	7.15
BT1A1_BOVIN	RecName: Full=Butyrophilin subfamily 1 member A1; Short=BT; F	19573.72	66.54	361	8	45	526	59.2	5.20
A3EY52_CAPHI	SubName: Full=Butyrophilin subfamily 1 member A1; - OS=Capra	15865.53	53.99	376	6	38	526	59.2	5.21
G9KY62_MUSPF	SubName: Full=Xanthine dehydrogenase; Flags: Fragment; - OS=	15483.83	23.16	53	1	40	1334	146.7	7.30
G3T808_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	15071.14	27.51	51	3	40	1316	145.0	7.77
H0WGC0_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	13245.62	24.25	9	2	36	1336	146.9	7.28
I3MIN7_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	12856.54	26.74	47	2	39	1339	147.4	7.43
G5CC03_CAPHI	SubName: Full=Milk fat globule EGF factor 8 protein; Flags: Fragn	12709.23	50.00	16	4	28	398	44.6	7.49
H2QHQ2_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (C	12470.32	25.21	50	2	46	1333	146.3	7.55
G5ALS8_HETGA	SubName: Full=Keratin, type II cytoskeletal 1; Flags: Fragment; -	12389.50	23.85	2	1	19	629	65.0	6.81
B6ZBP2_BUBBU	SubName: Full=Alpha S1 casein; - OS=Bubalus bubalis (Domestic	11310.10	72.33	3	7	14	206	23.4	4.94
H0WUU3_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	10364.41	26.77	10	0	21	650	66.5	7.09
G3T5Z4_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta african	9897.53	26.67	40	0	18	495	54.0	7.39
Q6RUS0_BUBBU	SubName: Full=Butyrophilin; Flags: Fragment; - OS=Bubalus bub	9824.05	89.23	7	2	10	130	14.1	5.41
G1P4P2_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	9618.27	17.94	8	0	15	613	63.4	8.07

G1LZ32_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	9217.43	15.15	12	0	16	746	73.9	8.70
CASB_BUBBU	RecName: Full=Beta-casein; Flags: Precursor; - OS=Bubalus bub	8957.85	66.07	29	3	16	224	25.1	5.35
D0G0B6_PIG	SubName: Full=Perilipin 2; SubName: Full=Uncharacterized prote	8931.93	27.45	35	1	16	459	50.2	6.73
F1N2D9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	8178.76	32.88	19	0	64	2503	272.5	6.16
E9NV81_BUBBU	SubName: Full=ATP-binding cassette sub-family G (WHITE) meml	7993.68	43.92	58	1	29	658	72.9	8.48
ABCG2_BOVIN	RecName: Full=ATP-binding cassette sub-family G member 2; Alt	7936.03	44.12	62	1	29	655	72.7	8.66
G1P4N7_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	7702.62	27.63	56	0	19	666	67.4	8.48
F1N647_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	7672.56	32.44	38	0	64	2512	274.1	6.46
Q3HW31_BUBBU	SubName: Full=Beta-casein; Flags: Fragment; - OS=Bubalus bub	7448.76	63.87	30	1	12	155	17.3	8.43
F6WEM8_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	7206.88	21.86	8	2	35	1299	143.9	7.20
G1RJ14_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucoge	7115.86	44.16	341	4	22	471	51.4	5.25
TRFL_BUBBU	RecName: Full=Lactotransferrin; Short=Lactoferrin; EC=3.4.21.-;	7027.21	61.72	303	0	43	708	77.7	7.91
G9DAR3_BUBBU	SubName: Full=Lactoferrin; - OS=Bubalus bubalis (Domestic wate	6782.04	59.75	329	0	43	708	77.6	7.99
CASA1_BOVIN	RecName: Full=Alpha-S1-casein; AltName: Allergen=Bos d 8; Con	6567.18	38.79	4	4	9	214	24.5	5.02
FABPH_BOSMU	RecName: Full=Fatty acid-binding protein, heart; AltName: Full=F	6190.62	95.49	109	9	15	133	14.8	7.34
A5A758_PIG	SubName: Full=Keratin 1; Flags: Fragment; - OS=Sus scrofa (Pig)	6118.26	20.19	8	0	16	629	65.2	8.15
Q009B1_SHEEP	SubName: Full=ATP-binding cassette sub-family G member 2; Sut	6050.78	32.52	58	1	19	658	73.1	8.57
Q6PKV3_BUBBU	SubName: Full=Beta casein; Flags: Fragment; - OS=Bubalus bub	5862.75	59.04	27	1	11	166	18.6	6.95
A5A759_PIG	SubName: Full=Keratin 2A; - OS=Sus scrofa (Pig).	5686.25	16.98	57	1	11	642	65.8	7.52
F7E526_MACMU	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (R	5584.68	31.56	275	0	22	564	59.9	8.00
F6T681_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	5341.17	42.95	250	0	30	589	62.2	8.13
Q06B57_CAPHI	SubName: Full=Fatty acid synthase; - OS=Capra hircus (Goat).	5329.86	20.49	23	4	44	2514	273.7	6.43
CASB_BOVIN	RecName: Full=Beta-casein; Contains: RecName: Full=Casoparan	5294.19	32.14	32	1	10	224	25.1	5.35
G9KJR0_MUSPF	SubName: Full=RAB18, member RAS oncoprotein family; Flags: F	5144.29	66.34	63	12	13	205	22.9	5.24
K2C6B_HUMAN	RecName: Full=Keratin, type II cytoskeletal 6B; AltName: Full=Cy	4805.78	37.23	217	0	23	564	60.0	8.00
H9Z8R8_MACMU	SubName: Full=Keratin, type II cytoskeletal 5; - OS=Macaca mula	4706.77	36.72	145	0	20	463	50.6	6.47
E2R568_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (D	4694.24	16.36	115	0	16	648	66.8	8.79
K1C16_HUMAN	RecName: Full=Keratin, type I cytoskeletal 16; AltName: Full=Cyt	4651.32	44.82	284	5	21	473	51.2	5.05
F7IKL3_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	4648.11	26.64	9	1	9	304	33.2	8.43
F7B7X0_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (H	4561.08	13.15	6	0	10	639	66.1	8.07
F6T479_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	4545.09	20.15	52	2	30	1315	145.0	7.17
B4DRR0_HUMAN	SubName: Full=cDNA FLJ53910, highly similar to Keratin, type II	4498.82	36.45	281	0	22	535	57.8	8.00
G9KHA2_MUSPF	SubName: Full=Adipose differentiation-related protein; Flags: Fra	4464.83	27.11	44	3	14	402	43.8	7.44

G3IBN9_CRIGR	SubName: Full=Keratin, type II cytoskeletal 71; - OS=Cricetulus g	4384.76	22.71	314	0	27	1202	133.3	6.55
E2R8Z5_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (D	4238.80	31.81	217	0	24	591	62.2	7.72
K2C6C_HUMAN	RecName: Full=Keratin, type II cytoskeletal 6C; AltName: Full=Cy	4185.36	35.46	221	0	22	564	60.0	8.00
G1P830_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	4178.30	27.30	212	0	22	608	64.2	7.85
G1SHY7_RABIT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	4170.60	31.88	231	0	26	574	61.2	7.81
D2HLN2_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	4146.95	38.90	108	1	16	347	39.9	4.94
F6W7V0_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (H	4101.13	31.70	235	0	24	593	62.4	7.81
B4E1T1_HUMAN	SubName: Full=cDNA FLJ54081, highly similar to Keratin, type II	4068.59	42.52	276	0	28	555	58.8	5.97
G1P3B7_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	4029.29	52.32	164	15	32	646	70.8	5.52
H2Q5Z7_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (C	4013.78	35.46	220	0	22	564	59.9	7.99
G3T6V1_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta african	4004.38	26.64	34	1	11	428	46.8	7.20
H0X5C0_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	3998.26	19.29	155	0	15	565	60.0	7.68
TRYP_PIG	RecName: Full=Trypsin; EC=3.4.21.4; Flags: Precursor; - OS=Sus	3878.89	31.60	10	5	5	231	24.4	7.18
F6WGX6_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (H	3869.86	13.48	51	0	10	586	63.0	8.69
E1BIL2_BOVIN	SubName: Full=Keratin, type II cytoskeletal 5; - OS=Bos taurus (I	3834.26	30.54	222	0	25	573	60.6	7.81
G1S7R3_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucoge	3816.57	33.33	221	0	21	564	59.9	7.72
H0X5C3_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	3764.29	29.98	230	0	26	597	62.8	7.81
F6RMN8_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	3715.02	32.15	190	0	21	535	57.8	8.22
F6RLU9_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	3690.48	26.24	215	0	19	564	60.0	8.00
F7D281_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (H	3690.29	25.09	193	0	18	562	59.9	7.94
E9NZN2_BUBBU	SubName: Full=Alpha-S2-casein; - OS=Bubalus bubalis (Domestic	3633.84	76.58	81	4	24	222	26.1	7.85
Q19KS4_BUBBU	SubName: Full=Lactoferrin; Flags: Fragment; - OS=Bubalus buba	3625.30	63.64	249	0	25	352	39.0	8.72
E1B990_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	3542.41	12.00	260	0	6	400	45.0	5.15
K2C6A_RAT	RecName: Full=Keratin, type II cytoskeletal 6A; AltName: Full=Cy	3367.92	15.58	131	0	11	552	59.2	7.94
A8KRP5_BUBBU	SubName: Full=Kappa-casein; Flags: Precursor; - OS=Bubalus bu	3359.88	50.53	100	3	9	190	21.4	7.37
G1U9I1_RABIT	SubName: Full=Uncharacterized protein; - OS=Orctolagus cunicu	3355.57	15.90	53	0	11	497	55.0	5.74
C3W955_BUBBU	SubName: Full=Beta-lactoglobulin; Flags: Precursor; - OS=Bubalu	3330.90	75.56	15	1	13	180	20.0	5.02
G3QVA4_GORGO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	3310.59	64.60	73	0	16	322	35.2	6.16
G3MXL3_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	3309.83	15.42	282	0	15	616	62.9	5.96
G3EHG5_CAPHI	SubName: Full=TIP47; - OS=Capra hircus (Goat).	3297.32	42.11	30	2	13	437	47.3	6.09
5NTD_BOVIN	RecName: Full=5'-nucleotidase; Short=5'-NT; EC=3.1.3.5; AltNar	3270.39	47.91	20	8	26	574	62.9	6.95
F1PTS8_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	3249.49	28.20	189	0	18	571	60.6	8.16
I3N859_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tride	3191.17	13.83	316	0	10	535	57.9	7.58

F1MUP9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine)	3175.74	55.47	48	16	19	402	42.8	6.44
Q45G28_BUBBU	SubName: Full=Alpha s2-casein; - OS=Bubalus bubalis (Domestic	3133.12	77.48	72	4	24	222	26.1	7.02
B4DKV4_HUMAN	SubName: Full=cDNA FLJ60647, highly similar to Keratin, type II c	3108.51	31.56	182	0	17	526	55.7	8.43
Q3UB66_MOUSE	SubName: Full=Putative uncharacterized protein; - OS=Mus musc	3031.84	77.56	44	6	15	205	22.7	5.73
Q3SX32_BOVIN	SubName: Full=Mannose 6 phosphate receptor binding protein 1;	2999.36	43.15	28	2	13	438	47.6	6.13
H9FT58_MACMU	SubName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(T	2952.43	61.18	76	4	16	340	37.3	6.00
F6RFW8_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis dome	2944.07	69.07	237	3	21	375	41.7	5.58
Q17QL7_BOVIN	SubName: Full=KRT15 protein; SubName: Full=Uncharacterized p	2890.08	15.67	179	0	11	453	49.0	4.88
LACB_BOVIN	RecName: Full=Beta-lactoglobulin; Short=Beta-LG; AltName: Aller	2889.56	76.40	17	1	13	178	19.9	5.02
ENPP3_BOVIN	RecName: Full=Ectonucleotide pyrophosphatase/phosphodiestera	2833.22	28.38	39	16	19	874	99.5	5.96
I3M9X8_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	2810.72	14.34	178	0	10	537	58.3	8.00
G5E5T5_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	2790.62	30.85	1	2	9	389	42.4	5.02
G3TJ38_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=l	2751.69	20.00	181	0	10	445	49.7	5.06
G3LUQ4_SHEEP	SubName: Full=Alpha s1 casein; - OS=Ovis aries (Sheep).	2738.70	34.11	10	2	6	214	24.3	5.43
H9FT57_MACMU	SubName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(T	2736.19	57.94	46	2	15	340	37.3	6.18
Q3UBP6_MOUSE	SubName: Full=Putative uncharacterized protein; - OS=Mus musc	2715.14	65.60	205	1	20	375	41.7	5.48
A4FUX1_BOVIN	SubName: Full=CIDEA protein; - OS=Bos taurus (Bovine).	2682.44	34.70	52	6	7	219	24.5	9.32
K2C75_BOVIN	RecName: Full=Keratin, type II cytoskeletal 75; AltName: Full=Cy	2675.50	20.07	248	0	14	543	59.0	7.65
F7A679_MACMU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	2671.79	20.27	190	0	10	444	48.3	4.96
F5BZ34_CAMDR	SubName: Full=Milk fat globule EGF factor 8; Flags: Fragment; - (	2655.49	39.46	11	1	10	294	32.8	8.03
G1SHY2_RABIT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	2592.81	18.52	234	0	17	567	61.1	8.24
CHP1_BOVIN	RecName: Full=Calcineurin B homologous protein 1; AltName: Ful	2589.10	83.59	28	12	16	195	22.4	5.10
G5E513_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	2572.84	31.95	5	4	12	457	49.9	5.49
Q6IFT3_MOUSE	SubName: Full=Keratin Kb40; - OS=Mus musculus (Mouse).	2559.13	6.00	74	0	6	800	85.2	8.31
E1BJV0_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine)	2539.34	50.37	57	6	23	540	61.0	7.55
F7I2W7_CALJA	RecName: Full=Annexin; - OS=Callithrix jacchus (White-tufted-ea	2509.90	54.52	36	1	16	321	36.1	5.11
H9H7T4_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	2485.30	20.70	306	1	15	488	53.0	5.92
E9NST3_BUBBU	SubName: Full=Sodium phosphate solute carrier family 34 membe	2476.79	31.75	67	16	20	693	75.9	7.59
A1L5B6_BOVIN	RecName: Full=Annexin; - OS=Bos taurus (Bovine).	2465.55	57.63	29	3	17	321	36.1	5.05
D2H4M7_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	2460.99	67.35	344	1	12	196	21.5	6.21
SBP1_BOVIN	RecName: Full=Selenium-binding protein 1; AltName: Full=56 kDa	2447.41	43.01	41	8	15	472	52.5	6.48
C7EDP2_CEREL	SubName: Full=Heat shock 70kDa protein 5 isoform 2; - OS=Cerv	2421.38	45.50	25	16	27	655	72.4	5.24
CD36_BOVIN	RecName: Full=Platelet glycoprotein 4; AltName: Full=Glycoprotei	2376.01	17.58	69	3	13	472	52.9	8.10

H0V8Q2_CAVPO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	2361.18	18.98	209	0	11	432	48.5	5.16
G3QMQ3_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorill	2317.61	14.95	188	0	11	535	57.8	7.75
A0FI82_CAPHI	SubName: Full=Lipoprotein lipase; - OS=Capra hircus (Goat).	2298.23	28.03	88	10	14	478	53.6	8.37
G3SUR8_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta african	2274.04	17.33	179	0	8	404	44.3	4.93
Q0VCZ8_BOVIN	SubName: Full=Acyl-CoA synthetase long-chain family member 1;	2264.68	43.63	105	19	30	699	78.2	7.21
I3LLY8_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	2234.99	18.69	177	0	12	535	57.9	6.90
G3N2D8_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	2227.71	18.66	25	5	10	568	60.9	6.35
F7IM66_CALJA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	2192.73	12.72	2	0	5	448	35.8	10.77
C5IJ88_SHEEP	SubName: Full=GDI2; - OS=Ovis aries (Sheep).	2184.20	78.88	107	21	29	445	50.4	6.25
EF1A1_BOVIN	RecName: Full=Elongation factor 1-alpha 1; Short=EF-1-alpha-1;	2163.76	41.13	239	11	15	462	50.1	9.01
G3RL44_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorill	2149.63	21.46	189	0	9	410	45.6	5.02
F6U9A3_MACMU	SubName: Full=Keratin, type II cytoskeletal 8; SubName: Full=Un	2148.93	15.94	294	0	8	483	53.6	5.59
Q63280_RAT	SubName: Full=Keratin K5; Flags: Fragment; - OS=Rattus norveg	2135.83	59.49	2	1	7	79	9.4	5.50
F6Q9R1_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (H	2102.19	30.55	22	1	9	419	45.7	6.93
H0YKS8_HUMAN	SubName: Full=Lactadherin short form; Flags: Fragment; - OS=H	2098.35	5.22	14	1	2	268	29.1	7.90
G3MZC1_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	2061.20	40.12	3	1	13	324	36.0	7.11
PPIA_BOVIN	RecName: Full=Peptidyl-prolyl cis-trans isomerase A; Short=PPIas	2006.24	74.39	267	7	13	164	17.9	8.16
ERG7_BOVIN	RecName: Full=Lanosterol synthase; EC=5.4.99.7; AltName: Full=	1993.62	31.42	35	9	19	732	83.1	6.83
E1B991_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	1980.79	12.64	44	0	9	617	64.3	8.68
F6VKQ3_MACMU	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (R	1975.05	13.46	327	1	10	520	56.1	6.92
ANXA2_BOVIN	RecName: Full=Annexin A2; AltName: Full=Annexin II; AltName:	1928.87	56.64	51	2	20	339	38.6	7.31
F1MHC2_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	1887.75	41.32	46	8	22	593	66.3	6.87
G1QED3_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	1862.63	12.20	6	1	2	246	26.6	7.49
I3MMU8_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tride	1840.18	13.79	183	0	7	457	49.6	4.93
ANXA2_HUMAN	RecName: Full=Annexin A2; AltName: Full=Annexin II; AltName:	1812.17	55.16	60	1	19	339	38.6	7.75
H6WAG7_BUBBU	SubName: Full=Selenoprotein 15; - OS=Bubalus bubalis (Domesti	1810.95	33.33	24	6	6	162	18.0	5.21
Q1W2K5_BUBBU	RecName: Full=Monocyte differentiation antigen CD14; AltName:	1776.99	31.45	26	8	9	372	39.6	6.02
G1T2X0_RABIT	SubName: Full=Uncharacterized protein; - OS=Orctolagus cunicu	1770.80	13.30	34	1	7	436	47.8	7.01
F1MPE1_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	1761.49	7.95	23	7	11	1447	161.6	5.60
GLCM1_BOVIN	RecName: Full=Glycosylation-dependent cell adhesion molecule 1	1750.21	41.18	29	9	11	153	17.1	6.68
G9KAG1_MUSPF	SubName: Full=Milk fat globule-EGF factor 8 protein; Flags: Fragn	1745.66	18.46	3	3	9	390	43.5	6.60
G3HRK4_CRIGR	SubName: Full=Ras-related protein Rab-5B; - OS=Cricetulus grise	1744.84	51.16	91	5	8	215	23.7	8.13
F6Q862_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	1724.43	56.48	89	1	9	216	23.4	8.66

G7PTR1_MACFA	SubName: Full=Polyubiquitin-C; - OS=Macaca fascicularis (Crab-e	1672.26	73.20	181	5	6	153	17.2	6.58
Q5U2U5_RAT	SubName: Full=Adipose differentiation related protein; SubName:	1651.05	5.69	5	1	2	422	46.2	7.05
G3VZ31_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	1649.93	20.37	66	1	11	653	72.3	7.93
F1N272_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	1648.91	18.63	61	13	17	1197	133.8	7.50
RAB5C_BOVIN	RecName: Full=Ras-related protein Rab-5C; - OS=Bos taurus (Bo	1642.54	50.93	84	1	8	216	23.5	8.41
HS90B_BOVIN	RecName: Full=Heat shock protein HSP 90-beta; - OS=Bos taurus	1621.10	30.39	176	7	21	724	83.2	5.03
A0SWR1_CAPHI	SubName: Full=Kappa casein; Flags: Fragment; - OS=Capra hircu	1619.76	36.17	95	1	8	141	16.0	7.88
F1MJ66_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	1597.87	8.35	136	1	6	467	50.1	4.63
G3R825_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorill	1587.87	28.28	49	1	15	541	61.2	6.58
F6SX64_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	1584.41	9.20	4	1	11	1022	113.4	7.97
A6H7D4_BOVIN	SubName: Full=1-acylglycerol-3-phosphate O-acyltransferase 6 (L	1572.42	33.55	48	11	15	456	52.0	9.26
PERL_BOVIN	RecName: Full=Lactoperoxidase; Short=LPO; EC=1.11.1.7; Flags:	1550.75	19.66	42	9	12	712	80.6	8.54
F1MJH1_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	1546.62	33.93	69	15	23	731	80.7	5.71
Q0VCH9_BOVIN	SubName: Full=GLI pathogenesis-related 2; SubName: Full=Unch	1524.11	71.43	36	5	8	154	17.2	9.50
ANXA4_BOVIN	RecName: Full=Annexin A4; AltName: Full=35-beta calcimedin; Al	1521.92	35.11	55	7	10	319	35.9	5.72
ARF4_BOVIN	RecName: Full=ADP-ribosylation factor 4; - OS=Bos taurus (Bovin	1517.99	64.44	35	6	10	180	20.5	6.19
GIPC2_BOVIN	RecName: Full=PDZ domain-containing protein GIPC2; - OS=Bos	1510.58	53.99	4	11	15	313	34.5	6.15
Q5JR08_HUMAN	SubName: Full=Ras homolog gene family, member C; SubName:	1445.18	41.80	57	1	9	189	21.6	6.58
G3VJ06_SARHA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	1428.40	6.77	217	0	5	502	56.2	6.15
IDHC_SHEEP	RecName: Full=Isocitrate dehydrogenase [NADP] cytoplasmic; Sh	1422.19	48.07	73	3	19	414	46.8	6.80
F1LP82_RAT	SubName: Full=Ras-related protein Rab-2A; - OS=Rattus norvegic	1407.30	51.42	72	7	9	212	23.5	6.54
CN37_BOVIN	RecName: Full=2',3'-cyclic-nucleotide 3'-phosphodiesterase; Short	1402.31	51.00	110	6	20	400	44.8	8.41
C5H0E8_MOUSE	SubName: Full=Rap1A-retro1; - OS=Mus musculus (Mouse).	1391.08	47.83	36	2	8	184	21.0	6.67
ANXA1_BOVIN	RecName: Full=Annexin A1; AltName: Full=Annexin I; AltName: F	1380.08	47.40	27	7	12	346	38.9	6.81
G2HHN5_PANTR	RecName: Full=Chaperone protein HtpG E; AltName: Full=Heat sh	1379.70	31.38	167	8	21	733	84.7	5.02
E1BP91_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	1372.90	27.90	65	18	22	921	103.5	5.83
G1SGG6_RABIT	SubName: Full=Uncharacterized protein; - OS=Orctolagus cunicu	1368.18	21.53	29	1	12	734	83.2	6.37
D2I7H0_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	1355.10	22.93	93	2	12	641	70.2	5.73
G7PWL7_MACFA	SubName: Full=Lanosterol synthase; Flags: Fragment; - OS=Maca	1319.16	15.69	23	1	9	720	81.9	6.47
D2SZF9_9CETA	SubName: Full=K-casein; Flags: Fragment; - OS=Ovis orientalis x	1304.88	20.37	93	1	8	162	18.0	6.15
F6Q8B3_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (H	1298.39	77.29	29	10	15	207	23.4	6.70
GNAI3_CAVPO	RecName: Full=Guanine nucleotide-binding protein G(k) subunit a	1297.01	44.63	123	4	15	354	40.6	5.69
F7I8G8_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	1285.01	63.01	396	6	10	219	24.2	4.93

F8U3U7_CAPHI	SubName: Full=CD36; - OS=Capra hircus (Goat).	1277.63	13.98	29	1	10	472	52.8	8.25
CASK_SAITA	RecName: Full=Kappa-casein; Flags: Precursor; - OS=Saiga tatar	1268.75	16.34	49	1	5	202	22.6	5.31
Q3TN61_MOUSE	SubName: Full=Putative uncharacterized protein; - OS=Mus musc	1255.26	49.74	66	2	11	193	21.8	6.10
Q9TTU7_CEREL	SubName: Full=Alpha-lactalbumin; Flags: Fragment; - OS=Cervus	1247.04	62.89	32	2	9	97	11.1	4.87
A5D7S0_BOVIN	SubName: Full=NAPA protein; SubName: Full=Uncharacterized pr	1222.13	57.97	35	10	14	295	33.2	5.36
E1BJL8_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	1218.26	26.07	25	6	6	257	29.7	7.77
GNAS2_BOVIN	RecName: Full=Guanine nucleotide-binding protein G(s) subunit a	1203.05	48.73	148	12	20	394	45.7	5.71
B4DQI8_HUMAN	SubName: Full=Ras-related protein Rap-1b; SubName: Full=cDNA	1196.71	53.33	49	2	8	165	18.8	8.53
PDXK_BOVIN	RecName: Full=Pyridoxal kinase; EC=2.7.1.35; AltName: Full=Pyr	1193.20	29.17	26	1	6	312	34.8	5.94
F6ZZG9_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis dome	1167.01	35.90	126	1	12	376	41.8	5.48
Q0QEQ4_BOVIN	RecName: Full=Isocitrate dehydrogenase [NADP]; EC=1.1.1.42; F	1163.57	49.59	29	1	17	367	41.3	6.55
F1MGR1_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	1160.90	8.90	7	4	6	697	77.2	7.43
I3LK01_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	1146.63	21.79	141	0	14	459	51.1	7.02
A6QNW3_BOVIN	SubName: Full=PIGR protein; - OS=Bos taurus (Bovine).	1140.19	16.91	10	9	12	757	82.5	7.28
A4FUD2_BOVIN	SubName: Full=HSD17B7 protein; SubName: Full=Uncharacterize	1139.82	27.54	9	5	5	334	37.6	8.29
NSDHL_BOVIN	RecName: Full=Sterol-4-alpha-carboxylate 3-dehydrogenase, dec	1126.11	35.96	9	5	11	356	39.9	8.15
Q5ISS1_MACFA	SubName: Full=ADP-ribosylation factor 1; Flags: Fragment; - OS=	1092.53	64.33	51	6	10	171	19.5	6.34
ENPL_BOVIN	RecName: Full=Endoplasmic; AltName: Full=94 kDa glucose-regu	1089.28	20.02	79	12	15	804	92.4	4.84
PDXK_SHEEP	RecName: Full=Pyridoxal kinase; EC=2.7.1.35; AltName: Full=Pyr	1085.37	28.53	26	1	7	312	34.8	6.33
F1N726_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	1062.89	20.60	7	8	9	534	59.2	4.82
FAS_RAT	RecName: Full=Fatty acid synthase; EC=2.3.1.85; Includes: RecN	1037.46	5.79	10	1	13	2505	272.5	6.39
FABPH_SPETR	RecName: Full=Fatty acid-binding protein, heart; AltName: Full=F	1027.17	54.14	21	3	8	133	14.8	6.57
E7EI20_PIG	SubName: Full=Rho GDP dissociation inhibitor alpha; - OS=Sus sc	1019.82	42.65	36	7	7	204	23.4	5.20
B4DJA5_HUMAN	SubName: Full=Ras-related protein Rab-5A; SubName: Full=cDNA	1005.65	48.76	83	3	7	201	22.2	8.82
LALBA_BOSMU	RecName: Full=Alpha-lactalbumin; AltName: Full=Lactose syntha	1002.68	42.96	26	1	8	142	16.2	5.02
Q9CPN9_MOUSE	SubName: Full=Protein 2210010C04Rik; SubName: Full=RIKEN cl	1000.91	8.10	2	1	2	247	26.4	7.93
A7MBH9_BOVIN	SubName: Full=GNAI2 protein; SubName: Full=Uncharacterized p	998.64	57.75	148	4	17	355	40.5	5.54
HORN_HUMAN	RecName: Full=Hornerin; - OS=Homo sapiens (Human).	979.11	10.35	5	5	8	2850	282.2	10.04
H9H568_MACMU	RecName: Full=Peptidyl-prolyl cis-trans isomerase; EC=5.2.1.8; -	977.69	48.48	33	1	7	165	18.0	7.77
RAB14_HUMAN	RecName: Full=Ras-related protein Rab-14; - OS=Homo sapiens (	964.50	59.07	296	5	9	215	23.9	6.21
F6RBB3_MACMU	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (R	953.37	66.44	48	6	9	149	16.8	8.27
E3VW78_SHEEP	SubName: Full=Keratin 33B; - OS=Ovis aries (Sheep).	951.03	38.52	274	0	17	405	46.0	4.82
Q3ZBX0_BOVIN	SubName: Full=Basigin; SubName: Full=Basigin isoform 2; SubNa	948.19	39.11	4	8	10	271	29.8	5.94

D2I633_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	947.17	50.59	1	1	7	170	19.3	4.94
A6H7J6_BOVIN	SubName: Full=P4HB protein; SubName: Full=Prolyl 4-hydroxylas	941.20	44.51	69	13	20	510	57.2	4.91
Q2T9M8_BOVIN	RecName: Full=Synaptosomal-associated protein; - OS=Bos tauru	926.40	32.70	8	2	5	211	23.2	4.83
G1T7R2_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cunicu	921.72	58.82	112	9	16	255	29.2	4.74
F1MSA6_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	902.92	38.11	229	0	16	391	44.7	4.91
E7E1P5_BOSIN	SubName: Full=Kappa casein; Flags: Fragment; - OS=Bos indicus	892.16	52.78	48	1	5	144	15.9	6.77
CLUS_BOVIN	RecName: Full=Clusterin; AltName: Full=Glycoprotein III; Short=I	885.75	15.95	20	8	9	439	51.1	6.04
F7IGR5_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	884.27	41.81	129	3	14	354	40.4	5.97
G9KME2_MUSPF	SubName: Full=SAR1-like protein A; Flags: Fragment; - OS=Must	877.14	39.80	35	4	8	196	22.1	7.03
F6UUS3_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	869.36	23.13	57	10	17	856	95.0	6.93
G1NZF0_MYOLU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	867.63	24.26	56	5	10	507	56.7	7.85
I6L590_PONAB	SubName: Full=Ras-related protein Rab-10; - OS=Pongo abelii (Si	861.84	53.27	321	3	9	199	22.4	8.38
E1BG25_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	853.12	30.04	21	5	16	739	80.6	5.82
F1MDT6_BOVIN	SubName: Full=Glycerol-3-phosphate acyltransferase 1, mitochon	847.95	18.06	22	2	11	825	93.2	7.84
F1MN60_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	837.12	13.02	202	1	10	1198	132.5	6.18
D2U6Q0_BUBBU	RecName: Full=Serum amyloid A protein; Flags: Fragment; - OS=	821.70	47.62	56	2	9	147	15.9	8.97
D2GY30_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	817.70	34.50	117	4	7	229	26.1	5.06
A6QM09_BOVIN	SubName: Full=Putative uncharacterized protein; - OS=Bos tauru	812.17	14.22	10	3	3	232	24.7	7.61
G1QMQ0_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucoge	811.37	42.78	65	7	13	353	39.9	6.05
MDHC_BOVIN	RecName: Full=Malate dehydrogenase, cytoplasmic; EC=1.1.1.37;	807.11	29.64	49	5	7	334	36.4	6.58
APOA1_BOVIN	RecName: Full=Apolipoprotein A-I; Short=Apo-AI; Short=ApoA-I;	805.91	39.62	6	5	9	265	30.3	5.97
DCD_HUMAN	RecName: Full=Dermcidin; EC=3.4.-.-; AltName: Full=Preproteoly	799.37	22.73	5	3	3	110	11.3	6.54
H0XET5_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	798.98	25.80	7	1	15	593	66.4	6.77
B6VAP7_BOVIN	SubName: Full=CDC42 protein; - OS=Bos taurus (Bovine).	796.15	42.41	105	5	7	191	21.2	5.67
LACB_OVIMU	RecName: Full=Beta-lactoglobulin; Short=Beta-LG; - OS=Ovis ori	794.51	43.21	8	1	9	162	18.1	5.38
F1MSJ9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	794.23	54.23	316	3	11	201	23.0	8.29
ALBU_BOVIN	RecName: Full=Serum albumin; AltName: Full=BSA; AltName: All	788.83	21.09	33	6	12	607	69.2	6.18
F1N2J9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	786.16	24.64	372	1	5	207	23.7	9.07
F1SQX4_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	768.16	15.08	22	1	9	736	80.1	5.67
E1BHJ0_BOVIN	RecName: Full=Profilin; - OS=Bos taurus (Bovine).	761.05	53.57	35	5	7	140	15.0	8.28
I6X9J1_BUBBU	SubName: Full=Mucin1-cell surface associated protein; - OS=Bub	759.30	7.93	1	1	3	580	58.2	6.73
G5E6P3_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	759.10	39.44	75	4	9	284	33.4	6.34
G1SMV4_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cunicu	749.05	11.89	179	1	8	900	97.7	6.04

F7B1N3_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	747.57	9.57	90	1	3	460	52.1	5.30
RAB8A_BOVIN	RecName: Full=Ras-related protein Rab-8A; Flags: Precursor; - O	743.87	24.64	373	1	5	207	23.7	9.06
F6R4V4_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis dome	738.15	37.50	30	2	8	184	20.5	5.92
A5A755_PIG	SubName: Full=Guanine nucleotide-binding protein; Flags: Fragn	734.05	39.94	97	6	13	358	42.0	5.68
F1S5L4_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	724.77	15.57	34	1	10	848	96.0	7.62
I3LUJ7_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	718.44	30.20	246	0	13	404	45.7	4.82
D3ZGP4_RAT	SubName: Full=RCG39700, isoform CRA_d; SubName: Full=Ras-r	710.95	45.67	347	4	9	208	23.5	5.54
G1TJG6_RABIT	RecName: Full=Glyceraldehyde-3-phosphate dehydrogenase; EC=	703.28	34.83	220	4	8	333	35.8	8.35
E3VW87_SHEEP	SubName: Full=Keratin 86; - OS=Ovis aries (Sheep).	703.08	38.89	160	0	23	486	53.2	5.57
D6RVQ8_BOVIN	SubName: Full=Tyrosine-protein kinase Lyn; - OS=Bos taurus (Bo	702.29	31.84	971	7	12	512	58.7	7.62
D2SZA4_9CETA	SubName: Full=K-casein; Flags: Fragment; - OS=Ovis orientalis a	692.12	20.63	46	1	5	160	17.7	6.90
PRDX1_BOVIN	RecName: Full=Peroxiredoxin-1; EC=1.11.1.15; - OS=Bos taurus	690.79	38.69	39	4	7	199	22.2	8.40
NB5R3_BOVIN	RecName: Full=NADH-cytochrome b5 reductase 3; Short=B5R; S	688.36	46.18	39	7	10	301	34.1	7.28
F7H1B9_MACMU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	687.60	16.20	21	1	11	642	70.2	5.99
Q3ZCI4_BOVIN	RecName: Full=6-phosphogluconate dehydrogenase, decarboxyla	678.49	26.71	52	7	12	483	53.0	7.09
E3VW79_SHEEP	SubName: Full=Keratin 34; Flags: Fragment; - OS=Ovis aries (Sh	676.97	36.36	63	0	17	407	46.6	5.02
E1BIE9_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	674.78	2.79	1	1	1	609	65.6	7.50
Q28582_SHEEP	SubName: Full=Hair type II keratin intermediate filament protein;	674.51	35.63	126	0	22	508	55.2	6.25
E2QVH4_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (D	669.25	21.45	24	1	6	373	42.0	7.83
G1PRM4_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	669.10	22.77	249	0	10	404	45.9	4.73
Q95MX5_NEOMO	SubName: Full=Kappa-casein; Flags: Fragment; - OS=Neotragus	663.04	20.00	1	1	3	90	10.5	9.29
Q32PB7_BOVIN	RecName: Full=Serum amyloid A protein; - OS=Bos taurus (Bovin	661.69	50.38	75	2	9	131	14.8	9.29
F1MX05_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	657.74	25.41	38	5	8	429	47.3	8.92
F1MDL3_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	656.70	25.81	49	6	9	279	32.0	5.27
EZR1_BOVIN	RecName: Full=Ezrin; AltName: Full=Cytovillin; AltName: Full=Vill	654.59	27.37	150	9	15	581	68.7	6.42
GNA11_BOVIN	RecName: Full=Guanine nucleotide-binding protein subunit alpha-	647.47	32.59	128	6	11	359	42.0	6.16
G8JKZ8_BOVIN	SubName: Full=Thioredoxin; Flags: Fragment; - OS=Bos taurus (I	644.10	34.02	10	3	4	97	10.9	4.84
Q28078_BOVIN	SubName: Full=Epithelial mucin; Flags: Fragment; - OS=Bos tauri	643.00	10.42	2	1	3	192	20.9	7.36
F1MV32_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	618.71	9.53	1	6	10	1343	149.1	6.67
A5PJJ1_BOVIN	SubName: Full=KRT33A protein; SubName: Full=Uncharacterized	617.16	34.16	111	0	14	401	45.7	4.87
F1S6D8_PIG	SubName: Full=UMP-CMP kinase; Flags: Fragment; - OS=Sus scr	615.74	56.98	47	6	8	172	19.8	5.38
IPYR_BOVIN	RecName: Full=Inorganic pyrophosphatase; EC=3.6.1.1; AltName	613.09	43.25	38	6	9	289	32.8	5.47
H0WM39_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	609.92	5.80	42	0	4	431	48.0	4.58

Q1JPH2_BOVIN	SubName: Full=Ras related v-ral simian leukemia viral oncogene f	605.90	48.63	24	3	9	183	20.8	4.92
A7YWR0_BOVIN	SubName: Full=Apolipoprotein E; - OS=Bos taurus (Bovine).	598.53	30.38	31	7	9	316	36.1	5.83
Q7M2U5_BUBBU	SubName: Full=Beta-casein; Flags: Fragment; - OS=Bubalus bub	597.74	58.33	1	1	1	48	5.5	3.94
G3T1R0_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta african	594.66	16.69	53	6	10	803	92.2	7.72
E2RMB9_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (D	590.36	19.79	39	4	6	384	41.7	5.71
F6U3H1_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	570.79	31.29	110	5	6	294	32.7	4.73
F6YSL6_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (H	569.05	28.50	103	0	12	393	44.7	4.84
PPBT_BOVIN	RecName: Full=Alkaline phosphatase, tissue-nonspecific isozyme;	557.89	14.31	47	5	6	524	57.2	6.77
F1N4W5_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	544.92	8.45	10	2	2	367	39.9	7.06
Q8BPG5_MOUSE	SubName: Full=Putative uncharacterized protein; - OS=Mus musc	543.76	45.31	139	5	10	192	21.4	8.50
GALM_BOVIN	RecName: Full=Aldose 1-epimerase; EC=5.1.3.3; AltName: Full=C	536.76	26.02	32	4	7	342	37.6	6.33
I3NEU3_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tride	520.35	2.00	1	1	1	500	55.6	6.79
I3NEC3_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tride	514.23	19.17	70	4	9	720	80.4	8.62
F6KPG5_HUMAN	SubName: Full=Albumin; Flags: Fragment; - OS=Homo sapiens (H	512.57	28.89	49	7	15	585	66.5	6.04
F1SI24_PIG	RecName: Full=Synaptosomal-associated protein; - OS=Sus scrofa	512.04	29.38	58	2	4	211	23.2	4.88
H7BZJ3_HUMAN	RecName: Full=Thioredoxin; Flags: Fragment; - OS=Homo sapien	510.69	34.15	3	1	4	123	13.5	7.30
Q2PG58_MACFA	SubName: Full=Putative uncharacterized protein; - OS=Macaca fa	510.67	38.46	85	4	6	182	20.6	6.06
H9H7S9_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis dome	507.24	22.28	158	0	12	413	46.4	5.54
CIB1_BOVIN	RecName: Full=Calcium and integrin-binding protein 1; AltName:	506.91	23.56	25	4	4	191	21.7	4.74
F1S0K7_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	506.66	15.16	123	0	8	455	50.3	5.01
E7FKN1_CAPHI	SubName: Full=Keratin33A; - OS=Capra hircus (Goat).	506.41	27.72	89	0	13	404	46.0	4.83
D2HZS7_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	502.46	44.12	60	7	9	204	22.7	6.93
SAR1B_BOVIN	RecName: Full=GTP-binding protein SAR1b; - OS=Bos taurus (Bo	500.87	51.01	34	2	8	198	22.4	6.11
G3I8F1_CRIGR	SubName: Full=Keratin, type I cuticular Ha3-II; - OS=Cricetulus g	498.81	13.23	167	0	8	733	83.9	4.75
G3VS43_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	498.31	32.38	103	2	7	244	27.8	4.78
E3UZU9_BUBBU	RecName: Full=Toll-like receptor; - OS=Bubalus bubalis (Domesti	494.93	14.16	114	7	9	784	90.1	7.11
A5D7J6_BOVIN	SubName: Full=CALR protein; SubName: Full=Uncharacterized pr	492.47	30.46	58	5	9	417	48.1	4.48
E3VW83_SHEEP	SubName: Full=Keratin 81; Flags: Fragment; - OS=Ovis aries (She	490.48	45.08	43	0	17	315	34.1	5.16
A5D7Q2_BOVIN	SubName: Full=Putative uncharacterized protein; - OS=Bos tauru	482.32	26.49	4	5	7	487	51.6	6.62
G5E604_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	480.10	21.50	2	2	2	107	11.1	7.99
B4DHC4_HUMAN	SubName: Full=cDNA FLJ51843, highly similar to 14-3-3 protein g	479.60	20.89	77	1	5	225	25.6	4.92
D2HXX1_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	477.16	70.53	20	4	5	95	9.3	10.17
D2HHW9_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	476.63	28.38	30	5	6	222	25.6	8.54

APOC3_BOVIN	RecName: Full=Apolipoprotein C-III; Short=Apo-CIII; Short=ApoC	472.59	23.96	6	1	2	96	10.7	5.11
F6VWU2_CALJA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	471.97	18.90	45	1	7	471	52.4	6.71
F1S0P3_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	470.80	30.48	105	1	11	420	47.2	8.95
KRT35_BOVIN	RecName: Full=Keratin, type I cuticular Ha5; AltName: Full=Kerat	470.05	12.56	186	0	6	454	49.9	5.26
A5D977_BOVIN	SubName: Full=RALB protein; SubName: Full=Uncharacterized pr	469.42	43.69	39	4	10	206	23.4	6.62
A5PKG9_BOVIN	SubName: Full=FGR protein; SubName: Full=Uncharacterized pro	461.04	17.46	940	5	7	527	59.3	5.64
E1BQ28_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	459.50	7.59	3	2	3	461	49.8	6.23
KRT81_BOVIN	RecName: Full=Keratin, type II cuticular Hb1; AltName: Full=Kera	455.09	33.80	202	0	22	500	54.6	5.68
H0V615_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Gi	446.31	18.33	34	5	5	311	34.5	5.31
G1SWS0_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cunicl	445.93	11.38	154	0	7	448	49.9	4.94
H0VJ61_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Gi	443.78	21.81	37	2	4	298	33.7	6.44
F1MJJ4_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	440.72	31.12	32	4	6	286	32.4	6.92
A6QNW8_BOVIN	SubName: Full=CD97 antigen; SubName: Full=CD97 molecule; - (	439.02	5.99	37	4	4	734	80.3	7.74
MRP_BOVIN	RecName: Full=MARCKS-related protein; AltName: Full=MARCKS-	425.19	39.39	9	1	5	198	19.8	4.69
G3HPV6_CRIGR	SubName: Full=Histone H2A type 1; - OS=Cricetulus griseus (Chir	419.85	34.35	202	0	8	262	28.4	11.03
G1SPI0_RABIT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	417.54	6.07	1	1	3	675	74.9	7.85
G5BSE8_HETGA	RecName: Full=Histone H2A; - OS=Heterocephalus glaber (Naked	414.29	31.39	263	1	8	274	29.6	10.93
C1KGU2_BUBCA	SubName: Full=Solute carrier family 11 member 2; - OS=Bubalus	409.39	8.72	1	1	3	562	61.4	5.95
YKT6_BOVIN	RecName: Full=Synaptobrevin homolog YKT6; EC=2.3.1.-; Flags:	403.14	44.44	31	5	8	198	22.5	6.58
F7FX28_MACMU	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (R	397.69	51.75	37	1	2	114	11.5	4.32
G3MYH4_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	394.74	16.82	6	2	2	214	23.2	5.24
A7E340_BOVIN	SubName: Full=Mucin 15, cell surface associated; - OS=Bos tauru	393.34	14.55	5	2	7	330	35.7	5.02
A5D7E8_BOVIN	SubName: Full=PDIA3 protein; SubName: Full=Protein disulfide-is	393.04	35.64	53	6	16	505	56.9	6.81
G1T4P0_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cunicl	391.64	8.05	102	1	4	447	50.1	5.01
G9KJU5_MUSPF	SubName: Full=Ras-related protein Rab-43-like protein; Flags: Fr	388.04	15.64	284	1	3	211	23.1	5.47
I7GJ93_MACFA	SubName: Full=Macaca fascicularis brain cDNA clone: QtrA-15469	384.50	34.76	39	1	6	187	21.2	9.06
G5C5M1_HETGA	SubName: Full=Elongation factor 1-beta; - OS=Heterocephalus gl	379.69	14.60	24	1	2	226	24.9	4.72
H0WTJ3_OTOGA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	376.08	10.05	31	2	3	209	23.7	9.39
G3HDT6_CRIGR	RecName: Full=Histone H2A; - OS=Cricetulus griseus (Chinese ha	363.78	20.54	247	4	7	331	34.2	11.14
B5B290_PHOSU	RecName: Full=Major prion protein; - OS=Phodopus sungorus (St	354.76	24.02	213	4	7	254	27.8	9.38
G3HPV7_CRIGR	SubName: Full=Histone H4; - OS=Cricetulus griseus (Chinese han	354.67	35.68	148	0	7	199	21.8	10.70
SYWC_BOVIN	RecName: Full=Tryptophan--tRNA ligase, cytoplasmic; EC=6.1.1.2	339.86	22.69	45	5	9	476	53.8	5.78
H0VUU3_CAVPO	RecName: Full=Histone H2B; Flags: Fragment; - OS=Cavia porcel	338.95	44.00	328	1	6	125	13.8	10.37

H0WMN4_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	338.26	21.16	1054	2	10	534	60.0	6.67
G3T334_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	333.95	2.75	1	1	2	1202	135.6	5.74
E1BAT3_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	333.61	8.95	28	6	9	1095	123.1	5.73
Q3SYR8_BOVIN	SubName: Full=Immunoglobulin J chain; SubName: Full=Unchara	333.46	26.11	1	1	4	157	17.8	5.22
APOA2_BOVIN	RecName: Full=Apolipoprotein A-II; Short=Apo-AII; Short=ApoA-	331.01	27.00	1	3	4	100	11.2	8.10
H0V4N9_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Gi	330.44	3.95	138	1	5	1216	133.5	5.69
D2H6L9_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	329.60	22.86	86	2	6	245	27.9	4.83
G3UL78_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	320.94	8.57	77	1	2	280	31.9	6.93
F1N334_BOVIN	SubName: Full=Short-chain dehydrogenase/reductase 3; - OS=Bc	320.49	27.98	35	4	5	218	24.0	8.02
G3HHM2_CRIGR	SubName: Full=Histone H3.1t; - OS=Cricetulus griseus (Chinese h	318.56	19.38	200	0	8	320	35.8	10.71
RLA2_BOVIN	RecName: Full=60S acidic ribosomal protein P2; - OS=Bos taurus	315.12	80.00	33	4	5	115	11.7	4.61
G1SXH7_RABIT	SubName: Full=Uncharacterized protein; - OS=Orctolagus cunicu	313.72	12.32	43	1	6	544	61.0	7.64
Q29376_PIG	SubName: Full=Calmodulin; Flags: Fragment; - OS=Sus scrofa (Pi	305.45	48.33	71	2	4	120	13.5	4.32
Q8N1A3_HUMAN	SubName: Full=Glycoprotein 2 (Zymogen granule membrane); - C	299.19	3.13	9	1	1	383	42.5	5.05
G5BCE5_HETGA	SubName: Full=Peroxiredoxin-4; - OS=Heterocephalus glaber (Na	298.62	18.52	36	1	4	270	30.5	6.54
ATOX1_BOVIN	RecName: Full=Copper transport protein ATOX1; AltName: Full=M	297.90	47.06	1	1	2	68	7.4	7.24
ABHEB_BOVIN	RecName: Full=Abhydrolase domain-containing protein 14B; EC=.	294.25	27.62	21	1	4	210	22.4	6.52
ACOC_BOVIN	RecName: Full=Cytoplasmic aconitate hydratase; Short=Aconitase	294.12	11.02	36	3	10	889	98.1	7.97
H2P1P4_PONAB	SubName: Full=Uncharacterized protein; - OS=Pongo abelii (Sum	292.78	16.19	31	1	3	210	23.4	4.58
F1SGI6_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	290.51	29.22	136	0	19	486	53.5	5.78
F1LSH4_RAT	SubName: Full=Pyrim; - OS=Rattus norvegicus (Rat).	287.87	5.35	4	1	5	747	83.7	7.96
G3SWV5_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	285.87	15.15	47	2	3	264	28.9	6.09
D2HYT6_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	285.22	22.51	75	2	3	191	21.3	8.12
F2FB38_BOVIN	SubName: Full=Mucin-16; - OS=Bos taurus (Bovine).	280.29	1.56	10	3	8	5049	531.6	5.50
G1QWN6_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucoge	280.05	34.67	35	4	6	225	24.3	7.94
HEBP1_BOVIN	RecName: Full=Heme-binding protein 1; - OS=Bos taurus (Bovine	279.81	23.04	14	2	5	191	21.2	5.48
Q6QRN7_BOVIN	SubName: Full=PP1201 protein; SubName: Full=Responsive to ce	279.30	6.49	1	1	3	308	33.9	8.40
G5BV28_HETGA	RecName: Full=Histone H3; AltName: Full=Histone H4; - OS=Het	278.86	39.64	239	1	11	222	25.1	11.33
H2NSI4_PONAB	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	278.64	54.62	33	3	5	130	14.4	6.54
G9KPG2_MUSPF	SubName: Full=Concentrative Na+-nucleoside cotransporter; Flag	276.03	6.96	11	1	2	316	33.7	5.54
ARL15_BOVIN	RecName: Full=ADP-ribosylation factor-like protein 15; - OS=Bos	270.70	23.76	30	4	4	202	22.6	5.62
F1Q3U2_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=C	269.59	7.77	65	1	3	386	43.3	6.10
B4DNR3_HUMAN	SubName: Full=cDNA FLJ52710, highly similar to Abhydrolase dor	269.45	20.00	26	1	3	185	19.8	6.40

F1N3P9_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	267.83	8.16	34	4	6	784	85.6	6.42
Q2KIT8_BOVIN	SubName: Full=Tissue specific transplantation antigen P35B; Subl	266.09	17.76	24	3	5	321	36.0	6.96
Q0QEM6_PIG	RecName: Full=ATP synthase subunit beta; EC=3.6.3.14; Flags: F	264.83	27.00	70	5	8	437	47.1	5.11
F6YZV8_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (H	262.38	22.02	120	0	15	486	53.2	5.78
F6L6S4_BUBBU	SubName: Full=FASN; Flags: Fragment; - OS=Bubalus bubalis (D	259.82	30.00	1	1	3	80	8.5	7.34
H0XPV4_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	255.35	16.22	88	1	2	148	16.8	10.42
F7IDU1_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	254.69	14.86	30	1	4	249	28.4	5.59
GGT1_PIG	RecName: Full=Gamma-glutamyltranspeptidase 1; Short=GGT 1;	254.05	10.21	1	1	6	568	61.3	6.99
G3T5Y9_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta african	253.84	25.32	144	0	17	470	51.8	5.55
GBLP_BOVIN	RecName: Full=Guanine nucleotide-binding protein subunit beta-2	249.45	25.87	44	6	7	317	35.1	7.69
MARCS_BOVIN	RecName: Full=Myristoylated alanine-rich C-kinase substrate; Sho	248.68	16.22	17	2	3	333	31.6	4.39
G5E554_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	244.29	11.41	2	2	4	377	42.0	7.62
D2I738_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	244.25	21.04	96	1	16	480	52.6	5.33
A6QR35_BOVIN	SubName: Full=SCAMP2 protein; SubName: Full=Uncharacterized	243.72	7.93	2	1	2	328	36.7	6.19
PGFS_BOVIN	RecName: Full=Prostamide/prostaglandin F synthase; Short=Pros	243.45	25.37	39	3	5	201	21.5	6.33
D6PX62_CAPHI	SubName: Full=Cysteine-rich secretory protein 3; - OS=Capra hirc	243.41	11.89	4	3	3	244	27.3	8.27
E1B6Z6_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	240.72	19.00	1	2	3	200	23.0	9.32
F7EPX6_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis dome	239.20	23.11	23	1	8	437	48.1	6.38
E1BGE7_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	234.12	25.30	6	2	4	166	19.0	8.31
G3H0L5_CRIGR	SubName: Full=Tyrosine-protein kinase BLK; - OS=Cricetulus gris	233.75	5.40	919	1	3	500	56.5	6.80
G3N081_BOVIN	RecName: Full=Histone H4; - OS=Bos taurus (Bovine).	233.68	36.17	15	1	4	94	10.4	11.47
S10A8_HUMAN	RecName: Full=Protein S100-A8; AltName: Full=Calgranulin-A; Ali	230.75	56.99	5	4	7	93	10.8	7.03
A8Q334_BOVIN	SubName: Full=LOC513482 protein; - OS=Bos taurus (Bovine).	229.45	19.23	10	2	2	156	17.3	9.64
PRDX5_BOVIN	RecName: Full=Peroxiredoxin-5, mitochondrial; EC=1.11.1.15; Alt	228.10	41.10	41	3	7	219	23.2	8.07
H9FAE8_MACMU	SubName: Full=Ras-related protein R-Ras2 isoform a; Flags: Frag	226.54	24.23	56	4	4	194	22.4	6.01
F6WR53_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis dome	224.58	10.88	12	1	5	533	60.1	7.42
CD47_BOVIN	RecName: Full=Leukocyte surface antigen CD47; AltName: Full=I	223.70	7.59	25	3	3	303	33.3	8.43
EF1D_BOVIN	RecName: Full=Elongation factor 1-delta; Short=EF-1-delta; - OS-	214.31	12.86	6	2	2	280	31.1	5.06
F1MWK2_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	214.05	30.84	31	2	6	214	23.8	5.14
K2M3_SHEEP	RecName: Full=Keratin, type II microfibillar, component 5; - OS=	206.10	22.71	113	1	15	502	55.2	6.46
G3WD75_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	203.38	19.93	31	1	4	286	32.7	6.35
RHOF_BOVIN	RecName: Full=Rho-related GTP-binding protein RhoF; Flags: Pre	203.17	37.67	33	4	6	215	23.8	8.34
PLS2_BOVIN	RecName: Full=Phospholipid scramblase 2; Short=PL scramblase	203.07	16.04	17	3	5	293	32.6	5.44

F7DMS9_ORNAN	SubName: Full=Uncharacterized protein; - OS=Ornithorhynchus a	201.23	18.29	8	2	3	175	20.0	8.81
F1MD73_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	197.08	4.57	1	1	3	1751	190.0	5.86
A7Z024_BOVIN	SubName: Full=RP2 protein; SubName: Full=Uncharacterized pro	196.83	13.71	23	3	6	350	39.4	5.31
MAL2_MOUSE	RecName: Full=Protein MAL2; - OS=Mus musculus (Mouse).	194.21	6.29	9	1	1	175	19.1	6.49
AK1A1_CRIGR	RecName: Full=Alcohol dehydrogenase [NADP(+)]; EC=1.1.1.2; A	194.12	17.54	39	2	4	228	25.4	6.28
C9J0J7_HUMAN	SubName: Full=Profilin-2; - OS=Homo sapiens (Human).	193.74	15.38	33	1	1	91	9.8	9.17
I7GM07_MACFA	SubName: Full=Macaca fascicularis brain cDNA clone: QflA-20316	191.04	12.04	145	2	5	407	46.4	5.48
1433F_HUMAN	RecName: Full=14-3-3 protein eta; AltName: Full=Protein AS1; - C	189.27	23.98	80	1	6	246	28.2	4.84
G1PK30_MYOLU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	188.02	6.16	18	2	2	438	47.9	5.07
H7C5J5_HUMAN	SubName: Full=Guanine nucleotide-binding protein subunit beta-4	187.72	15.15	2	1	2	165	18.0	5.76
G3I3F3_CRIGR	SubName: Full=Ribonuclease inhibitor; - OS=Cricetulus griseus (C	186.20	4.82	10	1	2	456	50.0	4.84
B2R4M6_HUMAN	SubName: Full=cDNA, FLJ92148, highly similar to Homo sapiens S	185.42	38.60	6	3	5	114	13.2	6.13
F1MD66_BOVIN	RecName: Full=Annexin; - OS=Bos taurus (Bovine).	183.59	10.50	66	3	4	505	54.0	7.68
F7BYU1_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=C	180.36	9.61	4	1	6	697	77.3	7.31
G1NUG7_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	179.12	11.72	55	3	5	623	67.7	7.50
G5BAT4_HETGA	SubName: Full=Desmoplakin; - OS=Heterocephalus glaber (Nake	167.98	6.58	45	4	17	2813	324.7	7.15
VAMP8_MOUSE	RecName: Full=Vesicle-associated membrane protein 8; Short=VA	167.57	33.66	23	2	3	101	11.4	8.19
F7DD73_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	167.38	22.86	26	1	2	105	11.8	6.07
F7CWX1_ORNAN	SubName: Full=Uncharacterized protein; - OS=Ornithorhynchus a	166.64	2.98	1	1	2	571	64.7	7.02
RAB25_BOVIN	RecName: Full=Ras-related protein Rab-25; Flags: Precursor; - O	165.72	25.35	26	2	4	213	23.5	6.35
SNP29_BOVIN	RecName: Full=Synaptosomal-associated protein 29; Short=SNAP	165.10	20.93	2	2	4	258	28.5	5.47
Q6PVY3_BOVIN	SubName: Full=Macrophage migration inhibitory factor; Flags: Fr	164.61	9.00	3	1	1	100	10.7	7.21
D7RH35_BOSMU	SubName: Full=Monocarboxylic acid transporter 1; - OS=Bos mut	164.52	6.59	8	1	3	501	54.3	8.03
F8U3U8_CAPHI	SubName: Full=CD36-like protein; - OS=Capra hircus (Goat).	159.64	7.84	7	1	5	472	52.8	8.65
F6QRH3_BOVIN	SubName: Full=Tumor protein p63-regulated gene 1-like protein;	158.65	30.23	35	4	6	258	28.6	6.79
D3YC70_BOSGF	SubName: Full=Heparin-binding protein; Flags: Fragment; - OS=f	156.71	25.00	22	1	1	52	5.6	8.62
Q32PA1_BOVIN	SubName: Full=CD59 molecule, complement regulatory protein; S	155.01	17.36	1	2	3	121	13.7	7.75
SSRD_BOVIN	RecName: Full=Translocon-associated protein subunit delta; Shor	154.07	17.44	34	2	2	172	18.8	5.78
Q6EIP9_BOVIN	RecName: Full=Major prion protein; Flags: Fragment; - OS=Bos t	151.38	32.99	36	2	3	97	11.7	6.92
Q14BZ1_MOUSE	SubName: Full=9230110C19Rik protein; - OS=Mus musculus (Mo	150.88	6.48	1	1	1	108	12.5	9.70
F1Q1L7_CANFA	RecName: Full=Annexin; Flags: Fragment; - OS=Canis familiaris (	150.34	9.73	62	2	4	442	47.7	6.80
F1MF75_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	150.30	7.17	20	1	7	1325	150.0	8.43
PHP14_BOVIN	RecName: Full=14 kDa phosphohistidine phosphatase; EC=3.1.3.-	147.93	12.00	1	1	1	125	13.9	5.82

G1LRW3_AILME	SubName: Full=Uncharacterized protein; - OS=Ailuropoda melanc	146.41	2.75	4	1	1	581	65.0	5.64
F6U8V6_MACMU	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (R	143.25	18.38	9	1	2	136	15.1	7.14
A6QLL8_BOVIN	RecName: Full=Fructose-bisphosphate aldolase; EC=4.1.2.13; - O	142.78	27.20	51	3	8	364	39.4	8.19
PARK7_BOVIN	RecName: Full=Protein DJ-1; EC=3.4.-.-; AltName: Full=Parkinsor	142.20	41.80	45	5	7	189	20.0	7.33
F5AY94_SHEEP	SubName: Full=Keratin-associated protein KAP11-1; - OS=Ovis ar	141.54	15.09	4	1	1	159	16.9	7.96
E1BJQ7_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	140.31	18.02	21	2	5	333	35.9	6.14
F7G3X1_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	139.38	7.12	1	1	5	576	62.9	6.90
G3N1H9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	138.38	15.25	2	1	4	413	45.9	6.67
H0W5L9_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Gi	136.86	10.25	2	1	2	244	27.2	8.81
E1BHY6_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	135.73	12.95	3	2	4	587	63.0	7.55
I3Y1C6_BUBBU	RecName: Full=Glutathione peroxidase; Flags: Fragment; - OS=Bi	135.44	19.87	18	2	3	151	17.1	8.32
AIFM2_MOUSE	RecName: Full=Apoptosis-inducing factor 2; EC=1.-.-.-; AltName:	135.01	16.62	36	2	5	373	40.6	8.98
G3N2D7_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	134.63	12.93	1	1	1	116	12.1	4.78
G5BUQ5_HETGA	SubName: Full=Protein FAM179B; - OS=Heterocephalus glaber (N	134.23	2.27	1	1	4	1852	203.6	8.37
F1MT12_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	133.95	7.25	20	3	5	717	79.0	5.69
Q5JR95_HUMAN	SubName: Full=40S ribosomal protein S8; SubName: Full=Ribosoi	133.27	23.94	40	2	4	188	21.9	10.36
Q05331_HUMAN	SubName: Full=Profilaggrin; Flags: Fragment; - OS=Homo sapien	133.14	4.84	17	1	6	1218	133.5	9.64
G9K7X2_MUSPF	SubName: Full=LAS1-like protein; Flags: Fragment; - OS=Mustela	133.11	5.07	1	1	1	335	38.3	4.30
FGFP1_BOVIN	RecName: Full=Fibroblast growth factor-binding protein 1; Short=	130.50	18.80	2	1	3	234	26.2	8.91
E1BNE1_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	126.52	9.85	3	2	3	325	37.5	7.40
F1RW78_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	126.19	13.68	55	2	4	285	31.9	4.45
F7F8Z8_CALJA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	124.55	9.89	4	1	2	364	41.0	7.61
F6ZHV5_MACMU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	124.08	1.07	4	1	1	937	104.6	8.66
I3LUC8_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	121.89	26.37	29	1	5	201	22.1	9.42
G1SSV3_RABIT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	121.09	7.46	35	3	5	751	83.4	4.94
F7CT32_MONDO	RecName: Full=Chaperone protein DnaJ B; - OS=Monodelphis doi	118.91	18.25	30	2	6	411	45.6	6.54
F1MEN8_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	114.84	10.89	27	3	7	643	72.5	5.10
CD36_MOUSE	RecName: Full=Platelet glycoprotein 4; AltName: Full=Glycoprotei	113.88	13.35	27	1	6	472	52.7	8.35
F7GBF4_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	113.60	12.40	31	1	4	524	57.9	9.01
RAB31_MOUSE	RecName: Full=Ras-related protein Rab-31; - OS=Mus musculus (	113.33	28.35	32	2	4	194	21.3	7.40
H0V1F1_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Gi	112.73	12.24	1	1	5	433	47.5	7.84
BAF_BOVIN	RecName: Full=Barrier-to-autointegration factor; - OS=Bos taurus	112.63	59.55	16	1	3	89	10.1	6.09
F1MUB9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	111.21	4.66	2	1	1	343	36.7	6.62

B2L15_BOVIN	RecName: Full=Bcl-2-like protein 15; Short=Bcl2-L-15; - OS=Bos taurus	109.63	15.43	24	2	2	162	17.7	4.74
G1P7B6_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	109.48	18.18	51	1	3	209	22.9	5.53
Q148L0_BOVIN	SubName: Full=Chromatin modifying protein 6; SubName: Full=U	107.78	6.47	1	1	1	201	23.5	5.63
O97917_BOVIN	SubName: Full=Amyloid protein; Flags: Fragment; - OS=Bos tauri	107.20	22.45	1	1	1	49	5.2	8.63
G1PDW6_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	106.06	12.12	55	1	2	132	14.7	8.40
H0VBP7_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Gi	105.33	19.10	54	1	7	534	60.6	6.83
G1Q9D8_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	102.42	7.97	22	1	5	590	65.5	7.05
F7FZ26_ORNAN	SubName: Full=Uncharacterized protein; - OS=Ornithorhynchus a	102.38	1.75	2	1	2	1372	151.2	5.41
F1Q068_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	101.40	5.53	6	1	2	524	56.3	7.94
E2QUH1_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Di	101.18	2.69	1	1	1	1189	124.1	4.91
F1N2B5_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	100.36	5.92	5	2	2	490	55.4	6.98
Q9BZ93_HUMAN	SubName: Full=Prosome P27K protein; Flags: Fragment; - OS=H	99.94	25.86	23	1	2	58	6.2	8.97
E1BKS1_BOVIN	RecName: Full=Syndecan; - OS=Bos taurus (Bovine).	99.27	10.05	2	1	1	199	21.6	4.41
Q5YJI1_SHEEP	SubName: Full=CD80/B7-1 secreted form; - OS=Ovis aries (Sheep	99.16	6.72	4	2	2	238	27.0	7.93
B9TRW9_PIG	RecName: Full=Guanine nucleotide-binding protein subunit gamma	98.64	54.17	22	2	4	72	8.1	8.97
I3LBH4_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	97.53	13.61	32	1	3	191	20.8	10.10
G3IBV7_CRIGR	SubName: Full=Cytochrome b5; - OS=Cricetulus griseus (Chinese	97.03	21.38	38	1	2	145	16.3	5.52
D3YVS7_MOUSE	SubName: Full=Protein 0610010012Rik; Flags: Fragment; - OS=M	96.18	11.90	18	1	1	84	9.2	4.44
Q3ZC65_BOVIN	SubName: Full=Ancient ubiquitous protein 1; SubName: Full=Unc	94.56	9.76	2	1	2	410	45.8	8.22
Q3YAN6_MACMU	SubName: Full=Destrin; Flags: Fragment; - OS=Macaca mulatta (	92.69	10.48	17	1	1	105	12.0	8.41
E1BCI3_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	92.26	7.63	1	2	4	629	67.3	8.54
I3LFQ4_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	91.77	22.75	82	1	3	167	17.9	9.22
H0VWA0_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Gi	90.79	16.30	3	1	1	92	10.7	4.55
F1PW16_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	90.58	9.09	22	2	3	242	27.3	8.18
STX19_BOVIN	RecName: Full=Syntaxin-19; - OS=Bos taurus (Bovine).	89.94	8.22	1	1	2	292	33.9	6.65
D2HH35_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	89.40	9.61	23	1	5	583	64.7	6.71
ANKR6_MOUSE	RecName: Full=Ankyrin repeat domain-containing protein 6; AltNa	88.82	4.35	5	1	3	712	77.9	9.31
E2RDI4_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Di	88.00	5.88	5	1	2	357	38.6	9.14
G1LEK7_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=/	87.42	1.95	1	1	1	462	51.9	6.79
G3WJ24_SARHA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	86.21	3.94	1	1	1	203	23.2	4.97
Q9QXK1_MOUSE	SubName: Full=Transposase-like protein; Flags: Fragment; - OS=	85.93	2.63	9	1	2	608	69.4	5.92
F1MX65_BOVIN	SubName: Full=Protein OS-9; - OS=Bos taurus (Bovine).	85.59	5.85	241	1	4	667	75.8	4.91
H0X6B2_OTOGA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	85.07	14.18	55	1	3	134	15.2	9.86

Q58D71_BOVIN	SubName: Full=Putative uncharacterized protein FLJ36812; - OS=	84.26	20.66	19	2	5	213	23.6	8.07
E1BFB9_BOVIN	SubName: Full=Protein FAM114A2; - OS=Bos taurus (Bovine).	84.19	5.15	1	1	2	563	61.0	4.61
A2VDV1_BOVIN	SubName: Full=Ankyrin repeat domain 22; SubName: Full=Uncha	83.67	11.52	17	2	2	191	21.9	8.85
H0X6F2_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	83.57	4.34	12	1	3	691	75.2	7.65
SC5A1_SHEEP	RecName: Full=Sodium/glucose cotransporter 1; Short=Na(+)/glu	83.51	5.12	1	1	2	664	73.1	7.44
Q86TL9_HUMAN	SubName: Full=DnaJ (Hsp40) homolog, subfamily A, member 1, is	83.28	15.11	31	2	4	331	37.0	8.54
F6XZ28_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	82.78	10.78	24	1	7	872	96.5	5.60
A4ZVY8_SHEEP	SubName: Full=Beta-2-microglobulin; - OS=Ovis aries (Sheep).	81.72	22.03	9	1	2	118	13.6	6.92
A6QPB4_BOVIN	SubName: Full=SFT2D2 protein; - OS=Bos taurus (Bovine).	80.92	30.68	2	1	1	88	9.4	9.29
F1SLG9_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	80.58	20.86	40	1	3	163	19.1	6.79
H2P057_PONAB	SubName: Full=Uncharacterized protein; - OS=Pongo abelii (Sum	80.32	10.58	65	1	3	312	33.8	5.91
H2QCL6_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (C	78.47	1.90	5	1	3	1844	207.6	9.19
G1S616_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucoge	78.24	28.05	12	1	2	82	8.7	5.01
S10A7_HUMAN	RecName: Full=Protein S100-A7; AltName: Full=Psoriasin; AltName	78.11	10.89	1	1	1	101	11.5	6.77
G3IAT8_CRIGR	SubName: Full=Intraflagellar transport protein 80-like; - OS=Crice	76.51	3.28	2	1	2	366	41.8	8.03
G1U2B4_RABIT	SubName: Full=Uncharacterized protein; - OS=Orctolagus cunicu	75.41	4.07	1	1	1	270	30.2	5.67
G9KNJ7_MUSPF	SubName: Full=Small G protein signaling modulator 2; Flags: Fra	74.80	3.82	1	1	1	340	37.8	4.86
F1MKU3_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	73.57	7.25	4	1	3	455	49.7	7.03
D3YC73_BOSGF	SubName: Full=Osteopontin; Flags: Fragment; - OS=Bos gaurus f	73.49	6.38	9	1	1	141	15.8	4.87
F1SMQ1_PIG	SubName: Full=40S ribosomal protein S20; Flags: Fragment; - OS	72.80	32.77	27	1	4	119	13.4	9.72
G3X0D9_SARHA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	71.84	17.05	44	1	3	129	15.0	9.52
G5ANB6_HETGA	SubName: Full=S-phase kinase-associated protein 1; - OS=Heterc	71.18	21.79	12	1	2	78	9.0	4.63
Q862L1_BOVIN	SubName: Full=Similar to tumor protein, translationally-controlled	70.58	34.21	4	1	4	114	12.9	4.93
GPDA_BOVIN	RecName: Full=Glycerol-3-phosphate dehydrogenase [NAD(+)], c	69.92	9.74	1	1	3	349	37.6	6.89
H0VPW1_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Gi	69.46	3.30	1	1	6	1605	179.4	5.63
H0VRT7_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Gi	69.45	5.80	32	1	6	1172	130.0	5.11
Q9N026_MACFA	SubName: Full=Putative uncharacterized protein; - OS=Macaca fa	69.28	9.38	1	1	1	96	10.2	10.01
PHS_BOVIN	RecName: Full=Pterin-4-alpha-carbinolamine dehydratase; Short=	67.58	16.35	10	1	2	104	12.0	6.80
Q3T105_BOVIN	SubName: Full=GALE protein; SubName: Full=Uncharacterized pr	67.37	9.77	1	1	3	348	38.2	7.21
G9KF69_MUSPF	SubName: Full=Poly ADP-ribose glycohydrolase; Flags: Fragment;	66.98	5.66	2	1	2	618	70.6	7.47
G3QEA5_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorill	66.67	8.89	21	1	2	225	23.7	9.09
F7AH78_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	66.47	3.18	1	1	1	346	39.6	4.77
BSCL2_BOVIN	RecName: Full=Seipin; AltName: Full=Bernardinelli-Seip congenit	65.98	3.05	9	1	1	394	44.0	6.09

F1SIH8_PIG	SubName: Full=Transitional endoplasmic reticulum ATPase; - OS=	65.29	6.93	30	1	5	808	89.4	5.26
G1RWY9_NOMLE	RecName: Full=40S ribosomal protein S12; Flags: Fragment; - OS	64.62	40.15	37	2	4	132	14.6	8.16
G3X128_SARHA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	64.40	8.18	1	1	4	746	83.4	9.00
F1PCH8_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	64.20	10.65	36	1	3	263	30.5	5.69
I3M6U1_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	64.06	3.40	1	1	1	353	39.2	6.11
Q9D8W4_MOUSE	SubName: Full=MCG141777; - OS=Mus musculus (Mouse).	63.71	15.38	41	1	2	130	14.2	6.51
G3VCT3_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	63.49	14.55	20	1	2	275	32.1	7.94
G3X2Z7_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	63.23	7.96	12	1	3	339	36.9	7.18
G1PWB8_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	62.99	3.36	10	1	7	1963	226.7	5.59
G3WJK7_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	62.68	13.59	93	1	4	493	54.9	5.69
RL31_PONAB	RecName: Full=60S ribosomal protein L31; - OS=Pongo abelii (Su	62.05	23.20	59	1	3	125	14.4	10.65
G1RH75_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucoge	61.93	4.57	4	1	4	1991	207.1	7.78
F7G7C8_MACMU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	61.76	23.77	44	1	5	265	30.8	6.25
G5AUP5_HETGA	RecName: Full=Adenylyl cyclase-associated protein; - OS=Hetero	61.65	11.06	15	1	3	407	44.3	7.18
F6YW17_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	61.65	2.91	1	1	2	721	79.7	6.43
H0WAU4_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (G	61.28	3.59	1	1	1	195	21.4	8.35
C0LJF6_SHEEP	SubName: Full=Keratin associated protein 6; Flags: Fragment; - C	61.23	19.72	23	1	1	71	7.4	8.47
G1QKG2_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucoge	60.72	3.84	1	1	3	781	89.2	5.97
H0X4R7_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	60.21	1.76	14	1	1	852	96.3	5.90
A6QLL4_BOVIN	SubName: Full=DCLRE1C protein; SubName: Full=Uncharacterize	60.05	4.79	1	1	2	710	80.2	6.23
G3X7D5_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	59.92	7.80	27	1	1	141	15.6	10.29
G8JKX6_BOVIN	SubName: Full=CD9 antigen; Flags: Fragment; - OS=Bos taurus (	59.55	3.92	4	1	1	204	22.7	5.59
KV303_HUMAN	RecName: Full=Ig kappa chain V-III region NG9; Flags: Precursor	58.39	9.00	1	1	1	100	10.7	6.52
F1RJP8_PIG	RecName: Full=Peptide methionine sulfoxide reductase MsrA; Shc	57.74	9.01	29	2	2	233	26.2	7.88
H0V0I4_CAVPO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	57.66	1.41	1	1	2	1208	133.2	8.09
H2NP49_PONAB	SubName: Full=Uncharacterized protein; - OS=Pongo abelii (Sum	57.48	3.65	1	1	1	384	42.8	8.03
F7GXB6_MACMU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	57.46	50.00	17	1	5	108	12.2	7.39
B7Z533_HUMAN	SubName: Full=Sodium/nucleoside cotransporter 1; SubName: Fu	57.43	3.31	9	1	2	543	60.1	8.50
G1PKS9_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	57.41	6.52	3	1	3	414	47.0	9.42
F6RM11_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	57.14	8.63	2	1	2	278	31.0	7.84
F6X362_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	56.94	3.29	47	1	2	395	44.1	5.99
F1MEV3_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	56.90	7.77	29	1	3	528	59.0	6.87
F6TTT0_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis dome	56.84	11.39	33	1	5	509	56.2	8.92

Q6R646_CAPHI	SubName: Full=Keratin associated protein 13.1; - OS=Capra hircu	55.91	22.09	2	1	3	163	17.5	8.50
I3L924_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	55.33	19.51	1	1	1	82	8.9	6.01
G5ALX1_HETGA	SubName: Full=60S ribosomal protein L14; Flags: Fragment; - OS	55.12	11.85	43	1	2	211	23.3	11.11
G3HTR0_CRIGR	SubName: Full=Anterior gradient protein 2-like; - OS=Cricetulus g	55.04	6.36	8	1	1	173	19.7	8.82
H9H7N3_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	54.39	2.42	1	1	2	619	65.6	8.60
Q28846_RABIT	SubName: Full=Na/Ca exchanger; Flags: Fragment; - OS=Oryctol	53.69	6.50	1	1	1	123	14.5	5.41
PRDX2_BOVIN	RecName: Full=Peroxiredoxin-2; EC=1.11.1.15; - OS=Bos taurus	53.66	5.53	1	1	1	199	21.9	5.60
CYTB_BOVIN	RecName: Full=Cystatin-B; AltName: Full=Stefin-B; - OS=Bos tau	53.25	12.24	4	1	1	98	11.1	6.79
I3MNM0_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	52.41	2.70	21	1	3	1221	134.7	5.44
G1QBT4_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (L	52.34	9.50	1	1	3	337	36.0	9.60
G3U8H5_LOXAF	RecName: Full=Integrin beta; Flags: Fragment; - OS=Loxodonta	52.32	1.08	1	1	1	740	82.0	7.01
CING_CALMO	RecName: Full=Cingulin; - OS=Callicebus moloch (Dusky titi mon	51.43	4.26	1	1	3	1198	135.5	5.44
G3IHB9_CRIGR	SubName: Full=Complement component C8 gamma chain; - OS=	51.03	8.41	7	1	2	309	35.3	9.38
E2R933_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (D	50.92	2.02	1	1	2	842	89.8	8.63
G1T815_RABIT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	50.74	2.06	1	1	8	3153	371.0	10.49
D7R495_SHEEP	SubName: Full=Desmoglein 4; Flags: Fragment; - OS=Ovis aries	50.69	5.60	2	1	1	232	25.1	4.46
G5BYG4_HETGA	SubName: Full=Apoptosis facilitator Bcl-2-like protein 14; - OS=H	50.69	6.44	1	1	2	326	36.6	6.95
AL1A1_SHEEP	RecName: Full=Retinal dehydrogenase 1; Short=RALDH 1; Short=	50.51	16.37	2	1	4	501	54.8	6.79
H0WUY0_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	50.44	7.17	23	1	2	293	35.0	8.05
D2HWG8_AILME	SubName: Full=Putative uncharacterized protein; - OS=Ailuropod	50.40	5.67	12	1	7	1323	145.6	8.51
F1S6K5_PIG	RecName: Full=Adenine phosphoribosyltransferase; Short=APRT;	50.24	11.67	27	2	2	180	19.6	7.25
B4DFS8_HUMAN	SubName: Full=cDNA FLJ51820, highly similar to Methylmalonate-	50.03	7.28	37	1	3	522	56.1	8.44
F7FW06_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	49.69	1.31	2	1	6	4412	506.0	6.15
A6QP04_BOVIN	SubName: Full=LYPD5 protein; - OS=Bos taurus (Bovine).	49.63	3.01	1	1	1	266	28.3	6.35
D2I1E0_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	49.28	2.04	2	1	5	2894	322.2	6.20
G3MZQ5_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	48.47	8.65	1	1	2	601	65.8	5.88
E9PVZ3_MOUSE	SubName: Full=Protein Ccdc144b; - OS=Mus musculus (Mouse).	48.21	5.19	2	1	3	520	61.3	8.82
F7C3A6_CALJA	RecName: Full=Transporter; Flags: Fragment; - OS=Callithrix jacc	47.88	4.05	49	1	2	691	75.1	8.02
A6QPX7_BOVIN	SubName: Full=FGB protein; Flags: Fragment; - OS=Bos taurus (I	47.87	3.03	3	1	1	330	37.9	6.68
H2PF75_PONAB	SubName: Full=Uncharacterized protein; - OS=Pongo abelii (Sum	47.71	2.22	1	1	1	360	42.7	9.25
D2GYS6_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	47.52	2.48	2	1	3	1131	126.4	7.94
H0VQF6_CAVPO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	47.44	2.45	2	1	1	286	32.5	6.62
H0XJ84_OTOGA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	47.20	1.98	1	1	1	303	34.4	8.63

G1PX14_MYOLU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	47.16	14.76	34	1	4	210	23.7	5.03
H0W5R7_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Gi	46.91	19.08	22	1	2	152	16.9	8.50
F6W4G1_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	46.69	11.68	59	1	2	197	22.7	4.58
G3N0S9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	46.64	7.04	1	1	2	199	22.3	7.49
H0Y3A0_HUMAN	SubName: Full=60S ribosomal protein L35; Flags: Fragment; - OS	46.47	22.92	25	1	3	96	10.6	10.29
Q8C0V3_MOUSE	SubName: Full=Putative uncharacterized protein; Flags: Fragment	46.33	1.56	3	1	1	703	79.3	7.25
B5KLP0_CAPHI	SubName: Full=RAB27A; Flags: Fragment; - OS=Capra hircus (Gc	46.22	18.42	36	1	2	114	13.0	6.06
LV302_HUMAN	RecName: Full=Ig lambda chain V-III region LOI; - OS=Homo sa	46.11	7.21	7	1	1	111	11.9	5.08
E2R1X7_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (D	45.71	3.17	3	1	2	567	65.6	5.27
F1Q4I3_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	45.18	8.67	9	1	1	150	16.4	6.25
Q9XSL1_CAPHI	SubName: Full=Alpha s2-casein; Flags: Fragment; - OS=Capra hi	45.12	23.68	1	1	1	38	4.6	8.57
F7AUI3_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis dome	44.99	2.34	6	1	4	981	114.2	5.99
G3I9C0_CRIGR	SubName: Full=Cyclin-dependent kinase-like 1; - OS=Cricetulus g	44.98	1.99	1	1	1	352	40.9	8.87
G5AMH0_HETGA	RecName: Full=Peptide methionine sulfoxide reductase MsrA; Shc	44.95	13.98	4	1	2	186	20.8	6.37
G3WUU9_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	44.92	6.09	2	1	2	476	53.3	8.24
F1M6H0_RAT	SubName: Full=Protein Et14; Flags: Fragment; - OS=Rattus norve	44.84	3.18	1	1	3	976	105.7	6.05
G3W920_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	44.78	9.28	9	1	2	442	49.5	7.58
G3SJX4_GORGO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	44.49	2.81	1	1	2	675	74.9	9.95
I3NEV3_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	44.47	36.30	33	1	4	146	16.9	10.56
I7GJR5_MACFA	SubName: Full=Macaca fascicularis brain cDNA clone: QmoA-107	44.41	13.48	30	1	2	141	15.2	7.14
G1SFB2_RABIT	SubName: Full=Uncharacterized protein; - OS=Orctolagus cunicu	43.99	9.33	1	1	3	268	30.2	10.02
F1RJU9_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	43.78	1.85	1	1	1	432	50.1	6.27
G1PVP1_MYOLU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=I	43.47	1.29	1	1	3	2566	292.9	7.42
I3LQX1_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	43.34	6.31	1	1	2	555	63.2	4.77
G3RRN0_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorill	43.07	4.90	6	1	1	204	22.9	6.27
F1P5Z4_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	42.90	3.33	2	1	2	721	78.6	8.25
I3MC86_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tride	42.87	2.43	1	1	1	329	36.4	4.78
F7FQE4_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	42.84	1.52	1	1	2	1250	134.6	9.63
F1MQI3_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	42.77	3.26	35	1	17	6909	801.4	9.13
H0X7K6_OTOGA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	42.72	2.32	1	1	1	474	51.6	7.55
H0V959_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Gi	42.70	2.84	1	1	1	457	50.3	6.52
G3SS71_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta african	42.58	2.32	1	1	3	1941	216.8	6.74
F6R282_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	42.44	3.23	2	1	3	743	83.0	8.69

F1PGR8_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	42.41	2.29	1	1	1	741	84.8	4.74
F6Z872_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis dome	42.34	7.79	33	1	3	385	43.8	9.28
E1BL85_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	42.22	17.39	8	1	2	115	12.7	5.52
D4AEH2_RAT	SubName: Full=Protein RGD1564053; - OS=Rattus norvegicus (Ra	42.16	2.43	4	1	1	288	32.4	6.46
E1BPL7_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	42.02	5.29	2	1	3	681	76.6	6.61
I3NHM6_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tride	41.82	14.29	32	1	3	350	40.1	7.37
A2A7U9_MOUSE	SubName: Full=Novel protein; SubName: Full=Protein Zfp600; Fla	41.73	8.15	16	1	1	135	15.8	6.62
F7F0W1_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	41.68	4.25	2	1	5	918	98.6	7.39
F7DSQ3_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	41.57	5.62	19	1	3	516	57.2	8.81
G3TBQ9_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=l	41.34	1.68	1	1	1	476	52.7	10.05
E1BAT6_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	41.29	19.31	34	1	3	145	16.4	10.14
H0WGP0_OTOGA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	41.26	2.59	4	1	3	1197	136.6	6.62
H7C4C8_HUMAN	SubName: Full=T-complex protein 1 subunit theta; Flags: Fragme	41.08	3.72	1	1	2	323	35.5	5.96
G1LQE2_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=/	40.89	6.94	1	1	4	663	77.4	9.48
D2I1N0_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=/	40.63	3.46	1	1	2	578	64.2	8.18
E2QVI1_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Di	40.48	3.25	5	1	1	308	34.3	7.58
D3TJU0_BOVIN	SubName: Full=CSN1S1; Flags: Fragment; - OS=Bos taurus (Bovi	40.46	100.00	1	1	1	8	0.9	6.24
H2PDP3_PONAB	SubName: Full=Uncharacterized protein; - OS=Pongo abelii (Sum	40.33	1.80	8	1	3	1995	216.8	7.96
I3MJT3_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tride	40.12	13.72	12	1	2	277	30.7	5.80
G1RXT3_NOMLE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=l	40.06	1.79	2	1	1	503	58.5	8.81
F1RI37_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=€	39.99	6.05	1	1	1	281	32.8	7.72
G3WB56_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	39.76	1.11	1	1	3	3068	351.7	7.17
G3WH01_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	39.74	1.89	1	1	3	1585	178.6	6.21
H0XEE5_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii	39.61	2.85	1	1	2	597	69.4	8.68
G7NGV8_MACMU	SubName: Full=T-complex protein 1 subunit zeta-2; Flags: Fragm	39.59	8.68	49	1	4	530	57.9	7.49
F6SCJ1_MACMU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=l	39.58	0.46	2	1	2	4116	421.9	4.81
G3TK61_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=l	39.24	0.63	1	1	2	2874	323.7	6.20
Q29RH6_BOVIN	SubName: Full=Chromosome 6 open reading frame 182 ortholog;	39.22	5.04	1	1	3	476	55.0	8.66
G1RPZ6_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucoge	39.07	2.60	1	1	3	1575	180.6	5.52
C4BPA_BOVIN	RecName: Full=C4b-binding protein alpha chain; Short=C4bp; Fla	39.07	11.15	3	1	6	610	68.8	6.38
F7ACI6_ORNAN	SubName: Full=Uncharacterized protein; - OS=Ornithorhynchus a	39.04	2.39	1	1	1	460	50.8	5.53
G3QSD5_GORGO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	38.97	10.00	1	1	1	100	12.0	9.86
G3H9B6_CRIGR	SubName: Full=Cone cGMP-specific 3',5'-cyclic phosphodiesterase	38.95	3.58	5	1	4	977	112.7	6.33

I3M2J4_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	38.94	2.01	1	1	4	2184	248.4	5.94
G3MZW4_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	38.82	1.52	1	1	2	1319	144.3	6.67
G1TZ14_RABIT	SubName: Full=Uncharacterized protein; - OS=Orctolagus cunicu	38.63	5.88	1	1	1	187	21.0	5.96
F6VH24_MACMU	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (R	38.35	2.59	8	1	2	579	64.2	8.41
C4T7Z1_BOVIN	SubName: Full=MD-2; - OS=Bos taurus (Bovine).	38.24	13.13	3	1	2	160	18.9	7.91
F6WEN1_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	37.96	3.21	1	1	7	2898	329.6	5.45
D6RHJ6_HUMAN	SubName: Full=Immunoglobulin J chain; Flags: Fragment; - OS=f	37.77	10.83	10	1	2	157	17.7	6.32
G3T467_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta african	37.74	3.24	2	1	2	803	91.8	8.07
G3X810_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	37.57	4.89	2	1	6	1310	148.3	8.57
G9KIN9_MUSPF	SubName: Full=Proline dehydrogenase 1; Flags: Fragment; - OS=	37.57	13.75	1	1	3	429	49.0	8.37
CALL5_HUMAN	RecName: Full=Calmodulin-like protein 5; AltName: Full=Calmodu	37.48	5.48	2	1	1	146	15.9	4.44
HINT3_BOVIN	RecName: Full=Histidine triad nucleotide-binding protein 3; Short:	37.47	13.74	1	1	2	182	20.5	6.25
G5BZE0_HETGA	SubName: Full=Insulin receptor substrate 4; - OS=Heterocephalu	37.46	4.99	1	1	3	1163	125.8	9.28
G1SKK5_RABIT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	37.46	0.98	2	1	1	919	97.7	7.37
I3L7K2_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	37.17	0.93	1	1	1	756	86.0	6.68
H2QC04_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (C	37.08	5.99	11	1	3	701	78.2	8.73
F1RMP2_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	37.00	0.36	2	1	2	4727	522.1	7.12
H9CH53_BUBBU	SubName: Full=Beta-lactoglobulin; Flags: Fragment; - OS=Bubalu	36.77	25.81	1	1	1	31	3.6	4.61
Q7TME6_MOUSE	SubName: Full=Schlafen 10; - OS=Mus musculus (Mouse).	36.76	5.18	2	1	4	908	103.5	7.53
I0CF13_SHEEP	SubName: Full=Conglutinin 1; Flags: Fragment; - OS=Ovis aries (	36.74	4.35	1	1	1	161	17.7	5.00
A5Z0E5_MONDO	SubName: Full=ATP-binding cassette transporter ABCG5; Flags: F	36.68	2.40	2	1	1	334	37.3	8.50
G1TB85_RABIT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	36.62	3.74	1	1	1	214	24.8	5.15
G3RR69_GORGO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	36.59	11.18	30	1	2	152	17.7	10.71
G3TV53_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta african	36.58	5.79	32	1	2	311	34.7	9.22
G3S4L7_GORGO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	36.52	2.45	7	1	5	2164	236.1	5.40
G3WUL7_SARHA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	36.50	1.18	1	1	1	845	92.9	8.69
F6YNX9_MOUSE	SubName: Full=Carbonyl reductase [NADPH] 2; Flags: Fragment;	36.38	7.79	1	1	1	154	16.5	10.05
F7E5P2_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	36.03	7.80	1	1	2	205	22.6	10.59
G3GT46_CRIGR	SubName: Full=Putative uncharacterized protein; - OS=Cricetulus	35.98	7.22	1	1	1	97	11.0	8.68
F1MQB8_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	35.95	1.63	1	1	1	734	80.6	4.72
G1T4E3_RABIT	SubName: Full=Uncharacterized protein; - OS=Orctolagus cunicu	35.89	2.57	1	1	2	856	94.6	8.29
D2GYG5_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment	35.83	25.00	2	1	1	24	2.9	6.34
G5B4Y5_HETGA	SubName: Full=Protransforming growth factor alpha; - OS=Heter	35.46	1.95	1	1	1	359	38.6	6.09

F1MGP5_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine	35.42	3.60	12	1	2	695	77.1	6.55
F7FQR4_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	35.29	2.48	3	1	5	1976	227.9	5.34
H0WTT3_OTOGA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	35.14	1.32	1	1	1	530	60.2	8.51
G3V656_RAT	SubName: Full=Protein Mepce; SubName: Full=Putative uncharac	35.08	2.12	5	1	2	660	71.5	9.25
TRPV1_RABIT	RecName: Full=Transient receptor potential cation channel subfar	34.89	4.39	4	1	2	842	94.9	7.34
F6TBI6_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	34.87	6.09	1	1	1	115	13.6	11.09
E2RCH0_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (D	34.50	5.08	4	1	2	374	40.3	8.97
F7H0J5_MACMU	SubName: Full=RNA-binding protein 12; - OS=Macaca mulatta (R	34.30	2.78	26	1	2	792	81.5	7.18
H0Y689_HUMAN	SubName: Full=cAMP-specific 3',5'-cyclic phosphodiesterase 7B; F	34.18	3.00	1	1	1	200	23.0	8.38
G3VNB2_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	34.07	2.26	2	1	2	708	77.2	5.21
G1SLI4_RABIT	SubName: Full=Uncharacterized protein; - OS=Orctolagus cunicu	33.77	2.11	44	1	6	2276	266.6	6.29
G5B3B5_HETGA	SubName: Full=Kinesin-like protein KIF14; - OS=Heterocephalus	33.30	3.82	54	1	5	1651	186.4	7.83
H9H7A7_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	33.26	2.04	1	1	1	442	50.5	6.67
F6T3X0_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	32.82	3.85	2	1	1	156	18.4	7.81
C6F113_MUSPF	SubName: Full=Signal transducer and activator of transcription 1;	32.64	1.98	1	1	1	354	40.8	8.92
ATPA2_PIG	RecName: Full=ATP synthase subunit alpha liver isoform, mitoch	32.02	15.54	41	1	2	148	15.5	7.43
F7DLX5_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (	31.54	1.29	23	1	1	698	79.2	8.29
G5C314_HETGA	SubName: Full=Desmocollin-3; - OS=Heterocephalus glaber (Nak	31.45	2.82	1	1	2	888	98.9	5.90
Q8CFS0_MOUSE	SubName: Full=Otud7b protein; Flags: Fragment; - OS=Mus mus	29.69	4.68	2	1	2	556	60.9	6.84
H0VF13_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (G	29.66	4.54	1	1	2	485	56.0	8.09
F6XAC0_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	29.50	4.24	26	1	2	401	46.2	8.47
F6S7T0_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	29.41	2.40	7	1	6	2039	233.6	7.80
F1RH16_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	27.87	3.82	1	1	1	262	27.4	6.54
F7I915_CALJA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	27.87	6.71	142	1	5	671	78.0	9.17
A9RA81_PAPAN	SubName: Full=Paired box 4 (Predicted); - OS=Papio anubis (Oliv	26.51	8.50	29	1	1	200	21.5	10.08
F6Y2R6_CALJA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	26.22	0.96	1	1	3	3633	399.7	5.62
Q3TSX5_MOUSE	SubName: Full=Putative uncharacterized protein; Flags: Fragment	25.00	1.90	2	1	2	788	89.9	6.40
A5PJX0_BOVIN	SubName: Full=FBXO22 protein; SubName: Full=Uncharacterized	24.76	5.20	5	1	2	404	44.7	7.91
F1M339_RAT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=f	24.31	18.52	13	1	2	135	16.3	9.16
F4MH84_HUMAN	SubName: Full=Ubiquitously transcribed tetratricopeptide repeat	24.31	4.23	1	1	1	213	24.0	6.98
F7GDM4_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis dome	24.18	1.47	1	1	2	2108	241.7	6.34
G1LCL6_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=/	0.00	19.84	1	1	2	126	14.2	10.59
I3M1E9_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=	0.00	2.28	1	1	1	307	35.1	5.64

G3VEC1_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisi	0.00	1.27	1	1	1	711	81.0	9.28
G3MYD3_BOVIN	RecName: Full=Guanine nucleotide-binding protein subunit gamm	0.00	39.71	13	1	3	68	7.3	9.50
G1SKH0_RABIT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=(	0.00	1.01	1	1	3	2466	281.5	7.80

The accession entry - the unique entry name that is assigned for a given protein according to the Uniprot database. The score - the summed score of all the identified peptides that match with a given protein in the database. The coverage - the percentage of the protein sequence covered by the identified peptides. The number of peptides - the total number of the identified peptides that match with the sequence of the given protein in the database The number of unique peptides - the number of the identified peptides that are unique for the given protein. The score, coverage, number of unique peptides and number of peptides are generated by the Proteome Discoverer software (see method, section 2.7). The number of amino acids (Aas), molecular weight

Supplementary Table 3. The intital dataset containing 680 bovine MFGM proteins identified by LC-MS analysis of combined in-gel and in-solution digest samples.

Accession entry	Description	Score	Coverage	# Unique Peptides	# Peptides	# AAs	MW [kDa]	pI
YKT6_BOVIN	RecName: Full=Synaptobrevin homolog YKT6; EC=2.3.1.-; Flags: Precursor; - OS=Bos taurus (Bovine).	1443.03	60.10	8	12	198	22.5	6.58
VIME_BOVIN	RecName: Full=Vimentin; - OS=Bos taurus (Bovine).	1254.59	46.14	11	21	466	53.7	5.12
TRYP_PIG	RecName: Full=Trypsin; EC=3.4.21.4; Flags: Precursor; - OS=Sus scrofa (Pig).	3433.25	35.93	5	6	231	24.4	7.18
TMED9_RAT	RecName: Full=Transmembrane emp24 domain-containing protein 9; AltName: Full=p24 family protein alpha-2; Short=p24alpha2; Flags: Precursor; - OS=Rattus norvegicus (Rat).	42.45	9.79	1	2	235	27.0	8.27
THIO_BOVIN	RecName: Full=Thioredoxin; Short=Trx; - OS=Bos taurus (Bovine).	84.71	30.48	1	2	105	11.8	5.03
SYWC_BOVIN	RecName: Full=Tryptophan--tRNA ligase, cytoplasmic; EC=6.1.1.2; AltName: Full=Tryptophanyl-tRNA synthetase; Short=TrpRS; Contains: RecName: Full=T1-TrpRS; Contains: RecName: Full=T2-TrpRS; - OS=Bos taurus (Bovine).	41.88	4.41	1	2	476	53.8	5.78
STX19_BOVIN	RecName: Full=Syntaxin-19; - OS=Bos taurus (Bovine).	168.10	6.85	1	2	292	33.9	6.65
SSRD_BOVIN	RecName: Full=Translocon-associated protein subunit delta; Short=TRAP-delta; AltName: Full=Signal sequence receptor subunit delta; Short=SSR-delta; Flags: Precursor; - OS=Bos taurus (Bovine).	248.45	30.81	3	4	172	18.8	5.78
SNP29_BOVIN	RecName: Full=Synaptosomal-associated protein 29; Short=SNAP-29; AltName: Full=Soluble 29 kDa NSF attachment protein; AltName: Full=Vesicle-membrane fusion protein SNAP-29; - OS=Bos taurus (Bovine).	572.83	22.48	4	5	258	28.5	5.47
SG2A1_HUMAN	RecName: Full=Mammaglobin-B; AltName: Full=Lacryglobin; AltName: Full=Lipophilin-C; AltName: Full=Mammaglobin-2; AltName: Full=Secretoglobulin family 2A member 1; Flags: Precursor; - OS=Homo sapiens (Human).	83.38	21.05	1	2	95	10.9	5.78
SBP1_BOVIN	RecName: Full=Selenium-binding protein 1; AltName: Full=56 kDa selenium-binding protein; Short=SBP56; Short=SP56; - OS=Bos taurus (Bovine).	541.96	15.89	5	6	472	52.5	6.48
SAR1B_BOVIN	RecName: Full=GTP-binding protein SAR1b; - OS=Bos taurus (Bovine).	303.75	40.91	3	7	198	22.4	6.11
S10A9_BOVIN	RecName: Full=Protein S100-A9; AltName: Full=BEE22; AltName: Full=Calgranulin-B; AltName: Full=Neutrophil cytosolic 23 kDa protein; Short=p23; AltName: Full=S100 calcium-binding protein A9; - OS=Bos taurus (Bovine).	785.99	36.54	4	6	156	17.1	6.80
S10A8_BOVIN	RecName: Full=Protein S100-A8; AltName: Full=BEE11; AltName: Full=Calgranulin-A; AltName: Full=Neutrophil cytosolic 7 kDa protein; Short=P7; AltName: Full=S100 calcium-binding protein A8; - OS=Bos taurus (Bovine).	175.26	47.19	4	6	89	10.5	5.26
RHOF_BOVIN	RecName: Full=Rho-related GTP-binding protein RhoF; Flags: Precursor; - OS=Bos taurus (Bovine).	635.71	50.23	4	8	215	23.8	8.34

RETN_BOVIN	RecName: Full=Resistin; Flags: Precursor; - OS=Bos taurus (Bovine).	203.85	19.27	1	2	109	11.5	7.74
RAB8A_BOVIN	RecName: Full=Ras-related protein Rab-8A; Flags: Precursor; - OS=Bos taurus (Bovine).	989.91	33.33	1	8	207	23.7	9.06
RAB5C_BOVIN	RecName: Full=Ras-related protein Rab-5C; - OS=Bos taurus (Bovine).	1241.91	57.41	5	9	216	23.5	8.41
RAB3D_HUMAN	RecName: Full=Ras-related protein Rab-3D; - OS=Homo sapiens (Human).	1598.03	47.49	6	9	219	24.3	4.93
Q9TTU7_CEREL	SubName: Full=Alpha-lactalbumin; Flags: Fragment; - OS=Cervus elaphus xanthopyqus (Manchurian Wapiti).	330.15	47.42	2	7	97	11.1	4.87
Q9TSF1_BOVIN	SubName: Full=Butyrophilin; Flags: Fragment; - OS=Bos taurus (Bovine).	5690.13	86.15	1	8	130	14.2	5.16
Q9TS85_BOVIN	SubName: Full=Histidine-rich GLYCOPROTEIN=FACTOR XIIIa substrate; Flags: Fragments; - OS=Bos taurus (Bovine).	261.62	21.50	2	4	214	24.0	5.40
Q9MZD3_CANFA	RecName: Full=Peptidyl-prolyl cis-trans isomerase; EC=5.2.1.8; Flags: Fragment; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	1365.07	73.72	8	13	156	16.9	8.16
Q9CPN9_MOUSE	SubName: Full=Protein 2210010C04Rik; SubName: Full=RIKEN cDNA 2210010C04, isoform CRA_b; SubName: Full=Trypsinogen 7; - OS=Mus musculus (Mouse).	849.21	4.86	1	1	247	26.4	7.93
Q9BCT9_HUMAN	SubName: Full=MHC class II HLA-DQ-beta; Flags: Fragment; - OS=Homo sapiens (Human).	31.69	18.75	1	1	32	3.4	11.00
Q8HYW4_BOVIN	SubName: Full=Sushi repeat containing protein; Flags: Fragment; - OS=Bos taurus (Bovine).	38.22	8.89	1	1	135	15.0	8.75
Q8BPG5_MOUSE	SubName: Full=Putative uncharacterized protein; - OS=Mus musculus (Mouse).	627.71	44.27	4	10	192	21.4	8.50
Q862Q3_BOVIN	SubName: Full=Similar to beta 2-microglobulin; Flags: Fragment; - OS=Bos taurus (Bovine).	341.73	35.48	2	5	93	11.0	7.44
Q7TP49_RAT	SubName: Full=Ab2-276; SubName: Full=Protein Mfsd8; - OS=Rattus norvegicus (Rat).	46.67	1.94	1	1	515	56.2	8.18
Q7JFQ1_ANTAM	SubName: Full=Kappa-casein; Flags: Fragment; - OS=Antilocapra americana (Pronghorn).	75.26	9.02	1	1	122	13.2	5.83
Q6RUS0_BUBBU	SubName: Full=Butyrophilin; Flags: Fragment; - OS=Bubalus bubalis (Domestic water buffalo).	5112.52	86.15	1	8	130	14.1	5.41
Q6QRN7_BOVIN	SubName: Full=PP1201 protein; SubName: Full=Responsive to centrifugal force and shear; SubName: Full=Transmembrane BAX inhibitor motif containing 1; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	799.82	6.49	2	3	308	33.9	8.40
Q6PVY3_BOVIN	SubName: Full=Macrophage migration inhibitory factor; Flags: Fragment; - OS=Bos taurus (Bovine).	164.97	9.00	1	1	100	10.7	7.21
Q6EIP9_BOVIN	RecName: Full=Major prion protein; Flags: Fragment; - OS=Bos taurus (Bovine).	81.00	12.37	1	1	97	11.7	6.92
Q6EH12_RAT	SubName: Full=Butyrophilin; Flags: Fragment; - OS=Rattus norvegicus (Rat).	1235.26	10.39	1	6	510	57.0	5.30
Q63280_RAT	SubName: Full=Keratin K5; Flags: Fragment; - OS=Rattus norvegicus (Rat).	1974.80	58.23	1	8	79	9.4	5.50
Q5U2U5_RAT	SubName: Full=Adipose differentiation related protein; SubName: Full=Protein Adfp; - OS=Rattus norvegicus (Rat).	1473.35	5.69	1	2	422	46.2	7.05

Q5JR08_HUMAN	SubName: Full=Ras homolog gene family, member C; SubName: Full=Rho-related GTP-binding protein RhoC; Flags: Fragment; - OS=Homo sapiens (Human).	1476.48	41.27	1	8	189	21.6	6.58
Q5IST6_MACFA	SubName: Full=Peroxiredoxin 1; Flags: Fragment; - OS=Macaca fascicularis (Crab-eating macaque) (Cynomolpus monkey).	364.25	55.32	1	8	188	20.9	7.36
Q5ISS1_MACFA	SubName: Full=ADP-ribosylation factor 1; Flags: Fragment; - OS=Macaca fascicularis (Crab-eating macaque) (Cynomolpus monkey).	1465.04	67.84	6	11	171	19.5	6.34
Q58DV1_BOVIN	SubName: Full=Uncharacterized protein; SubName: Full=XRP2 protein; - OS=Bos taurus (Bovine).	188.88	17.74	3	5	310	34.5	5.31
Q58DP6_BOVIN	SubName: Full=Ribonuclease, RNase A family, 4; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	179.71	28.57	2	3	147	16.9	8.85
Q56JJ6_GRAGR	SubName: Full=Amyloid beta protein; Flags: Fragment; - OS=Grampus griseus (Risso's dolphin) (Delphinus griseus).	313.50	28.57	1	1	42	4.5	5.62
Q56J78_BOVIN	RecName: Full=Serum amyloid A protein; Flags: Precursor; - OS=Bos taurus (Bovine).	608.47	54.20	2	9	131	14.6	9.42
Q53HR5_HUMAN	RecName: Full=Elongation factor 1-alpha; Flags: Fragment; - OS=Homo sapiens (Human).	1718.42	41.13	10	15	462	50.1	9.01
Q4G051_RAT	SubName: Full=Numa1 protein; SubName: Full=Protein Numa1; Flags: Fragment; - OS=Rattus norvegicus (Rat).	34.14	2.19	1	1	638	71.1	9.48
Q3ZCI4_BOVIN	RecName: Full=6-phosphogluconate dehydrogenase, decarboxylating; EC=1.1.1.44; - OS=Bos taurus (Bovine).	112.18	16.56	2	7	483	53.0	7.09
Q3ZC65_BOVIN	SubName: Full=Ancient ubiquitous protein 1; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	128.65	7.32	1	2	410	45.8	8.22
Q3ZBX0_BOVIN	SubName: Full=Basigin; SubName: Full=Basigin isoform 2; SubName: Full=RPE7 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	180.20	24.35	5	5	271	29.8	5.94
Q3YAN6_MACMU	SubName: Full=Destrin; Flags: Fragment; - OS=Macaca mulatta (Rhesus macaque).	53.34	10.48	1	1	105	12.0	8.41
Q3UBP6_MOUSE	SubName: Full=Putative uncharacterized protein; - OS=Mus musculus (Mouse).	3703.73	67.20	1	23	375	41.7	5.48
Q3UB66_MOUSE	SubName: Full=Putative uncharacterized protein; - OS=Mus musculus (Mouse).	2422.78	68.78	4	13	205	22.7	5.73
Q3U6Y9_MOUSE	SubName: Full=Putative uncharacterized protein; - OS=Mus musculus (Mouse).	101.06	8.52	1	6	446	50.2	8.46
Q3TN61_MOUSE	SubName: Full=Putative uncharacterized protein; - OS=Mus musculus (Mouse).	1176.09	46.63	1	9	193	21.8	6.10
Q3T101_BOVIN	SubName: Full=IGL@ protein; - OS=Bos taurus (Bovine).	3451.39	42.55	1	10	235	24.6	6.11
Q3SZZ9_BOVIN	SubName: Full=FGG protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1190.44	47.82	9	17	435	49.1	5.87
Q3SZN8_BOVIN	SubName: Full=Ribonuclease/angiogenin inhibitor 1; - OS=Bos taurus (Bovine).	69.14	10.75	2	3	456	48.8	4.74
Q3SYR8_BOVIN	SubName: Full=Immunoglobulin J chain; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1381.63	57.96	4	8	157	17.8	5.22
Q3SX32_BOVIN	SubName: Full=Mannose 6 phosphate receptor binding protein 1; SubName: Full=Mannose-6-phosphate receptor binding protein 1; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2585.65	54.79	12	15	438	47.6	6.13
Q3HL94_PANLE	RecName: Full=Major prion protein; Flags: Fragment; - OS=Panthera leo (Lion).	90.31	17.84	2	4	213	23.1	9.10

Q32PB7_BOVIN	RecName: Full=Serum amyloid A protein; - OS=Bos taurus (Bovine).	618.80	51.91	3	8	131	14.8	9.29
Q32PA1_BOVIN	SubName: Full=CD59 molecule, complement regulatory protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	376.20	26.45	2	3	121	13.7	7.75
Q2TBH2_BOVIN	SubName: Full=Related RAS viral (R-ras) oncogene homolog; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1078.99	38.53	4	6	218	23.6	6.93
Q2T9M8_BOVIN	RecName: Full=Synaptosomal-associated protein; - OS=Bos taurus (Bovine).	1374.07	63.98	6	9	211	23.2	4.83
Q2PG58_MACFA	SubName: Full=Putative uncharacterized protein; - OS=Macaca fascicularis (Crab-eating macaque) (Cynomolgus monkey).	341.53	24.18	2	4	182	20.6	6.06
Q2KIS4_BOVIN	SubName: Full=Dehydrogenase/reductase (SDR family) member 1; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	3046.81	56.73	12	15	312	34.0	8.37
Q2KII3_BOVIN	SubName: Full=Hepatitis A virus cellular receptor 1 N-terminal domain containing protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	728.64	36.64	3	4	131	14.9	6.10
Q1RMV1_BOVIN	SubName: Full=Endoglin; - OS=Bos taurus (Bovine).	65.40	4.64	1	3	647	69.9	5.88
Q1RMN8_BOVIN	SubName: Full=Immunoglobulin light chain, lambda gene cluster; - OS=Bos taurus (Bovine).	3902.26	51.71	1	11	234	24.5	7.62
Q1RMM2_BOVIN	SubName: Full=Lymphocyte antigen 6 complex, locus E; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	153.52	8.46	1	1	130	13.7	8.19
Q1JQ95_BOVIN	SubName: Full=CKLF-like MARVEL transmembrane domain containing 7; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	435.00	18.97	1	2	174	18.5	8.48
Q1JPH2_BOVIN	SubName: Full=Ras related v-ral simian leukemia viral oncogene homolog A; Flags: Fragment; - OS=Bos taurus (Bovine).	523.19	42.08	4	6	183	20.8	4.92
Q17QL7_BOVIN	SubName: Full=KRT15 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	3108.07	20.09	0	16	453	49.0	4.88
Q155X5_BOSIN	SubName: Full=Beta casein; Flags: Fragment; - OS=Bos indicus (Zebu).	101.17	55.56	1	4	45	5.2	6.52
Q14BZ1_MOUSE	SubName: Full=9230110C19Rik protein; - OS=Mus musculus (Mouse).	271.71	6.48	1	1	108	12.5	9.70
Q148L0_BOVIN	SubName: Full=Chromatin modifying protein 6; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	156.86	6.47	1	1	201	23.5	5.63
Q0VCZ8_BOVIN	SubName: Full=Acyl-CoA synthetase long-chain family member 1; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	4370.31	53.51	24	34	699	78.2	7.21
Q0VCK1_BOVIN	SubName: Full=Myeloid-associated differentiation marker; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	79.95	3.11	1	1	322	35.3	8.27
Q0V8K9_BOVIN	SubName: Full=Solute carrier family 29 (Nucleoside transporters), member 1; Flags: Fragment; - OS=Bos taurus (Bovine).	679.67	11.56	3	4	450	49.2	8.31
Q0V8D8_BOVIN	SubName: Full=Amplified in osteosarcoma; Flags: Fragment; - OS=Bos taurus (Bovine).	56.53	2.50	1	2	400	44.7	5.06
Q0PD56_MOUSE	SubName: Full=Rab5B; - OS=Mus musculus (Mouse).	704.93	43.67	4	8	229	25.3	6.92
Q076H7_CAPHI	SubName: Full=Fatty acid synthase; - OS=Capra hircus (Goat).	3245.60	18.66	1	41	2514	273.8	6.35
Q05CK2_MOUSE	RecName: Full=60S ribosomal protein L18a; - OS=Mus musculus (Mouse).	40.67	15.89	1	2	151	17.5	9.89
Q009B1_SHEEP	SubName: Full=ATP-binding cassette sub-family G member 2; SubName: Full=Breast cancer resistance protein; - OS=Ovis aries (Sheep).	7170.98	33.89	1	21	658	73.1	8.57

PTPRB_MOUSE	RecName: Full=Receptor-type tyrosine-protein phosphatase beta; Short=Protein-tyrosine phosphatase beta; Short=R-PTP-beta; EC=3.1.3.48; AltName: Full=Vascular endothelial protein tyrosine phosphatase; Short=VE-PTP; Flags: Precursor; - OS=Mus musculus (Mouse).	56.91	2.20	1	5	1998	224.4	7.18
PTGDS_SHEEP	RecName: Full=Prostaglandin-H2 D-isomerase; EC=5.3.99.2; AltName: Full=Glutathione-independent PGD synthase; AltName: Full=Lipocalin-type prostaglandin-D synthase; AltName: Full=Prostaglandin-D2 synthase; Short=PGD2 synthase; Short=PGDS; Short=PGDS2; Flags: Precursor; - OS=Ovis aries (Sheep).	41.44	9.95	1	2	191	21.2	6.55
PRDX1_BOVIN	RecName: Full=Peroxiredoxin-1; EC=1.11.1.15; - OS=Bos taurus (Bovine).	483.44	52.26	1	8	199	22.2	8.40
PRB2_HUMAN	RecName: Full=Basic salivary proline-rich protein 2; Short=Salivary proline-rich protein; AltName: Full=Con1 glycoprotein; Contains: RecName: Full=Basic proline-rich peptide IB-1; Contains: RecName: Full=Basic proline-rich peptide P-E; AltName: Full=IB-9; Contains: RecName: Full=Basic proline-rich peptide IB-7; Contains: RecName: Full=Basic proline-rich peptide IB-8c; AltName: Full=Basic peptide P-F; Contains: RecName: Full=Basic proline-rich peptide IB-4; Flags: Precursor; - OS=Homo sapiens (Human).	36.67	4.81	1	1	416	40.8	11.63
PPBT_BOVIN	RecName: Full=Alkaline phosphatase, tissue-nonspecific isozyme; Short=AP-TNAP; Short=TNSALP; EC=3.1.3.1; AltName: Full=Alkaline phosphatase liver/bone/kidney isozyme; Flags: Precursor; - OS=Bos taurus (Bovine).	1373.65	20.80	6	9	524	57.2	6.77
PLLP_BOVIN	RecName: Full=Plasmolipin; AltName: Full=Plasma membrane proteolipid; - OS=Bos taurus (Bovine).	208.53	12.64	1	1	182	19.8	8.84
PIGR_BOVIN	RecName: Full=Polymeric immunoglobulin receptor; Short=PIgR; Short=Poly-Ig receptor; Contains: RecName: Full=Secretory component; Flags: Precursor; - OS=Bos taurus (Bovine).	14639.08	54.03	8	37	757	82.4	7.27
PI16_BOVIN	RecName: Full=Peptidase inhibitor 16; Short=PI-16; Flags: Precursor; - OS=Bos taurus (Bovine).	34.04	5.17	1	2	464	49.3	6.32
PGRP1_BOVIN	RecName: Full=Peptidoglycan recognition protein 1; AltName: Full=Oligosaccharide-binding protein; Short=OBP; AltName: Full=Peptidoglycan recognition protein short; Short=PGRP-S; Flags: Precursor; - OS=Bos taurus (Bovine).	548.74	43.68	3	7	190	21.0	9.50
PGFS_BOVIN	RecName: Full=Prostamide/prostaglandin F synthase; Short=Prostamide/PG F synthase; Short=Prostamide/PGF synthase; EC=1.11.1.20; - OS=Bos taurus (Bovine).	299.01	32.34	5	6	201	21.5	6.33
PERL_BOVIN	RecName: Full=Lactoperoxidase; Short=LPO; EC=1.11.1.7; Flags: Precursor; - OS=Bos taurus (Bovine).	1223.27	17.98	6	11	712	80.6	8.54
PDXK_BOVIN	RecName: Full=Pyridoxal kinase; EC=2.7.1.35; AltName: Full=Pyridoxine kinase; - OS=Bos taurus (Bovine).	595.25	29.17	5	6	312	34.8	5.94
PARK7_BOVIN	RecName: Full=Protein DJ-1; EC=3.4.-.-; AltName: Full=Parkinson disease protein 7 homolog; Flags: Precursor; - OS=Bos taurus (Bovine).	63.23	21.69	2	4	189	20.0	7.33
O97896_SYNCA	SubName: Full=Xanthine:oxygen oxidoreductase; Flags: Fragment; - OS=Syncerus caffer (Cape buffalo).	28877.93	62.12	1	84	1328	146.5	7.61

O77944_PIG	SubName: Full=MHC class I antigen 1; Flags: Fragment; - OS=Sus scrofa (Pig).	110.25	15.98	1	3	219	25.5	5.72
O18903_BOSTR	SubName: Full=Kappa-casein; Flags: Fragment; - OS=Boselaphus traqocamelus (Nilgai).	1627.55	38.14	1	4	118	12.8	6.27
NSDHL_BOVIN	RecName: Full=Sterol-4-alpha-carboxylate 3-dehydrogenase, decarboxylating; EC=1.1.1.170; - OS=Bos taurus (Bovine).	1111.12	42.13	9	13	356	39.9	8.15
NOP14_MOUSE	RecName: Full=Nucleolar protein 14; AltName: Full=Nucleolar complex protein 14; - OS=Mus musculus (Mouse).	36.87	3.72	1	4	860	98.7	7.59
NB5R3_BOVIN	RecName: Full=NADH-cytochrome b5 reductase 3; Short=B5R; Short=Cytochrome b5 reductase; EC=1.6.2.2; AltName: Full=Diaphorase-1; Contains: RecName: Full=NADH-cytochrome b5 reductase 3 membrane-bound form; Contains: RecName: Full=NADH-cytochrome b5 reductase 3 soluble form; - OS=Bos taurus (Bovine).	1647.41	58.47	11	14	301	34.1	7.28
MYL6B_MOUSE	RecName: Full=Myosin light chain 6B; AltName: Full=Smooth muscle and nonmuscle myosin light chain alkali 6B; - OS=Mus musculus (Mouse).	160.98	17.39	1	3	207	22.7	5.53
MUC1_BOVIN	RecName: Full=Mucin-1; Short=MUC-1; AltName: CD_antigen=CD227; Contains: RecName: Full=Mucin-1 subunit alpha; Short=MUC1-NT; Short=MUC1-alpha; Contains: RecName: Full=Mucin-1 subunit beta; Short=MUC1-beta; AltName: Full=MUC1-CT; Flags: Precursor; - OS=Bos taurus (Bovine).	1051.67	16.38	7	8	580	58.1	7.28
MFGM_RAT	RecName: Full=Lactadherin; AltName: Full=MFGM; AltName: Full=Milk fat globule-EGF factor 8; Short=MFG-E8; AltName: Full=O-acetyl GD3 ganglioside synthase; Short=AGS; AltName: Full=SED1; Flags: Precursor; - OS=Rattus norvegicus (Rat).	830.86	10.07	1	4	427	47.4	7.09
MFGM_BOVIN	RecName: Full=Lactadherin; AltName: Full=BP47; AltName: Full=Components 15/16; AltName: Full=MFGM; AltName: Full=MGP57/53; AltName: Full=Milk fat globule-EGF factor 8; Short=MFG-E8; AltName: Full=PAS-6/PAS-7 glycoprotein; AltName: Full=SED1; AltName: Full=Sperm surface protein SP47; Flags: Precursor; - OS=Bos taurus (Bovine).	21945.10	79.39	19	40	427	47.4	7.15
METL9_BOVIN	RecName: Full=Methyltransferase-like protein 9; Flags: Precursor; - OS=Bos taurus (Bovine).	397.06	32.08	6	8	318	36.5	7.71
MAL2_MOUSE	RecName: Full=Protein MAL2; - OS=Mus musculus (Mouse).	128.95	6.29	1	1	175	19.1	6.49
LYSC_GORGO	RecName: Full=Lysozyme C; EC=3.2.1.17; AltName: Full=1,4-beta-N-acetylmuramidase C; Flags: Precursor; - OS=Gorilla gorilla gorilla (Lowland gorilla).	448.75	55.41	4	7	148	16.6	9.16
LC1L1_HUMAN	RecName: Full=Putative lipocalin 1-like protein 1; AltName: Full=Lipocalin 1-like pseudogene 1; Flags: Precursor; - OS=Homo sapiens (Human).	75.16	6.79	1	1	162	17.9	5.00
LALBA_BOSMU	RecName: Full=Alpha-lactalbumin; AltName: Full=Lactose synthase B protein; Flags: Precursor; - OS=Bos mutus grunniens (Wild yak) (Bos grunniens).	232.57	32.39	1	6	142	16.2	5.02
LACRT_HUMAN	RecName: Full=Extracellular glycoprotein lacritin; Flags: Precursor; - OS=Homo sapiens (Human).	115.70	36.96	2	5	138	14.2	5.50
LACB_OVIMU	RecName: Full=Beta-lactoglobulin; Short=Beta-LG; - OS=Ovis orientalis musimon (Mouflon).	1155.47	60.49	2	13	162	18.1	5.38
KV303_HUMAN	RecName: Full=Ig kappa chain V-III region NG9; Flags: Precursor; Fragment; - OS=Homo sapiens (Human).	74.06	9.00	1	1	100	10.7	6.52

K2C6C_HUMAN	RecName: Full=Keratin, type II cytoskeletal 6C; AltName: Full=Cytokeratin-6C; Short=CK-6C; AltName: Full=Cytokeratin-6E; Short=CK-6E; AltName: Full=Keratin K6h; AltName: Full=Keratin-6C; Short=K6C; AltName: Full=Type-II keratin Kb12; - OS=Homo sapiens (Human).	5932.93	67.73	0	47	564	60.0	8.00
K2C6B_HUMAN	RecName: Full=Keratin, type II cytoskeletal 6B; AltName: Full=Cytokeratin-6B; Short=CK-6B; AltName: Full=Keratin-6B; Short=K6B; AltName: Full=Type-II keratin Kb10; - OS=Homo sapiens (Human).	6237.74	63.83	0	44	564	60.0	8.00
K2C1B_HUMAN	RecName: Full=Keratin, type II cytoskeletal 1b; AltName: Full=Cytokeratin-1B; Short=CK-1B; AltName: Full=Keratin-77; Short=K77; AltName: Full=Type-II keratin Kb39; - OS=Homo sapiens (Human).	1723.60	17.47	6	11	578	61.9	5.99
K22E_HUMAN	RecName: Full=Keratin, type II cytoskeletal 2 epidermal; AltName: Full=Cytokeratin-2e; Short=CK-2e; AltName: Full=Epithelial keratin-2e; AltName: Full=Keratin-2 epidermis; AltName: Full=Keratin-2e; Short=K2e; AltName: Full=Type-II keratin Kb2; - OS=Homo sapiens (Human).	22449.24	78.87	19	54	639	65.4	8.00
K1C9_HUMAN	RecName: Full=Keratin, type I cytoskeletal 9; AltName: Full=Cytokeratin-9; Short=CK-9; AltName: Full=Keratin-9; Short=K9; - OS=Homo sapiens (Human).	24266.08	70.79	40	46	623	62.0	5.24
K1C16_HUMAN	RecName: Full=Keratin, type I cytoskeletal 16; AltName: Full=Cytokeratin-16; Short=CK-16; AltName: Full=Keratin-16; Short=K16; - OS=Homo sapiens (Human).	5585.36	64.48	8	37	473	51.2	5.05
K1C15_SHEEP	RecName: Full=Keratin, type I cytoskeletal 15; AltName: Full=Cytokeratin-15; Short=CK-15; AltName: Full=Keratin-15; Short=K15; - OS=Ovis aries (Sheep).	2727.69	20.09	0	16	453	48.7	4.79
K1C15_RAT	RecName: Full=Keratin, type I cytoskeletal 15; AltName: Full=Cytokeratin-15; Short=CK-15; AltName: Full=Keratin-15; Short=K15; AltName: Full=Type I keratin Ka15; - OS=Rattus norvegicus (Rat).	2306.98	14.77	0	11	447	48.8	4.86
ILEU_BOVIN	RecName: Full=Leukocyte elastase inhibitor; Short=LEI; AltName: Full=Serpine B1; - OS=Bos taurus (Bovine).	64.79	15.65	2	5	377	42.2	5.96
IGHM_SUNMU	RecName: Full=Ig mu chain C region; - OS=Suncus murinus (Asian house shrew) (Musk shrew).	925.20	7.00	1	2	457	50.0	6.23
IDHC_SHEEP	RecName: Full=Isocitrate dehydrogenase [NADP] cytoplasmic; Short=IDH; EC=1.1.1.42; AltName: Full=Cytosolic NADP-isocitrate dehydrogenase; AltName: Full=IDP; AltName: Full=NADP(+)-specific ICDH; AltName: Full=Oxalosuccinate decarboxylase; - OS=Ovis aries (Sheep).	973.43	44.93	9	17	414	46.8	6.80
I7GNV7_MACFA	SubName: Full=Macaca fascicularis brain cDNA clone: Qf1A-22564, similar to human DAZ associated protein 1 (DAZAP1), transcript variant 2, mRNA, RefSeq: NM_018959.2; - OS=Macaca fascicularis (Crab-eating macaque) (Cynomolpus monkey).	37.58	5.56	1	1	234	23.9	9.28
I7GM07_MACFA	SubName: Full=Macaca fascicularis brain cDNA clone: Qf1A-20316, similar to human eukaryotic translation initiation factor 4A, isoform 2(EIF4A2), mRNA, RefSeq: NM_001967.2; - OS=Macaca fascicularis (Crab-eating macaque) (Cynomolpus monkey).	60.49	4.67	1	3	407	46.4	5.48

I7CE00_MICMM	SubName: Full=Vomer nasal 1 receptor VN1R-Mmur054; - OS=Microcebus mairatra (Claire's mouse lemur).	34.53	2.35	1	1	298	34.1	9.52
I6WY32_CAPHI	SubName: Full=Alpha s1 casein; - OS=Capra hircus (Goat).	2153.63	12.68	1	4	213	24.2	5.41
I6L590_PONAB	SubName: Full=Ras-related protein Rab-10; - OS=Pongo abelii (Sumatran orangutan) (Pongo pygmaeus abelii).	1162.07	52.26	2	10	199	22.4	8.38
I3NGL4_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	70.47	1.57	1	1	955	106.9	6.27
I3NEU3_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	674.44	2.00	1	1	500	55.6	6.79
I3NCL6_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	141.82	4.27	1	1	375	42.0	5.78
I3MV98_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	97.88	15.57	1	3	212	21.2	11.08
I3MSE8_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	2430.70	50.60	4	14	334	36.6	6.34
I3MRA9_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	40.51	11.94	1	4	360	41.6	5.01
I3MMV6_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	2537.13	25.44	0	13	397	43.8	5.20
I3MMU8_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	2090.98	26.26	0	14	457	49.6	4.93
I3MIT0_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	658.91	32.64	3	10	337	38.6	5.96
I3M8K4_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	340.79	15.43	3	7	512	58.8	7.37
I3M6V7_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	42.83	3.85	1	3	1012	114.0	8.00
I3M3A9_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	109.89	5.33	1	1	150	16.8	8.12
I3M1E9_SPETR	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	38.66	6.19	1	3	307	35.1	5.64
I3LXM1_SPETR	SubName: Full=Uncharacterized protein; - OS=Spermophilus tridecemlineatus (Thirteen-lined ground squirrel) (Ictidomys tridecemlineatus).	34.94	2.62	1	2	1069	122.5	5.94
I3LUC8_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	96.82	16.42	1	3	201	22.1	9.42

I3LQW1_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	30.51	11.52	1	2	191	22.1	8.76
I3LMQ8_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	39.41	8.21	1	3	414	46.0	7.80
I3LFQ4_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	36.40	26.35	1	4	167	17.9	9.22
I3LD01_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	37.78	12.65	1	2	166	18.7	7.91
I3LBM2_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Sus scrofa (Pig).	111.61	2.22	1	1	720	82.4	9.26
I3LBH4_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Sus scrofa (Pig).	66.11	8.90	1	2	191	20.8	10.10
I3L5R1_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Sus scrofa (Pig).	33.37	1.18	1	4	3485	371.5	6.89
I3L5F1_PIG	SubName: Full=Serine-protein kinase ATM; Flags: Fragment; - OS=Sus scrofa (Pig).	44.48	1.34	1	4	2310	264.7	6.64
HSPB1_BOVIN	RecName: Full=Heat shock protein beta-1; Short=HspB1; AltName: Full=Heat shock 27 kDa protein; Short=HSP 27; - OS=Bos taurus (Bovine).	1257.99	51.24	6	6	201	22.4	6.40
HS90B_BOVIN	RecName: Full=Heat shock protein HSP 90-beta; - OS=Bos taurus (Bovine).	541.44	16.44	1	11	724	83.2	5.03
HORN_HUMAN	RecName: Full=Hornerin; - OS=Homo sapiens (Human).	1744.61	24.81	20	25	2850	282.2	10.04
HINT3_BOVIN	RecName: Full=Histidine triad nucleotide-binding protein 3; Short=HINT-3; EC=3.-.-.; AltName: Full=HINT-4; - OS=Bos taurus (Bovine).	37.32	5.49	1	1	182	20.5	6.25
HEBP1_BOVIN	RecName: Full=Heme-binding protein 1; - OS=Bos taurus (Bovine).	381.27	28.27	2	4	191	21.2	5.48
HBA3_PANTR	RecName: Full=Hemoglobin subunit alpha-3; AltName: Full=Alpha-3-globin; AltName: Full=Hemoglobin alpha-2 chain; - OS=Pan troglodytes (Chimpanzee).	67.75	46.81	1	5	141	15.2	9.83
HBA_LAMVI	RecName: Full=Hemoglobin subunit alpha; AltName: Full=Alpha-globin; AltName: Full=Hemoglobin alpha chain; - OS=Lama vicugna (Vicugna) (Vicugna vicugna).	49.52	36.17	1	4	141	15.1	8.97
HBA_BOVIN	RecName: Full=Hemoglobin subunit alpha; AltName: Full=Alpha-globin; AltName: Full=Hemoglobin alpha chain; - OS=Bos taurus (Bovine).	111.63	43.66	1	4	142	15.2	8.44
H9H8Z5_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis domestica (Gray short-tailed opossum).	3091.89	28.57	1	20	539	58.3	6.95
H9H7N3_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray short-tailed opossum).	58.28	3.07	1	2	619	65.6	8.60
H9H568_MACMU	RecName: Full=Peptidyl-prolyl cis-trans isomerase; EC=5.2.1.8; - OS=Macaca mulatta (Rhesus macaque).	1055.65	48.48	2	7	165	18.0	7.77
H9FT57_MACMU	SubName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1; - OS=Macaca mulatta (Rhesus macaque).	2253.37	46.47	0	13	340	37.3	6.18
H9FAE8_MACMU	SubName: Full=Ras-related protein R-Ras2 isoform a; Flags: Fragment; - OS=Macaca mulatta (Rhesus macaque).	405.33	25.77	2	5	194	22.4	6.01
H9CH53_BUBBU	SubName: Full=Beta-lactoglobulin; Flags: Fragment; - OS=Bubalus bubalis (Domestic water buffalo).	59.82	25.81	1	1	31	3.6	4.61
H6WAG7_BUBBU	SubName: Full=Selenoprotein 15; - OS=Bubalus bubalis (Domestic water buffalo).	1082.28	33.33	5	6	162	18.0	5.21
H6VRF8_HUMAN	SubName: Full=Keratin 1; - OS=Homo sapiens (Human).	35385.85	70.34	16	65	644	66.0	8.12

H3BQB1_HUMAN	SubName: Full=Adenine phosphoribosyltransferase; Flags: Fragment; - OS=Homo sapiens (Human).	55.83	13.58	1	2	162	17.6	7.50
H2R8N0_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (Chimpanzee).	38.93	4.18	1	6	3088	331.3	8.82
H2QHQ2_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (Chimpanzee).	8430.98	20.63	1	38	1333	146.3	7.55
H2QEE3_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (Chimpanzee).	97.62	3.34	1	2	1048	113.7	5.06
H2QCZ8_PANTR	SubName: Full=Keratin, type I cytoskeletal 17; - OS=Pan troglodytes (Chimpanzee).	3006.18	44.68	4	28	432	48.1	5.02
H2QCZ3_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (Chimpanzee).	2696.50	43.57	0	20	420	45.8	4.88
H2Q607_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (Chimpanzee).	6032.67	63.12	1	43	564	60.0	8.00
H2Q5Z7_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (Chimpanzee).	5320.66	67.55	0	46	564	59.9	7.99
H2Q003_PANTR	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (Chimpanzee).	52.03	5.27	2	4	1782	183.7	8.79
H2PF75_PONAB	SubName: Full=Uncharacterized protein; - OS=Pongo abelii (Sumatran orangutan) (Pongo pygmaeus abelii).	45.14	2.22	1	1	360	42.7	9.25
H2P430_PONAB	SubName: Full=Uncharacterized protein; - OS=Pongo abelii (Sumatran orangutan) (Pongo pygmaeus abelii).	32.95	15.00	1	2	160	18.3	10.13
H2NYP9_PONAB	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Pongo abelii (Sumatran orangutan) (Pongo pygmaeus abelii).	50.59	8.27	1	1	133	14.8	7.66
H2NSI4_PONAB	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Pongo abelii (Sumatran orangutan) (Pongo pygmaeus abelii).	196.39	36.15	2	4	130	14.4	6.54
H2NP49_PONAB	SubName: Full=Uncharacterized protein; - OS=Pongo abelii (Sumatran orangutan) (Pongo pygmaeus abelii).	62.14	3.65	1	2	384	42.8	8.03
H2NMD8_PONAB	SubName: Full=Uncharacterized protein; - OS=Pongo abelii (Sumatran orangutan) (Pongo pygmaeus abelii).	36.84	3.23	1	1	186	19.7	9.76
H2NHE7_PONAB	SubName: Full=Uncharacterized protein; - OS=Pongo abelii (Sumatran orangutan) (Pongo pygmaeus abelii).	2312.77	22.73	4	14	594	64.0	8.47
H2NCT8_PONAB	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Pongo abelii (Sumatran orangutan) (Pongo pygmaeus abelii).	720.23	42.42	5	7	165	18.4	8.09
H0YKS8_HUMAN	SubName: Full=Lactadherin short form; Flags: Fragment; - OS=Homo sapiens (Human).	1869.83	5.22	1	2	268	29.1	7.90
H0YDD8_HUMAN	SubName: Full=60S acidic ribosomal protein P2; Flags: Fragment; - OS=Homo sapiens (Human).	183.07	27.17	1	3	92	9.1	4.46
H0Y689_HUMAN	SubName: Full=cAMP-specific 3',5'-cyclic phosphodiesterase 7B; Flags: Fragment; - OS=Homo sapiens (Human).	34.42	3.00	1	1	200	23.0	8.38
H0XZI5_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii (Small-eared galago) (Garnett's greater bushbaby).	190.45	23.58	1	5	246	28.0	4.82
H0XSZ5_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii (Small-eared galago) (Garnett's greater bushbaby).	1060.26	41.42	1	17	379	44.2	7.99
H0XJ84_OTOGA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Otolemur garnettii (Small-eared galago) (Garnett's greater bushbaby).	39.87	1.98	1	1	303	34.4	8.63
H0X5D8_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii (Small-eared galago) (Garnett's greater bushbaby).	38.24	0.49	1	1	2860	306.2	5.78

H0X4V7_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii (Small-eared galago) (Garnett's greater bushbaby).	2772.25	20.22	0	15	455	49.1	4.91
H0WTT3_OTOGA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Otolemur garnettii (Small-eared galago) (Garnett's greater bushbaby).	34.50	2.83	1	2	530	60.2	8.51
H0WTJ3_OTOGA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Otolemur garnettii (Small-eared galago) (Garnett's greater bushbaby).	323.85	10.05	2	3	209	23.7	9.39
H0WPF0_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii (Small-eared galago) (Garnett's greater bushbaby).	64.23	6.26	1	5	799	89.6	6.07
H0WGC0_OTOGA	SubName: Full=Uncharacterized protein; - OS=Otolemur garnettii (Small-eared galago) (Garnett's greater bushbaby).	8324.85	19.46	2	30	1336	146.9	7.28
H0VWA0_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Guinea pig).	293.68	16.30	1	1	92	10.7	4.55
H0VU29_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Guinea pig).	39.77	0.34	1	1	2065	225.1	6.76
H0VNJ9_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Guinea pig).	111.31	9.60	2	4	521	56.6	7.05
H0VMA2_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Guinea pig).	833.73	7.67	1	16	2478	272.4	5.71
H0VL07_CAVPO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Cavia porcellus (Guinea pig).	49.52	1.01	1	2	1187	135.0	8.13
H0V959_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Guinea pig).	36.37	2.84	1	1	457	50.3	6.52
H0V8Q2_CAVPO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Cavia porcellus (Guinea pig).	2854.16	27.78	0	18	432	48.5	5.16
H0V1F1_CAVPO	SubName: Full=Uncharacterized protein; - OS=Cavia porcellus (Guinea pig).	112.78	9.70	1	4	433	47.5	7.84
H0V0I4_CAVPO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Cavia porcellus (Guinea pig).	155.39	0.75	1	1	1208	133.2	8.09
GPX4_BOVIN	RecName: Full=Phospholipid hydroperoxide glutathione peroxidase, mitochondrial; Short=PHGPx; EC=1.11.1.12; AltName: Full=Glutathione peroxidase 4; Short=GPx-4; Short=GSHPx-4; Flags: Precursor: - OS=Bos taurus (Bovine).	150.30	24.87	2	3	197	22.2	8.65
GPDA_BOVIN	RecName: Full=Glycerol-3-phosphate dehydrogenase [NAD(+)], cytoplasmic; Short=GPD-C; Short=GPDH-C; EC=1.1.1.8; - OS=Bos taurus (Bovine).	69.63	10.60	1	3	349	37.6	6.89
GNAS2_BOVIN	RecName: Full=Guanine nucleotide-binding protein G(s) subunit alpha isoforms short; AltName: Full=Adenylate cyclase-stimulating G alpha protein; - OS=Bos taurus (Bovine).	809.52	35.03	10	14	394	45.7	5.71
GNA11_BOVIN	RecName: Full=Guanine nucleotide-binding protein subunit alpha-11; Short=G alpha-11; Short=G-protein subunit alpha-11; AltName: Full=G-protein subunit GL2 alpha; - OS=Bos taurus (Bovine).	947.24	33.43	5	12	359	42.0	6.16
GLCM1_BOVIN	RecName: Full=Glycosylation-dependent cell adhesion molecule 1; Short=GlyCAM-1; AltName: Full=28 kDa milk glycoprotein PP3; AltName: Full=Lactophorin; AltName: Full=Proteose-peptone component 3; Short=PP3; Flags: Precursor; - OS=Bos taurus (Bovine).	4269.04	53.59	11	18	153	17.1	6.68

GIPC2_BOVIN	RecName: Full=PDZ domain-containing protein GIPC2; - OS=Bos taurus (Bovine).	396.26	32.91	4	8	313	34.5	6.15
GALM_BOVIN	RecName: Full=Aldose 1-epimerase; EC=5.1.3.3; AltName: Full=Galactose mutarotase; - OS=Bos taurus (Bovine).	848.78	19.01	4	5	342	37.6	6.33
G9KY62_MUSPF	SubName: Full=Xanthine dehydrogenase; Flags: Fragment; - OS=Mustela putorius furo (European domestic ferret) (Mustela furo).	10924.58	24.59	2	35	1334	146.7	7.30
G9KNJ7_MUSPF	SubName: Full=Small G protein signaling modulator 2; Flags: Fragment; - OS=Mustela putorius furo (European domestic ferret) (Mustela furo).	79.99	5.59	1	2	340	37.8	4.86
G9KME2_MUSPF	SubName: Full=SAR1-like protein A; Flags: Fragment; - OS=Mustela putorius furo (European domestic ferret) (Mustela furo).	766.61	39.80	2	9	196	22.1	7.03
G9KJV1_MUSPF	SubName: Full=RAB6A, member RAS oncoprotein family; Flags: Fragment; - OS=Mustela putorius furo (European domestic ferret) (Mustela furo).	635.83	39.02	2	6	164	18.7	6.84
G9KJU5_MUSPF	SubName: Full=Ras-related protein Rab-43-like protein; Flags: Fragment; - OS=Mustela putorius furo (European domestic ferret) (Mustela furo).	589.96	22.27	2	4	211	23.1	5.47
G9KIN9_MUSPF	SubName: Full=Proline dehydrogenase 1; Flags: Fragment; - OS=Mustela putorius furo (European domestic ferret) (Mustela furo).	53.14	4.20	1	2	429	49.0	8.37
G9KHA2_MUSPF	SubName: Full=Adipose differentiation-related protein; Flags: Fragment; - OS=Mustela putorius furo (European domestic ferret) (Mustela furo).	4271.94	27.11	2	14	402	43.8	7.44
G9KAG1_MUSPF	SubName: Full=Milk fat globule-EGF factor 8 protein; Flags: Fragment; - OS=Mustela putorius furo (European domestic ferret) (Mustela furo).	1871.74	14.10	2	8	390	43.5	6.60
G9K4Y9_MUSPF	SubName: Full=Heat shock 10kDa protein 1; Flags: Fragment; - OS=Mustela putorius furo (European domestic ferret) (Mustela furo).	155.04	40.30	1	2	67	6.9	10.11
G8JKX6_BOVIN	SubName: Full=CD9 antigen; Flags: Fragment; - OS=Bos taurus (Bovine).	727.10	30.88	3	5	204	22.7	5.59
G7PTR1_MACFA	SubName: Full=Polyubiquitin-C; - OS=Macaca fascicularis (Crab-eating macaque) (Cynomolqus monkey).	1664.63	73.20	5	6	153	17.2	6.58
G7PIC8_MACFA	SubName: Full=Cytokeratin-6C; - OS=Macaca fascicularis (Crab-eating macaque) (Cynomolqus monkey).	5772.38	59.04	0	41	564	59.9	8.00
G7MX70_MACMU	SubName: Full=Putative uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	40.20	7.96	1	2	226	26.8	10.80
G7MFL3_MACMU	SubName: Full=Putative uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	44.77	2.01	1	2	943	104.9	7.97
G5E6P3_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	841.50	44.37	2	13	284	33.4	6.34
G5E604_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	1269.41	52.34	3	4	107	11.1	7.99
G5E5T5_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	9008.36	61.44	8	22	389	42.4	5.02
G5E5T3_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	313.94	4.35	2	4	1081	121.6	6.99
G5E5H2_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	233.39	28.06	1	2	139	14.4	7.68

G5E554_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	547.73	33.69	8	10	377	42.0	7.62
G5E513_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	9312.08	64.55	9	24	457	49.9	5.49
G5CX44_CRACA	SubName: Full=Breast and ovarian cancer susceptibility 2; Flags: Fragment; - OS=Cratogeomys castanops (Yellow-faced pocket qopher) (Pappogeomys castanops).	15.01	4.39	1	2	615	67.8	6.68
G5CC03_CAPHI	SubName: Full=Milk fat globule EGF factor 8 protein; Flags: Fragment; - OS=Capra hircus (Goat).	11533.05	45.73	2	22	398	44.6	7.49
G5C1Q4_HETGA	SubName: Full=Hydrocephalus-inducing protein-like protein; Flags: Fragment; - OS=Heterocephalus glaber (Naked mole rat).	39.34	0.73	1	4	5093	570.4	6.21
G5BYG4_HETGA	SubName: Full=Apoptosis facilitator Bcl-2-like protein 14; - OS=Heterocephalus glaber (Naked mole rat).	64.73	3.37	1	1	326	36.6	6.95
G5BVL3_HETGA	SubName: Full=14-3-3 protein epsilon; - OS=Heterocephalus glaber (Naked mole rat).	467.53	34.85	4	12	264	30.3	4.75
G5BSE8_HETGA	RecName: Full=Histone H2A; - OS=Heterocephalus glaber (Naked mole rat).	1339.45	27.74	4	7	274	29.6	10.93
G5BPZ0_HETGA	SubName: Full=FAS-associated factor 2; - OS=Heterocephalus glaber (Naked mole rat).	151.04	7.20	1	2	375	44.2	5.36
G5BKB5_HETGA	SubName: Full=Tubulin beta-7 chain; - OS=Heterocephalus glaber (Naked mole rat).	49.76	11.41	1	3	333	37.1	4.82
G5BGE2_HETGA	SubName: Full=Sphingomyelin phosphodiesterase 2; - OS=Heterocephalus glaber (Naked mole rat).	104.37	1.90	1	1	422	47.4	6.68
G5BEC1_HETGA	SubName: Full=Protein OS-9; - OS=Heterocephalus glaber (Naked mole rat).	77.51	3.30	1	2	667	76.1	5.06
G5BC83_HETGA	SubName: Full=Fibrocystin; - OS=Heterocephalus glaber (Naked mole rat).	54.38	1.12	1	2	2047	223.0	5.60
G5BAX9_HETGA	SubName: Full=Endonuclease/exonuclease/phosphatase family domain-containing protein 1; - OS=Heterocephalus glaber (Naked mole rat).	42.44	1.23	1	1	568	62.5	7.97
G5B4Y5_HETGA	SubName: Full=Protransforming growth factor alpha; - OS=Heterocephalus glaber (Naked mole rat).	48.94	1.95	1	1	359	38.6	6.09
G5B3B5_HETGA	SubName: Full=Kinesin-like protein KIF14; - OS=Heterocephalus glaber (Naked mole rat).	33.54	2.60	1	3	1651	186.4	7.83
G5B0N0_HETGA	SubName: Full=Keratin, type I cytoskeletal 13; - OS=Heterocephalus glaber (Naked mole rat).	2947.54	14.63	0	13	451	48.8	4.93
G5AUP5_HETGA	RecName: Full=Adenylyl cyclase-associated protein; - OS=Heterocephalus glaber (Naked mole rat).	128.78	11.30	1	3	407	44.3	7.18
G5AUAO_HETGA	SubName: Full=Popeye domain-containing protein 2; - OS=Heterocephalus glaber (Naked mole rat).	0.00	1.96	1	1	358	40.1	4.79
G5AR66_HETGA	SubName: Full=Ankyrin repeat and KH domain-containing protein 1; - OS=Heterocephalus glaber (Naked mole rat).	42.46	2.00	1	4	1904	203.9	6.87
G5ANA8_HETGA	SubName: Full=Leucine-rich repeat-containing protein 37A3; - OS=Heterocephalus glaber (Naked mole rat).	38.56	2.60	1	2	653	72.2	7.84
G3X6K8_BOVIN	SubName: Full=Haptoglobin beta chain; - OS=Bos taurus (Bovine).	1088.13	36.16	8	13	401	44.8	7.71
G3X078_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus laniarius).	41.95	7.33	1	3	505	56.4	5.44
G3WYE4_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus laniarius).	38.77	3.20	1	3	751	81.0	5.94

G3WYA2_SARHA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	0.00	0.78	1	2	2192	247.7	6.23
G3WW34_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	37.02	4.40	1	1	273	30.1	10.01
G3WV52_SARHA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	228.18	2.12	1	2	801	90.7	6.46
G3WJ24_SARHA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	100.52	3.94	1	1	203	23.2	4.97
G3WD75_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	146.29	8.04	1	2	286	32.7	6.35
G3WA48_SARHA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	40.97	1.91	1	51	29761	3304.7	6.65
G3W9T2_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	41.26	1.08	1	2	1476	162.5	8.29
G3VZ31_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	969.04	13.48	1	6	653	72.3	7.93
G3VUB2_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	83.14	3.42	2	2	351	41.1	9.64
G3VN41_SARHA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	24.62	3.48	1	3	718	82.1	7.94
G3VEC1_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	36.18	3.23	1	2	711	81.0	9.28
G3VE94_SARHA	SubName: Full=Uncharacterized protein; - OS=Sarcophilus harrisii (Tasmanian devil) (Sarcophilus lanarius).	37.32	5.42	1	2	166	19.7	7.85
G3UBW0_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta africana (African elephant).	84.11	2.20	1	2	1090	121.1	5.21
G3U9E4_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta africana (African elephant).	38.81	13.66	1	2	161	17.7	9.70
G3U8C3_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Loxodonta africana (African elephant).	9403.50	38.43	0	23	471	50.4	4.79
G3U4K5_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Loxodonta africana (African elephant).	35.67	2.81	1	2	675	76.9	9.03
G3U3Q6_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta africana (African elephant).	60.25	6.56	1	3	381	42.7	6.44
G3U1R6_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta africana (African elephant).	3521.89	24.94	0	17	421	46.8	4.87
G3TYG4_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta africana (African elephant).	372.17	17.72	1	4	158	18.0	6.96
G3TV04_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta africana (African elephant).	37.72	3.18	1	2	346	38.9	6.60
G3TTY7_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta africana (African elephant).	35.58	3.29	1	1	213	24.0	9.28
G3TM96_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta africana (African elephant).	36.75	5.67	1	2	476	53.7	9.52
G3TJ38_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Loxodonta africana (African elephant).	3268.68	26.74	0	18	445	49.7	5.06
G3TBQ9_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Loxodonta africana (African elephant).	28.95	3.99	1	2	476	52.7	10.05

G3T808_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Loxodonta africana (African elephant).	10053.70	20.97	2	33	1316	145.0	7.77
G3T6V1_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta africana (African elephant).	3704.58	17.76	1	8	428	46.8	7.20
G3T4W3_LOXAF	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Loxodonta africana (African elephant).	511.57	18.63	4	10	655	72.3	5.20
G3SUR8_LOXAF	SubName: Full=Uncharacterized protein; - OS=Loxodonta africana (African elephant).	2764.68	31.68	0	16	404	44.3	4.93
G3SAJ1_GORGO	RecName: Full=Chaperone protein HtpG E; AltName: Full=Heat shock protein HtpG E; AltName: Full=High temperature protein G E; - OS=Gorilla gorilla gorilla (Lowland gorilla).	821.90	16.27	8	12	756	87.0	5.44
G3SAA4_GORGO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Gorilla gorilla gorilla (Lowland gorilla).	835.61	18.05	4	5	338	36.3	5.96
G3S9N5_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	36.53	7.92	1	21	4409	468.0	6.10
G3S7L2_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	39.91	2.24	1	1	268	31.0	9.79
G3S5B2_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	46.16	5.34	1	1	131	14.3	8.51
G3RTK0_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	49.49	13.78	1	3	225	24.8	4.78
G3RN96_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	444.08	16.78	1	4	1627	177.1	5.83
G3QVA4_GORGO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Gorilla gorilla gorilla (Lowland gorilla).	2123.46	52.48	2	14	322	35.2	6.16
G3QSW6_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	40.06	4.93	1	9	1746	196.2	9.13
G3QKU2_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	6239.13	49.66	8	42	590	62.4	7.74
G3QK06_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	6070.02	67.73	0	47	564	60.0	8.00
G3QIY0_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	163.45	2.63	1	2	647	71.5	6.42
G3QEB3_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	49.85	19.70	1	4	264	29.8	7.03
G3QDX0_GORGO	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	28916.53	75.31	12	44	490	51.8	5.07
G3P_CRIGR	RecName: Full=Glyceraldehyde-3-phosphate dehydrogenase; Short=GAPDH; EC=1.2.1.12; AltName: Full=Peptidyl-cysteine S-nitrosylase GAPDH; EC=2.6.99.-; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis ariseus).	1248.44	28.53	4	7	333	35.7	8.34
G3N2D8_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2363.09	26.23	8	14	568	60.9	6.35
G3N2D7_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	797.33	51.72	3	3	116	12.1	4.78
G3N271_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	66.89	3.64	1	1	467	50.1	7.30
G3N0V0_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	151.14	23.31	2	5	326	35.9	7.84

G3N0S9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	918.97	34.67	5	8	199	22.3	7.49
G3N0Q8_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	849.76	25.52	4	6	239	25.7	10.99
G3MZQ5_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	53.64	8.65	1	2	601	65.8	5.88
G3MZC1_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	2029.68	46.30	1	13	324	36.0	7.11
G3MYH4_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	719.24	27.57	3	3	214	23.2	5.24
G3MXK8_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	73.61	4.45	1	1	247	26.7	8.69
G3MXG6_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	504.17	39.57	2	3	139	14.7	9.45
G3MX06_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	103.90	6.12	1	1	147	16.6	7.08
G3MWT1_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1293.40	31.39	2	2	137	14.5	9.83
G3MW12_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	44.96	2.52	1	3	1150	129.6	6.52
G3IK18_CRIGR	SubName: Full=Sperm motility kinase; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	43.43	4.07	1	3	491	55.7	8.84
G3IHB9_CRIGR	SubName: Full=Complement component C8 gamma chain; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	65.24	7.12	1	3	309	35.3	9.38
G3IBN9_CRIGR	SubName: Full=Keratin, type II cytoskeletal 71; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	5152.45	25.37	1	36	1202	133.3	6.55
G3IAH6_CRIGR	RecName: Full=DNA-directed RNA polymerase; EC=2.7.7.6; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	54.15	2.55	1	2	980	111.1	6.35
G3HSR3_CRIGR	SubName: Full=Ephrin-B2; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	20.90	25.68	1	1	148	16.4	9.44
G3HQ31_CRIGR	SubName: Full=Coiled-coil domain-containing protein MTMR15; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	36.77	3.75	1	3	1012	111.9	7.61
G3HN14_CRIGR	SubName: Full=Transitional endoplasmic reticulum ATPase; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	106.92	3.92	1	7	2171	237.5	6.05
G3HHM2_CRIGR	SubName: Full=Histone H3.1t; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	319.78	15.94	4	7	320	35.8	10.71
G3HF70_CRIGR	SubName: Full=Putative uncharacterized protein; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	35.70	14.00	1	1	50	5.5	6.34
G3HDT6_CRIGR	RecName: Full=Histone H2A; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	806.03	22.96	1	7	331	34.2	11.14
G3HAC6_CRIGR	SubName: Full=Titin; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	20.12	1.45	1	51	36026	4004.6	6.00
G3H625_CRIGR	SubName: Full=Werner syndrome ATP-dependent helicase-like; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	39.15	0.93	1	1	1405	158.3	6.13
G3H3P1_CRIGR	SubName: Full=Ras-related protein Rab-18; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	4231.00	69.42	10	14	206	23.0	5.35

G3GT46_CRIGR	SubName: Full=Putative uncharacterized protein; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	35.23	16.49	1	2	97	11.0	8.68
G3GSD0_CRIGR	SubName: Full=Secretogranin-1; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	45.59	1.09	1	1	644	74.6	5.07
G1U667_RABIT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Oryctolagus cuniculus (Rabbit).	72.49	3.66	1	1	328	36.8	5.49
G1U5B2_RABIT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Oryctolagus cuniculus (Rabbit).	30.30	7.29	1	4	425	48.2	6.21
G1U2B4_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cuniculus (Rabbit).	53.86	4.07	1	1	270	30.2	5.67
G1TMG0_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cuniculus (Rabbit).	40.12	2.11	1	1	710	79.5	7.24
G1TJZ8_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cuniculus (Rabbit).	39.05	3.72	1	2	349	39.0	8.88
G1TBT6_RABIT	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Oryctolagus cuniculus (Rabbit).	36.55	2.20	1	3	1905	206.2	6.54
G1T4S1_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cuniculus (Rabbit).	3898.06	45.26	0	22	464	50.1	4.91
G1T4R6_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cuniculus (Rabbit).	3248.40	31.54	0	19	447	49.3	5.12
G1T4E3_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cuniculus (Rabbit).	36.65	2.57	1	2	856	94.6	8.29
G1SP68_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cuniculus (Rabbit).	1274.86	44.51	6	15	337	38.7	5.67
G1SMV4_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cuniculus (Rabbit).	109.84	7.11	2	6	900	97.7	6.04
G1SML1_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cuniculus (Rabbit).	41.48	2.13	1	8	2907	329.3	5.40
G1SLI4_RABIT	SubName: Full=Uncharacterized protein; - OS=Oryctolagus cuniculus (Rabbit).	51.07	4.44	1	11	2276	266.6	6.29
G1S706_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	544.24	15.56	1	8	437	48.0	7.24
G1S1H5_NOMLE	RecName: Full=Chaperone protein HtpG C; AltName: Full=Heat shock protein HtpG C; AltName: Full=High temperature protein G C; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	669.57	18.52	4	13	853	97.8	5.07
G1RUU6_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	137.28	6.82	1	2	440	48.1	5.22
G1RSV7_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	28.89	3.40	1	3	1029	114.0	6.96
G1RJ37_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	748.76	38.99	3	7	159	17.6	9.66
G1RHF0_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	145.01	59.14	2	6	93	10.8	7.03

G1RHE3_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	72.81	25.00	1	2	112	13.0	6.13
G1R7C2_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	34.47	4.79	1	2	355	40.8	9.52
G1QWN6_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	109.13	12.89	1	2	225	24.3	7.94
G1QMQ0_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	880.29	39.38	5	12	353	39.9	6.05
G1QKG2_NOMLE	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	48.80	2.56	1	3	781	89.2	5.97
G1QEZ2_MYOLU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Myotis lucifugus (Little brown bat).	33.53	3.44	1	4	1134	130.3	7.03
G1QED3_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (Little brown bat).	1538.87	12.20	1	2	246	26.6	7.49
G1QBT4_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (Little brown bat).	85.56	4.15	1	1	337	36.0	9.60
G1PWB8_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (Little brown bat).	46.20	3.06	1	5	1963	226.7	5.59
G1PQ06_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (Little brown bat).	75.43	15.02	1	3	213	23.2	10.86
G1PPX9_MYOLU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Myotis lucifugus (Little brown bat).	140.58	6.53	2	3	628	70.5	5.39
G1PML3_MYOLU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Myotis lucifugus (Little brown bat).	355.92	11.26	7	8	915	103.3	5.81
G1PCP0_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (Little brown bat).	123.99	2.83	3	7	2865	330.2	6.79
G1P6S5_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (Little brown bat).	2254.48	20.31	0	13	453	50.4	5.21
G1P6A9_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (Little brown bat).	9258.09	24.04	0	23	570	58.3	5.12
G1NZF0_MYOLU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Myotis lucifugus (Little brown bat).	78.95	13.61	1	5	507	56.7	7.85
G1NYH9_MYOLU	SubName: Full=Uncharacterized protein; - OS=Myotis lucifugus (Little brown bat).	115.16	18.03	1	2	122	12.9	5.96
G1NWP5_MYOLU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Myotis lucifugus (Little brown bat).	255.07	11.92	4	7	478	56.4	8.10
G1MBT9_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	1268.80	11.73	1	11	1194	133.4	7.01
G1M6Q5_AILME	SubName: Full=Uncharacterized protein; - OS=Ailuropoda melanoleuca (Giant panda).	207.01	20.66	2	5	213	23.6	6.35
G1LFY5_AILME	SubName: Full=Uncharacterized protein; - OS=Ailuropoda melanoleuca (Giant panda).	2569.94	30.08	0	17	399	44.1	5.16
G1LFY0_AILME	SubName: Full=Uncharacterized protein; - OS=Ailuropoda melanoleuca (Giant panda).	1940.33	21.24	1	15	466	49.7	4.92

G1LEK7_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	63.95	1.95	1	1	462	51.9	6.79
G1L103_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	83.43	1.37	1	2	1098	117.9	7.33
G1DG98_CAPHI	SubName: Full=Calmodulin-like protein 3; - OS=Capra hircus (Goat).	110.29	19.46	2	2	149	16.8	4.31
G1DFR3_CAPHI	SubName: Full=Flotillin-1; - OS=Capra hircus (Goat).	47.14	8.20	1	3	427	46.9	9.29
G1AQP3_BUBBU	SubName: Full=Xanthine dehydrogenase/oxidase; EC=1.17.1.4; EC=1.17.3.2; - OS=Bubalus bubalis (Domestic water buffalo).	29084.52	66.29	1	84	1332	147.0	7.61
FGFP1_BOVIN	RecName: Full=Fibroblast growth factor-binding protein 1; Short=FGF-BP; Short=FGF-BP1; Short=FGF-binding protein 1; Short=FGFBP-1; Flags: Precursor: - OS=Bos taurus (Bovine).	307.39	35.90	5	8	234	26.2	8.91
FABPH_BOSMU	RecName: Full=Fatty acid-binding protein, heart; AltName: Full=Fatty acid-binding protein 3; AltName: Full=Heart-type fatty acid-binding protein; Short=H-FABP; - OS=Bos mutus grunniens (Wild yak) (Bos arunniens).	2371.56	69.17	7	9	133	14.8	7.34
F7IQZ6_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (White-tufted-ear marmoset).	38.32	11.65	1	1	103	11.5	10.21
F7IN80_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (White-tufted-ear marmoset).	174.27	2.75	2	4	1675	191.6	5.69
F7HUU4_CALJA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Callithrix jacchus (White-tufted-ear marmoset).	139.07	16.67	3	3	180	19.5	8.59
F7HPH7_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (White-tufted-ear marmoset).	51.00	35.14	1	1	37	4.0	7.12
F7HLE0_MACMU	SubName: Full=Leucine-rich repeat-containing protein 8C; SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	764.97	19.80	9	13	803	92.3	7.72
F7H312_MACMU	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	7362.14	53.89	4	35	475	51.9	5.16
F7H0J5_MACMU	SubName: Full=RNA-binding protein 12; - OS=Macaca mulatta (Rhesus macaque).	35.49	2.78	1	2	792	81.5	7.18
F7GEB8_MONDO	RecName: Full=Annexin; - OS=Monodelphis domestica (Gray short-tailed opossum).	500.10	13.01	1	5	346	38.7	7.40
F7G8U3_ORNAN	SubName: Full=Uncharacterized protein; - OS=Ornithorhynchus anatinus (Duckbill platypus).	42.28	4.10	1	3	586	66.9	7.90
F7G6K9_MACMU	SubName: Full=Uncharacterized protein; SubName: Full=Zinc finger protein 473; - OS=Macaca mulatta (Rhesus macaque).	57.53	0.92	1	1	871	99.5	8.21
F7G629_MACMU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Macaca mulatta (Rhesus macaque).	36.69	0.95	1	1	739	84.8	9.04
F7G4R4_ORNAN	RecName: Full=Integrin beta; Flags: Fragment; - OS=Ornithorhynchus anatinus (Duckbill platypus).	45.26	2.45	1	1	286	31.9	6.86
F7FZ26_ORNAN	SubName: Full=Uncharacterized protein; - OS=Ornithorhynchus anatinus (Duckbill platypus).	53.28	2.84	1	2	1372	151.2	5.41
F7FW06_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray short-tailed opossum).	70.20	1.02	1	5	4412	506.0	6.15
F7FVD3_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ornithorhynchus anatinus (Duckbill platypus).	41.70	14.18	1	4	275	30.7	5.11
F7FAV1_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis domestica (Gray short-tailed opossum).	93.02	5.08	1	2	315	35.2	7.20

F7F5T7_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ornithorhynchus anatinus (Duckbill platypus).	36.65	1.55	1	1	387	44.4	6.92
F7F493_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ornithorhynchus anatinus (Duckbill platypus).	41.30	3.70	1	1	297	33.6	6.04
F7ET00_MACMU	RecName: Full=Transporter; Flags: Fragment; - OS=Macaca mulatta (Rhesus macaque).	113.46	6.53	1	4	704	77.0	7.88
F7EPX6_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis domestica (Gray short-tailed opossum).	231.80	8.24	1	4	437	48.1	6.38
F7EE05_MACMU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Macaca mulatta (Rhesus macaque).	299.41	11.33	1	6	450	51.1	8.57
F7E526_MACMU	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	6769.38	55.32	0	38	564	59.9	8.00
F7DX12_ORNAN	SubName: Full=Uncharacterized protein; - OS=Ornithorhynchus anatinus (Duckbill platypus).	48.69	9.05	1	3	464	52.1	8.91
F7DPR5_MACMU	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	142.62	1.57	1	1	511	56.3	8.32
F7DLX5_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (White-tufted-ear marmoset).	58.28	2.87	1	2	698	79.2	8.29
F7DD73_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (White-tufted-ear marmoset).	138.62	33.33	1	3	105	11.8	6.07
F7C291_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ornithorhynchus anatinus (Duckbill platypus).	1630.98	41.33	13	22	646	70.9	5.59
F7BK51_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray short-tailed opossum).	67.92	0.93	1	1	858	92.9	6.11
F7B786_MACMU	SubName: Full=Cytokeratin-1; SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	23955.48	47.96	2	49	636	65.2	8.12
F7ALC9_HORSE	RecName: Full=Annexin; - OS=Equus caballus (Horse).	333.27	16.95	4	7	466	50.0	6.61
F7AH78_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray short-tailed opossum).	61.98	3.18	1	1	346	39.6	4.77
F7A679_MACMU	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Macaca mulatta (Rhesus macaque).	3122.41	39.41	0	20	444	48.3	4.96
F6ZZG9_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis domestica (Gray short-tailed opossum).	1930.44	37.23	1	14	376	41.8	5.48
F6ZXQ2_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (Horse).	2014.57	27.66	0	13	394	43.4	5.10
F6ZEQ3_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (Horse).	3686.19	33.26	0	23	466	50.8	4.97
F6ZC14_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray short-tailed opossum).	468.26	23.46	1	6	260	29.2	4.83
F6Z7X4_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (White-tufted-ear marmoset).	45.23	6.77	1	6	960	111.4	7.91
F6YRI3_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray short-tailed opossum).	47.34	2.75	1	2	727	83.2	7.53
F6XQN7_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (Horse).	1149.98	47.83	6	9	184	21.0	6.67
F6XGN8_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray short-tailed opossum).	2230.27	24.81	0	12	399	43.9	4.82
F6XB33_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ornithorhynchus anatinus (Duckbill platypus).	143.46	14.85	1	1	101	11.7	5.21

F6X6S4_MOUSE	SubName: Full=Putative homeodomain transcription factor 2; Flags: Fragment; - OS=Mus musculus (Mouse).	42.57	3.55	1	1	169	19.9	9.82
F6X2D5_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray short-tailed opossum).	34.59	2.67	1	1	748	85.7	9.07
F6WN48_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis domestica (Gray short-tailed opossum).	27.11	2.94	1	2	613	70.1	7.15
F6WEM8_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray short-tailed opossum).	4685.62	19.86	1	29	1299	143.9	7.20
F6VZN7_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (Horse).	299.20	31.41	3	5	191	21.3	8.12
F6VX63_CALJA	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (White-tufted-ear marmoset).	41.39	1.23	1	1	571	63.9	8.00
F6VP59_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis domestica (Gray short-tailed opossum).	781.10	11.96	1	6	644	70.5	6.32
F6V853_MONDO	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray short-tailed opossum).	40.09	2.52	1	1	318	36.0	7.53
F6UUS3_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Equus caballus (Horse).	650.15	17.99	8	13	856	95.0	6.93
F6U3H1_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Equus caballus (Horse).	41.70	11.22	1	3	294	32.7	4.73
F6TYD3_MACMU	SubName: Full=Coiled-coil domain-containing protein 160; SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	60.44	7.38	1	3	325	38.3	5.50
F6TTW2_CALJA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Callithrix jacchus (White-tufted-ear marmoset).	7639.63	42.44	1	28	516	54.3	5.95
F6T955_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (Horse).	37.03	2.71	2	4	1440	161.4	6.99
F6T3X0_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ornithorhynchus anatinus (Duckbill platypus).	42.08	3.85	1	1	156	18.4	7.81
F6SX64_ORNAN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ornithorhynchus anatinus (Duckbill platypus).	742.97	9.10	1	10	1022	113.4	7.97
F6SVQ9_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (Horse).	277.17	10.40	2	3	346	37.9	5.71
F6SJK9_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Equus caballus (Horse).	8593.99	42.20	1	24	346	39.1	4.60
F6RMQ1_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Equus caballus (Horse).	231.41	22.52	2	3	151	16.9	9.42
F6RFW8_MONDO	SubName: Full=Uncharacterized protein; - OS=Monodelphis domestica (Gray short-tailed opossum).	3961.55	72.00	0	25	375	41.7	5.58
F6RC46_BOVIN	RecName: Full=Aldehyde dehydrogenase; - OS=Bos taurus (Bovine).	934.86	25.97	8	11	466	51.7	8.12
F6R4U5_HORSE	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Equus caballus (Horse).	62.95	4.59	1	1	196	22.4	9.79
F6R3I5_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	106.57	8.26	2	2	242	27.1	7.94
F6QVC9_BOVIN	RecName: Full=Annexin; - OS=Bos taurus (Bovine).	2560.76	73.52	0	20	321	36.1	4.96
F6QRH3_BOVIN	SubName: Full=Tumor protein p63-regulated gene 1-like protein; Flags: Fragment; - OS=Bos taurus (Bovine).	344.47	30.23	4	6	258	28.6	6.79

F6QIP2_MACMU	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	52.22	3.23	1	2	682	76.4	4.84
F6PJX6_HORSE	SubName: Full=Uncharacterized protein; - OS=Equus caballus (Horse).	3146.91	48.38	0	18	308	35.6	4.72
F6PJI4_MACMU	SubName: Full=Ras-related protein Rab-27A; SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	42.38	9.50	1	2	221	24.9	5.22
F6KY14_CHLAE	SubName: Full=MHC class I antigen; Flags: Fragment; - OS=Chlorocebus aethiops (Green monkey) (Cercopithecus aethiops).	35.95	6.21	1	1	177	20.7	6.29
F5BZ34_CAMDR	SubName: Full=Milk fat globule EGF factor 8; Flags: Fragment; - OS=Camelus dromedarius (Dromedary) (Arabian camel).	2373.57	20.75	1	8	294	32.8	8.03
F4MH84_HUMAN	SubName: Full=Ubiquitously transcribed tetratricopeptide repeat protein Y-linked transcript variant 232; - OS=Homo sapiens (Human).	20.63	4.23	1	1	213	24.0	6.98
F2WE72_HUMAN	RecName: Full=NADH-ubiquinone oxidoreductase chain 4; EC=1.6.5.3; - OS=Homo sapiens (Human).	26.43	4.36	1	1	459	51.5	9.35
F2FB38_BOVIN	SubName: Full=Mucin-16; - OS=Bos taurus (Bovine).	1369.39	4.32	12	20	5049	531.6	5.50
F1SP35_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Sus scrofa (Pig).	180.49	12.85	1	2	179	20.6	6.40
F1SNL7_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	49.00	11.79	1	3	475	52.7	5.48
F1SKG5_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	72.96	8.46	1	3	532	59.1	6.79
F1S5Y7_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	40.40	3.24	1	2	556	62.7	5.58
F1RR61_PIG	SubName: Full=Uncharacterized protein; - OS=Sus scrofa (Pig).	562.07	7.41	1	5	810	94.0	7.94
F1RPS8_PIG	RecName: Full=ATP synthase subunit alpha; Flags: Fragment; - OS=Sus scrofa (Pig).	159.18	10.69	2	5	533	57.6	8.79
F1RJU9_PIG	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Sus scrofa (Pig).	124.27	4.63	1	2	432	50.1	6.27
F1Q3U2_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	534.10	7.77	1	3	386	43.3	6.10
F1Q171_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	243.20	13.27	1	1	113	11.7	5.24
F1PW22_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	44.10	9.57	1	2	324	35.0	9.20
F1PQL8_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	4134.17	76.27	0	26	375	41.7	5.38
F1PFI8_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	39.37	5.29	1	1	170	18.9	7.11
F1P8W3_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	69.02	18.23	1	2	203	22.6	5.12
F1P722_CANFA	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	36.83	2.45	1	1	449	51.0	6.62
F1N726_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	10200.53	55.62	26	33	534	59.2	4.82
F1N6D4_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	3857.79	29.29	14	19	693	75.8	7.46
F1N4W5_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	821.79	23.43	5	5	367	39.9	7.06

F1N334_BOVIN	SubName: Full=Short-chain dehydrogenase/reductase 3; - OS=Bos taurus (Bovine).	255.29	26.61	4	5	218	24.0	8.02
F1N2Q0_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	106.26	6.29	1	7	1750	193.7	7.39
F1N2D9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	9575.94	38.67	29	74	2503	272.5	6.16
F1N2B5_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	86.62	3.27	1	1	490	55.4	6.98
F1N272_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	3303.85	24.23	12	25	1197	133.8	7.50
F1N1N6_BOVIN	SubName: Full=Perilipin-2; - OS=Bos taurus (Bovine).	33140.28	81.11	29	44	450	49.3	8.56
F1N0R8_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	59.59	6.12	1	2	327	34.4	7.37
F1MZ96_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	3196.30	43.75	11	11	240	26.5	6.90
F1MX53_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	162.31	23.81	2	2	84	9.2	8.29
F1MX05_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	634.02	22.14	4	7	429	47.3	8.92
F1MUT3_BOVIN	SubName: Full=Xanthine dehydrogenase; - OS=Bos taurus (Bovine).	40190.04	81.98	10	106	1332	146.7	7.68
F1MUP9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1753.80	38.06	10	14	402	42.8	6.44
F1MUB9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	137.61	12.83	1	3	343	36.7	6.62
F1MT12_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	181.76	2.65	2	2	717	79.0	5.69
F1MSJ9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	997.23	40.80	4	9	201	23.0	8.29
F1MSI2_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	580.63	5.02	4	7	2032	215.1	6.14
F1MR22_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	12166.88	54.56	7	37	757	82.5	7.42
F1MPK7_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	192.11	6.38	1	4	737	82.8	7.47
F1MPE1_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1418.68	9.40	7	12	1447	161.6	5.60
F1MNN7_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	341.42	20.37	4	9	481	53.7	7.09
F1MNN6_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	102.50	8.09	3	7	890	98.9	5.60
F1MN75_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	280.44	11.80	3	4	373	42.7	7.61
F1MLW8_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2539.36	30.04	4	7	233	24.6	5.91
F1MLR4_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	472.22	31.45	5	7	372	40.7	6.95
F1MK25_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	36.18	2.24	1	1	626	68.4	8.09
F1MJH1_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	249.58	13.00	3	8	731	80.7	5.71
F1MJ66_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	1446.32	6.64	1	7	467	50.1	4.63
F1MHC2_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1215.57	27.82	8	12	593	66.3	6.87
F1MGR1_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	5018.79	29.12	12	18	697	77.2	7.43
F1MGP5_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	120.24	4.46	1	3	695	77.1	6.55

F1MGG1_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	620.30	7.18	4	8	1240	139.8	8.24
F1MEX9_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1159.05	32.78	2	20	720	80.3	8.48
F1MER7_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	186.15	5.44	3	16	4374	465.7	6.46
F1MDT6_BOVIN	SubName: Full=Glycerol-3-phosphate acyltransferase 1, mitochondrial; - OS=Bos taurus (Bovine).	482.00	16.12	6	9	825	93.2	7.84
F1MDM4_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	59.08	12.17	1	2	189	21.4	8.12
F1MDL3_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	645.64	32.62	6	10	279	32.0	5.27
F1MD73_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	1070.18	15.36	6	11	1751	190.0	5.86
F1MD24_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	938.45	12.35	5	9	664	73.1	7.24
F1MBN5_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	661.21	17.43	1	3	241	27.9	7.84
F1MAV0_BOVIN	SubName: Full=Fibrinogen beta chain; - OS=Bos taurus (Bovine).	1865.55	52.53	15	27	495	56.4	8.22
F1LSH4_RAT	SubName: Full=Pyrim; - OS=Rattus norvegicus (Rat).	45.24	4.42	1	4	747	83.7	7.96
F1LP82_RAT	SubName: Full=Ras-related protein Rab-2A; - OS=Rattus norvegicus (Rat).	1587.39	48.58	7	8	212	23.5	6.54
F1LM92_RAT	SubName: Full=Tyrosine-protein kinase Yes; - OS=Rattus norvegicus (Rat).	256.67	22.70	3	10	489	54.3	8.02
ERG7_BOVIN	RecName: Full=Lanosterol synthase; EC=5.4.99.7; AltName: Full=2,3-epoxysqualene--lanosterol cyclase; AltName: Full=Oxidosqualene--lanosterol cyclase; Short=OSC; - OS=Bos taurus (Bovine).	2273.84	41.12	20	24	732	83.1	6.83
ENPP3_RAT	RecName: Full=Ectonucleotide pyrophosphatase/phosphodiesterase family member 3; Short=E-NPP 3; AltName: Full=B10; AltName: Full=Phosphodiesterase I beta; Short=PD-Ibeta; AltName: Full=Phosphodiesterase I/nucleotide pyrophosphatase 3; AltName: Full=RB13-6 antigen; AltName: CD_antigen=CD203c; Includes: RecName: Full=Alkaline phosphodiesterase I; EC=3.1.4.1; Includes: RecName: Full=Nucleotide pyrophosphatase; Short=NPPase; EC=3.6.1.9; - OS=Rattus norvegicus (Rat)	471.95	4.69	1	3	875	99.0	6.42
ENPP3_BOVIN	RecName: Full=Ectonucleotide pyrophosphatase/phosphodiesterase family member 3; Short=E-NPP 3; AltName: Full=Phosphodiesterase I beta; Short=PD-Ibeta; AltName: Full=Phosphodiesterase I/nucleotide pyrophosphatase 3; AltName: CD_antigen=CD203c; Includes: RecName: Full=Alkaline phosphodiesterase I; EC=3.1.4.1; Includes: RecName: Full=Nucleotide pyrophosphatase; Short=NPPase; EC=3.6.1.9; - OS=Bos taurus (Bovine)	2848.13	35.24	17	26	874	99.5	5.96
ENOA_BOVIN	RecName: Full=Alpha-enolase; EC=4.2.1.11; AltName: Full=2-phospho-D-glycerate hydro-lyase; AltName: Full=Enolase 1; AltName: Full=HAP47; AltName: Full=Non-neural enolase; Short=NNE; AltName: Full=Phosphopyruvate hydratase; - OS=Bos taurus (Bovine).	238.06	15.44	4	5	434	47.3	6.80
E9QME3_MOUSE	SubName: Full=Kinetochore-associated protein NSL1 homolog; - OS=Mus musculus (Mouse).	39.11	7.47	1	2	281	31.7	6.14

E7EI20_PIG	SubName: Full=Rho GDP dissociation inhibitor alpha; - OS=Sus scrofa (Pig).	482.92	30.39	3	5	204	23.4	5.20
E7E1Q0_BOSIN	SubName: Full=Kappa casein; Flags: Fragment; - OS=Bos indicus (Zebu).	2220.75	61.54	1	8	156	17.3	7.43
E2RPD6_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	312.44	10.07	3	4	427	46.9	8.27
E2RL74_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	37.56	3.62	1	2	470	49.6	5.96
E2RDI4_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	54.19	19.33	1	4	357	38.6	9.14
E2R7U2_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	2606.55	36.45	0	16	406	45.3	4.92
E2R5B9_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	41.26	8.41	1	2	226	26.9	7.12
E2R2H8_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	2802.72	22.22	2	8	432	47.5	7.72
E2QZA5_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	74.28	2.96	1	4	911	102.7	9.69
E2QY67_CANFA	SubName: Full=Uncharacterized protein; - OS=Canis familiaris (Dog) (Canis lupus familiaris).	49.20	2.39	1	1	377	41.1	6.55
E1BQ28_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	609.49	14.75	2	3	461	49.8	6.23
E1BNE1_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	51.40	8.31	1	2	325	37.5	7.40
E1BLV1_BOVIN	RecName: Full=Oxysterol-binding protein; - OS=Bos taurus (Bovine).	62.16	7.35	2	4	952	108.4	6.37
E1BJV0_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1461.18	30.74	9	15	540	61.0	7.55
E1BJL8_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1781.65	43.58	7	13	257	29.7	7.77
E1BJ18_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	66.64	7.96	1	4	641	74.9	7.02
E1BHY6_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	319.98	18.57	4	5	587	63.0	7.55
E1BHJ0_BOVIN	RecName: Full=Profilin; - OS=Bos taurus (Bovine).	285.06	30.00	3	3	140	15.0	8.28
E1BHI7_BOVIN	SubName: Full=Butyrophilin subfamily 1 member A1; - OS=Bos taurus (Bovine).	20767.66	63.91	2	31	302	34.2	5.27
E1BH06_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	240.91	6.32	1	7	1741	192.6	7.43
E1BGH6_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2611.91	22.80	32	47	2346	265.2	6.35
E1BG26_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	227.90	6.85	3	5	1226	138.3	6.43
E1BF48_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	233.20	12.73	2	5	440	46.0	6.48
E1BEC6_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	57.27	1.27	1	1	942	105.1	8.10
E1BCI3_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2445.53	19.24	8	12	629	67.3	8.54
E1B9L0_BOVIN	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	193.09	12.27	1	3	220	24.9	9.58
E1B6Z6_BOVIN	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	827.14	48.50	6	8	200	23.0	9.32

DCD_HUMAN	RecName: Full=Dermcidin; EC=3.4.-.-; AltName: Full=Preproteolysin; Contains: RecName: Full=Survival-promoting peptide; Contains: RecName: Full=DCD-1; Flags: Precursor; - OS=Homo sapiens (Human).	426.01	28.18	4	4	110	11.3	6.54
D7RH35_BOSMU	SubName: Full=Monocarboxylic acid transporter 1; - OS=Bos mutus grunniens (Wild yak) (Bos grunniens).	254.92	2.59	1	1	501	54.3	8.03
D6RAC2_HUMAN	SubName: Full=Guanine nucleotide-binding protein subunit beta-2-like 1; - OS=Homo sapiens (Human).	34.45	13.01	1	3	269	29.7	6.42
D5HSX1_BOVIN	RecName: Full=cGMP-dependent protein kinase; EC=2.7.11.12; - OS=Bos taurus (Bovine).	600.32	24.80	7	16	762	87.1	8.47
D4QBD1_BOSIN	SubName: Full=Hemoglobin beta; - OS=Bos indicus (Zebu).	287.10	30.34	3	5	145	16.0	7.59
D4A6W1_RAT	SubName: Full=Protein Zmym6; - OS=Rattus norvegicus (Rat).	57.64	1.64	1	2	1157	129.0	7.56
D3ZXP4_RAT	SubName: Full=Uncharacterized protein; - OS=Rattus norvegicus (Rat).	36.37	2.61	1	6	2183	247.3	7.61
D3ZRY6_RAT	SubName: Full=Protein Ankrd6; - OS=Rattus norvegicus (Rat).	53.27	4.62	1	4	649	71.2	9.33
D3ZR06_RAT	SubName: Full=Keratin, type I cytoskeletal 10; - OS=Rattus norvegicus (Rat).	6278.66	25.86	0	18	464	49.7	5.11
D3ZB56_RAT	SubName: Full=Protein RGD1560873; - OS=Rattus norvegicus (Rat).	68.95	3.58	1	3	951	108.1	8.92
D3YVS7_MOUSE	SubName: Full=Protein 0610010012Rik; Flags: Fragment; - OS=Mus musculus (Mouse).	189.48	13.10	1	2	84	9.2	4.44
D3TJT8_BOVIN	SubName: Full=CSN1S1; Flags: Fragment; - OS=Bos taurus (Bovine).	52.76	69.23	1	1	13	1.6	4.50
D2SZA4_9CETA	SubName: Full=K-casein; Flags: Fragment; - OS=Ovis orientalis anatolica.	224.56	17.50	1	3	160	17.7	6.90
D2I2S4_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	449.26	20.11	1	3	189	21.2	5.31
D2I225_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	1415.62	28.61	1	18	720	80.2	8.53
D2HZS7_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	869.52	44.12	6	9	204	22.7	6.93
D2HXX1_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	50.26	27.37	1	2	95	9.3	10.17
D2HWK6_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	38.12	5.88	1	1	255	28.9	9.72
D2HLN2_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	3850.71	35.45	1	16	347	39.9	4.94
D2HHW9_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	251.34	15.77	2	4	222	25.6	8.54
D2HF22_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	91.00	64.00	1	1	25	2.7	6.44
D2HEM6_AILME	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	45.37	1.93	1	1	414	46.9	9.33
D2HAU8_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	56.62	20.19	1	3	208	22.2	6.40
D2H528_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	72.57	16.41	3	5	384	42.4	6.99

D2H4M7_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	2282.11	64.29	1	11	196	21.5	6.21
D2H304_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	701.41	30.17	2	4	179	19.7	5.39
D2GYX3_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	0.00	2.34	1	1	428	47.7	5.15
D2GYE4_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	43.44	5.46	1	4	897	100.9	7.94
D2GY30_AILME	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	821.51	39.74	5	8	229	26.1	5.06
CTHL1_BOVIN	RecName: Full=Cathelicidin-1; AltName: Full=Bactenecin-1; Short=Bac1; AltName: Full=Cyclic dodecapeptide; Flags: Precursor; - OS=Bos taurus (Bovine).	1606.15	51.61	7	9	155	17.6	7.65
CR032_BOVIN	RecName: Full=UPF0729 protein C18orf32 homolog; - OS=Bos taurus (Bovine).	34.87	13.16	1	1	76	8.8	9.32
CO3_BOVIN	RecName: Full=Complement C3; Contains: RecName: Full=Complement C3 beta chain; Contains: RecName: Full=Complement C3 alpha chain; Contains: RecName: Full=C3a anaphylatoxin; Contains: RecName: Full=Complement C3b alpha' chain; Contains: RecName: Full=Complement C3c alpha' chain fragment 1; Contains: RecName: Full=Complement C3dg fragment; Contains: RecName: Full=Complement C3g fragment; Contains: RecName: Full=Complement C3d fragment; Contains: RecName: Full=Complement C3f fragment; Contains: RecName: Full=Complement C3c alpha' chain fragment 2; Flags: Precursor; - OS=Bos taurus (Bovine).	3892.19	37.03	37	52	1661	187.1	6.84
CLUS_BOVIN	RecName: Full=Clusterin; AltName: Full=Glycoprotein III; Short=GpIII; Contains: RecName: Full=Clusterin beta chain; Contains: RecName: Full=Clusterin alpha chain; Flags: Precursor; - OS=Bos taurus (Bovine).	1549.70	29.61	8	12	439	51.1	6.04
CING_CALMO	RecName: Full=Cingulin; - OS=Callicebus moloch (Dusky titi monkey).	53.31	1.50	1	3	1198	135.5	5.44
CIB1_BOVIN	RecName: Full=Calcium and integrin-binding protein 1; AltName: Full=Calmyrin; - OS=Bos taurus (Bovine).	126.97	16.23	3	3	191	21.7	4.74
CHP1_BOVIN	Ras related protein	1577.90	51.28	6	9	195	22.4	5.10
CD47_BOVIN	RecName: Full=Leukocyte surface antigen CD47; AltName: Full=Integrin-associated protein; Short=IAP; AltName: CD antigen=CD47; Flags: Precursor; - OS=Bos taurus (Bovine).	196.69	7.59	3	3	303	33.3	8.43
CD36_BOVIN	RecName: Full=Platelet glycoprotein 4; AltName: Full=Glycoprotein IIIb; Short=GPIIIB; AltName: Full=PAS IV; AltName: Full=PAS-4; AltName: Full=Platelet glycoprotein IV; Short=GPIV; AltName: CD antigen=CD36; - OS=Bos taurus (Bovine).	2681.80	26.06	9	15	472	52.9	8.10
CBY3_HUMAN	RecName: Full=Protein chibby homolog 3; - OS=Homo sapiens (Human).	75.66	6.61	1	1	242	27.3	10.64
CASK_OREAM	RecName: Full=Kappa-casein; Flags: Precursor; - OS=Oreamnos americanus (Mountain goat).	528.97	22.40	1	4	192	21.5	5.81
CASB_BOVIN	RecName: Full=Beta-casein; Contains: RecName: Full=Casoparan; Contains: RecName: Full=Antioxidant peptide; Contains: RecName: Full=Casohypotensin; Flags: Precursor; - OS=Bos taurus (Bovine).	4858.32	42.86	5	10	224	25.1	5.35

CASA2_BOVIN	RecName: Full=Alpha-S2-casein; Contains: RecName: Full=Casocidin-1; AltName: Full=Casocidin-I; Flags: Precursor; - OS=Bos taurus (Bovine).	3279.92	66.67	10	19	222	26.0	8.43
CASA1_BUBBU	RecName: Full=Alpha-S1-casein; Flags: Precursor; - OS=Bubalus bubalis (Domestic water buffalo).	4540.76	39.72	2	9	214	24.3	4.89
CASA1_BOVIN	RecName: Full=Alpha-S1-casein; AltName: Allergen=Bos d 8; Contains: RecName: Full=Antioxidant peptide; Flags: Precursor; - OS=Bos taurus (Bovine).	10381.83	60.75	8	17	214	24.5	5.02
C9J902_HUMAN	SubName: Full=Schlafen family member 11; Flags: Fragment; - OS=Homo sapiens (Human).	34.16	18.89	1	1	90	10.1	5.21
C9J2Z4_HUMAN	SubName: Full=EH domain-containing protein 1; Flags: Fragment; - OS=Homo sapiens (Human).	113.40	15.03	2	4	306	34.7	6.14
C7FE01_BOVIN	SubName: Full=Lactoferrin; Flags: Fragment; - OS=Bos taurus (Bovine).	10399.74	66.09	2	49	690	76.2	8.29
C5IJ88_SHEEP	SubName: Full=GDI2; - OS=Ovis aries (Sheep).	432.89	14.38	5	6	445	50.4	6.25
C4BPA_BOVIN	RecName: Full=C4b-binding protein alpha chain; Short=C4bp; Flags: Precursor; - OS=Bos taurus (Bovine).	260.87	10.82	3	6	610	68.8	6.38
C1QA_BOVIN	RecName: Full=Complement C1q subcomponent subunit A; Flags: Precursor; - OS=Bos taurus (Bovine).	52.92	3.28	1	1	244	25.8	8.94
C1FXZ8_DASNO	RecName: Full=Adenylate kinase; Short=AK; EC=2.7.4.3; AltName: Full=ATP-AMP transphosphorylase; - OS=Dasyus novemcinctus (Nine-banded armadillo).	88.18	15.35	2	3	228	25.8	8.07
C0LXR5_9CETA	SubName: Full=Complement 1 subcomponent q polypeptide gamma; Flags: Fragment; - OS=Odocoileus virginianus (white-tailed deer).	43.72	27.98	1	3	168	18.1	8.60
C0LXI9_9CETA	SubName: Full=Complement 1 subcomponent q polypeptide beta; Flags: Fragment; - OS=Odocoileus virginianus (white-tailed deer).	52.40	17.61	1	3	176	18.9	9.06
BT1A1_BOVIN	RecName: Full=Butyrophilin subfamily 1 member A1; Short=BT; Flags: Precursor; - OS=Bos taurus (Bovine).	33757.99	74.14	5	52	526	59.2	5.20
B9TUD2_BOBOX	SubName: Full=Cathelicidin 7; - OS=Bos indicus x Bos taurus (Hybrid cattle).	196.51	35.76	3	6	165	18.8	9.03
B9TRW9_PIG	RecName: Full=Guanine nucleotide-binding protein subunit gamma; - OS=Sus scrofa (Pig).	102.47	52.78	2	4	72	8.1	8.97
B8Y9T0_BOVIN	SubName: Full=Cumulus cell-specific fibronectin 1 transcript variant; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2060.42	19.22	11	33	2268	249.0	5.63
B7Z5L5_HUMAN	SubName: Full=cDNA FLJ59160, highly similar to Testin; - OS=Homo sapiens (Human).	37.30	23.13	1	3	147	16.8	8.22
B7Z565_HUMAN	SubName: Full=cDNA FLJ54739, highly similar to Alpha-actinin-1; - OS=Homo sapiens (Human).	125.87	5.47	2	4	822	94.7	5.69
B6VAP8_BOVIN	SubName: Full=RAGE-binding protein; - OS=Bos taurus (Bovine).	143.72	48.91	1	4	92	10.7	6.38
B6VAP7_BOVIN	SubName: Full=CDC42 protein; - OS=Bos taurus (Bovine).	461.75	33.51	2	5	191	21.2	5.67
B5T268_BOBOX	RecName: Full=Toll-like receptor; - OS=Bos indicus x Bos taurus (Hybrid cattle).	1386.01	27.17	10	19	784	90.1	7.08
B5B0D4_BOVIN	SubName: Full=Major allergen beta-lactoglobulin; - OS=Bos taurus (Bovine).	4722.04	82.02	7	17	178	20.0	4.94
B4DJA5_HUMAN	SubName: Full=Ras-related protein Rab-5A; SubName: Full=cDNA FLJ51867, highly similar to Ras-related protein Rab-5A; - OS=Homo sapiens (Human).	412.90	26.37	2	5	201	22.2	8.82

B4DHC4_HUMAN	SubName: Full=cDNA FLJ51843, highly similar to 14-3-3 protein gamma; - OS=Homo sapiens (Human).	391.52	20.00	1	5	225	25.6	4.92
B3KSL2_HUMAN	SubName: Full=cDNA FLJ36533 fis, clone TRACH2004428, highly similar to Lactotransferrin (EC 3.4.21.-); Flags: Fragment; - OS=Homo sapiens (Human).	517.50	11.91	5	7	697	76.7	8.02
B2LYK6_SHEEP	SubName: Full=RAS oncogene family-like 7A; - OS=Ovis aries (Sheep).	1511.22	62.80	10	11	207	23.5	6.70
B1PBA8_MACLA	SubName: Full=Apolipoprotein B; Flags: Fragment; - OS=Macrotis laqotis (Greater bilby).	0.00	3.38	1	1	237	26.9	9.58
ATPB_BOVIN	RecName: Full=ATP synthase subunit beta, mitochondrial; EC=3.6.3.14; Flags: Precursor; - OS=Bos taurus (Bovine).	744.98	38.26	11	13	528	56.2	5.27
ARL15_BOVIN	RecName: Full=ADP-ribosylation factor-like protein 15; - OS=Bos taurus (Bovine).	781.32	42.57	4	6	202	22.6	5.62
ARF6_HUMAN	RecName: Full=ADP-ribosylation factor 6; - OS=Homo sapiens (Human).	216.98	21.71	3	4	175	20.1	8.95
ARF4_BOVIN	RecName: Full=ADP-ribosylation factor 4; - OS=Bos taurus (Bovine).	1736.12	67.78	7	11	180	20.5	6.19
APOE_RAT	RecName: Full=Apolipoprotein E; Short=Apo-E; Flags: Precursor; - OS=Rattus norvegicus (Rat).	157.99	9.62	1	3	312	35.7	5.27
APOE_BOVIN	RecName: Full=Apolipoprotein E; Short=Apo-E; Flags: Precursor; - OS=Bos taurus (Bovine).	4248.49	60.13	17	22	316	36.0	5.67
APOC3_BOVIN	RecName: Full=Apolipoprotein C-III; Short=Apo-CIII; Short=ApoC-III; AltName: Full=Apolipoprotein C3; Flags: Precursor; - OS=Bos taurus (Bovine).	444.82	23.96	1	2	96	10.7	5.11
APOA4_BOVIN	RecName: Full=Apolipoprotein A-IV; Short=Apo-AIV; Short=ApoA-IV; AltName: Full=Apolipoprotein A4; Flags: Precursor; - OS=Bos taurus (Bovine).	137.55	10.00	1	3	380	43.0	5.40
APOA2_BOVIN	RecName: Full=Apolipoprotein A-II; Short=Apo-AII; Short=ApoA-II; AltName: Full=Antimicrobial peptide BAMP-1; AltName: Full=Apolipoprotein A2; Contains: RecName: Full=Apolipoprotein A-II(1-76); Flaas: Precursor; - OS=Bos taurus (Bovine).	265.18	38.00	4	5	100	11.2	8.10
APOA1_BOVIN	RecName: Full=Apolipoprotein A-I; Short=Apo-AI; Short=ApoA-I; AltName: Full=Apolipoprotein A1; Contains: RecName: Full=Truncated apolipoprotein A-I; Flags: Precursor; - OS=Bos taurus (Bovine).	1187.21	46.79	8	12	265	30.3	5.97
ANXA5_BOVIN	RecName: Full=Annexin A5; AltName: Full=Anchorin CII; AltName: Full=Annexin V; AltName: Full=Annexin-5; AltName: Full=Calphobindin I; Short=CBP-I; AltName: Full=Endonexin II; AltName: Full=Lipocortin V; AltName: Full=Placental anticoagulant protein 4; AltName: Full=Placental anticoagulant protein I; Short=PAP-I; AltName: Full=Thromboplastin inhibitor; AltName: Full=Vascular anticoagulant-alpha; Short=VAC-alpha; - OS=Bos taurus (Bovine).	2630.83	73.52	1	20	321	36.1	4.96

ANXA4_BOVIN	RecName: Full=Annexin A4; AltName: Full=35-beta calcimedin; AltName: Full=Annexin IV; AltName: Full=Annexin-4; AltName: Full=Carbohydrate-binding protein p33/p41; AltName: Full=Chromobindin-4; AltName: Full=Endonexin I; AltName: Full=Lipocortin IV; AltName: Full=P32.5; AltName: Full=PP4-X; AltName: Full=Placental anticoagulant protein II; Short=PAP-II; AltName: Full=Protein II; - OS=Bos taurus (Bovine).	1529.10	36.36	8	10	319	35.9	5.72
ANXA2_CEREL	RecName: Full=Annexin A2; AltName: Full=Annexin-2; - OS=Cervus elaphus (Red deer).	2732.32	56.93	13	19	339	38.6	6.92
ANXA1_BOVIN	RecName: Full=Annexin A1; AltName: Full=Annexin I; AltName: Full=Annexin-1; AltName: Full=Calpactin II; AltName: Full=Calpactin-2; AltName: Full=Chromobindin-9; AltName: Full=Lipocortin I; AltName: Full=Phospholipase A2 inhibitory protein; AltName: Full=n35; - OS=Bos taurus (Bovine).	3805.11	54.34	9	18	346	38.9	6.81
ANX11_BOVIN	RecName: Full=Annexin A11; AltName: Full=Annexin XI; AltName: Full=Annexin-11; AltName: Full=Calcyclin-associated annexin-50; Short=CAP-50; - OS=Bos taurus (Bovine).	656.70	16.30	5	7	503	54.0	7.65
ANG1_BOVIN	RecName: Full=Angiogenin-1; EC=3.1.27.-; Flags: Precursor; - OS=Bos taurus (Bovine).	125.27	30.41	2	3	148	17.0	8.85
ALBU_BOVIN	RecName: Full=Serum albumin; AltName: Full=BSA; AltName: Allergen=Bos d 6; Flags: Precursor; - OS=Bos taurus (Bovine).	1312.28	29.32	11	16	607	69.2	6.18
ACOC_BOVIN	RecName: Full=Cytoplasmic aconitate hydratase; Short=Aconitase; EC=4.2.1.3; AltName: Full=Citrate hydro-lyase; AltName: Full=Iron-responsive element-binding protein 1; Short=IRE-BP 1; - OS=Bos taurus (Bovine).	432.28	8.21	5	7	889	98.1	7.97
ABCG2_BOVIN	RecName: Full=ATP-binding cassette sub-family G member 2; AltName: CD_antigen=CD338; - OS=Bos taurus (Bovine).	10381.30	55.42	11	34	655	72.7	8.66
A9Z1W1_HUMAN	SubName: Full=Protocadherin 15; SubName: Full=Protocadherin-15; - OS=Homo sapiens (Human).	38.04	2.91	1	6	1684	186.7	4.93
A9YUB7_CAPHI	SubName: Full=Osteopontin; - OS=Capra hircus (Goat).	233.67	7.94	2	2	277	30.9	4.54
A9UFC0_HUMAN	SubName: Full=Caspase 14; - OS=Homo sapiens (Human).	100.65	9.09	1	2	242	27.6	5.34
A8Q334_BOVIN	SubName: Full=LOC513482 protein; - OS=Bos taurus (Bovine).	109.89	8.33	1	1	156	17.3	9.64
A8KRP5_BUBBU	SubName: Full=Kappa-casein; Flags: Precursor; - OS=Bubalus bubalis (Domestic water buffalo).	718.50	40.53	1	5	190	21.4	7.37
A8K005_HUMAN	SubName: Full=cDNA FLJ77896, highly similar to Homo sapiens Ras homolog enriched in brain (RHEB), mRNA; - OS=Homo sapiens (Human).	720.32	22.28	2	5	184	20.5	5.92
A8E654_BOVIN	SubName: Full=COL18A1 protein; - OS=Bos taurus (Bovine).	99.35	3.84	2	3	1329	135.0	5.91
A8E4P3_BOVIN	SubName: Full=STOM protein; - OS=Bos taurus (Bovine).	2002.38	48.59	11	13	284	31.3	7.08
A8DBT6_BOVIN	RecName: Full=Monocyte differentiation antigen CD14; AltName: Full=Myeloid cell-specific leucine-rich glycoprotein; - OS=Bos taurus (Bovine).	1445.89	31.10	6	9	373	39.6	5.41
A7Z066_BOVIN	SubName: Full=Canx protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	92.11	3.20	1	2	593	67.7	4.63
A7YWF1_BOVIN	SubName: Full=ACSS2 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	410.10	7.99	2	3	701	78.7	6.54

A7MBH9_BOVIN	SubName: Full=GNAI2 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1238.27	49.30	6	14	355	40.5	5.54
A7E340_BOVIN	SubName: Full=Mucin 15, cell surface associated; - OS=Bos taurus (Bovine).	417.73	14.85	3	6	330	35.7	5.02
A6QR35_BOVIN	SubName: Full=SCAMP2 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	239.47	14.02	2	3	328	36.7	6.19
A6QQC9_BOVIN	SubName: Full=OLFM4 protein; Flags: Fragment; - OS=Bos taurus (Bovine).	48.05	3.70	1	1	433	49.7	7.25
A6QPT4_BOVIN	SubName: Full=MPO protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	289.77	8.07	4	5	719	81.8	9.86
A6QPP7_BOVIN	SubName: Full=ELA2 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	532.65	19.48	4	4	267	28.9	11.31
A6QPK0_BOVIN	SubName: Full=SCGB2A2 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	58.33	28.26	1	3	92	10.4	5.11
A6QPB4_BOVIN	SubName: Full=SFT2D2 protein; - OS=Bos taurus (Bovine).	237.45	30.68	1	1	88	9.4	9.29
A6QNZ7_BOVIN	SubName: Full=Keratin 10 (Epidermolytic hyperkeratosis; keratosis palmaris et plantaris); SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	5668.96	20.53	0	18	526	54.8	5.07
A6QNW7_BOVIN	SubName: Full=CD5L protein; - OS=Bos taurus (Bovine).	1654.30	33.04	10	13	451	50.2	5.39
A6QM09_BOVIN	SubName: Full=Putative uncharacterized protein; - OS=Bos taurus (Bovine).	3447.70	43.97	1	11	232	24.7	7.61
A6QLL8_BOVIN	RecName: Full=Fructose-bisphosphate aldolase; EC=4.1.2.13; - OS=Bos taurus (Bovine).	124.36	18.68	2	6	364	39.4	8.19
A6H7J6_BOVIN	SubName: Full=P4HB protein; SubName: Full=Prolyl 4-hydroxylase, beta subunit; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	524.93	36.08	9	14	510	57.2	4.91
A6H7D4_BOVIN	SubName: Full=1-acylglycerol-3-phosphate O-acyltransferase 6 (Lysophosphatidic acid acyltransferase, zeta); SubName: Full=Glycerol-3-phosphate acyltransferase 4; - OS=Bos taurus (Bovine).	1084.84	20.61	6	8	456	52.0	9.26
A5PKG9_BOVIN	SubName: Full=FGR protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	782.26	19.73	4	9	527	59.3	5.64
A5PJH7_BOVIN	SubName: Full=LOC788112 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	41.15	13.37	1	2	172	19.6	9.14
A5PJE3_BOVIN	SubName: Full=Fibrinogen alpha chain; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1740.87	24.07	8	15	615	67.0	7.02
A5JSS5_CAPHI	SubName: Full=As2-casein; Flags: Fragment; - OS=Capra hircus (Goat).	561.14	28.70	1	8	108	12.8	9.63
A5HLY3_BOBOX	SubName: Full=Lactoferrin; - OS=Bos indicus x Bos taurus (Hybrid cattle).	9796.02	62.43	1	48	708	78.1	8.35
A5D984_BOVIN	RecName: Full=Pyruvate kinase; EC=2.7.1.40; - OS=Bos taurus (Bovine).	99.90	13.56	3	5	531	57.9	7.85
A5D7S0_BOVIN	SubName: Full=NAPA protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	826.24	44.07	8	10	295	33.2	5.36
A5D7Q2_BOVIN	SubName: Full=Putative uncharacterized protein; - OS=Bos taurus (Bovine).	5889.84	47.23	16	17	487	51.6	6.62
A5D7J6_BOVIN	SubName: Full=CALR protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	310.39	32.13	4	8	417	48.1	4.48

A5D7F2_BOVIN	SubName: Full=SYT4 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	111.09	9.65	2	3	425	47.6	8.53
A5D7E8_BOVIN	SubName: Full=PDIA3 protein; SubName: Full=Protein disulfide-isomerase A3; - OS=Bos taurus (Bovine).	128.73	10.10	2	5	505	56.9	6.81
A5D7E6_BOVIN	SubName: Full=CD82 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	69.91	3.73	1	1	268	30.0	6.51
A5A759_PIG	SubName: Full=Keratin 2A; - OS=Sus scrofa (Pig).	4963.53	16.82	1	11	642	65.8	7.52
A5A755_PIG	SubName: Full=Guanine nucleotide-binding protein; Flags: Fragment; - OS=Sus scrofa (Pig).	943.16	51.40	6	17	358	42.0	5.68
A5A6K0_PANTR	SubName: Full=Reticulon 4, transcript variant 3; - OS=Pan troglodytes verus.	119.46	11.06	1	2	199	22.4	9.31
A4FUX1_BOVIN	SubName: Full=CIDEA protein; - OS=Bos taurus (Bovine).	2028.30	34.70	6	7	219	24.5	9.32
A4FUD2_BOVIN	SubName: Full=HSD17B7 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1992.36	41.32	8	11	334	37.6	8.29
A3EY52_CAPHI	SubName: Full=Butyrophilin subfamily 1 member A1; - OS=Capra hircus (Goat).	17199.31	59.13	3	38	526	59.2	5.21
A2VDV1_BOVIN	SubName: Full=Ankyrin repeat domain 22; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	383.12	25.65	5	6	191	21.9	8.85
A2N0U5_HUMAN	SubName: Full=VH6DJ protein; Flags: Fragment; - OS=Homo sapiens (Human).	48.10	6.42	1	1	109	12.2	5.36
A2A513_MOUSE	SubName: Full=Keratin 10; SubName: Full=Keratin, type I cytoskeletal 10; - OS=Mus musculus (Mouse).	5927.36	18.18	0	16	561	57.0	5.07
A1L5B6_BOVIN	RecName: Full=Annexin; - OS=Bos taurus (Bovine).	2474.67	72.59	1	20	321	36.1	5.05
A0N065_MACMU	SubName: Full=Coagulation factor X protein; EC=3.4.21.6; - OS=Macaca mulatta (Rhesus macaque).	54.75	11.07	1	6	488	54.8	5.64
A0FI82_CAPHI	SubName: Full=Lipoprotein lipase; - OS=Capra hircus (Goat).	1422.42	31.59	9	13	478	53.6	8.37
5NTD_BOVIN	RecName: Full=5'-nucleotidase; Short=5'-NT; EC=3.1.3.5; AltName: Full=Ecto-5'-nucleotidase; AltName: CD_antigen=CD73; Flags: Precursor: - OS=Bos taurus (Bovine).	3582.64	47.21	7	22	574	62.9	6.95

The accession entry - the unique entry name that is assigned for a given protein according to the Uniprot database. The score - the summed score of all the identified peptides for the given protein in the database. The coverage - the percentage of the protein sequence covered by the identified peptides. The number of peptides - the total number of peptides that match with the sequence of the given protein in the database. The number of unique peptides - the number of the identified peptides that are unique for the given protein. The coverage, number of unique peptides and number of peptides are generated by the Proteome Discoverer software (see method, section 2.7). The number of amino acid mass (MW) and isoelectric point (pI) are obtained by using the 'annotation' node in Proteome Discoverer which utilizes the ProteinCenter software (Thermo Scientific ProteinCenter) from >20 public databases (Uniprot, NCBI, IPI etc.).

ptides that match with a
the identified peptides
en protein. The score,
s (Aas), molecular weight
Center) consisting of data

Supplementary Table 4. Buffalo MFGM proteins identified by LC-MS analysis of combined in-gel and in-solution digest samples. Proteins having the code “N” in the last column have not previously been reported in literature for the buffalo MFGM protein fraction. Where the protein has been reported, the references for previous publications are given.

Accession entry	Protein name	Description	Score	Coverage	# Unique Peptides	# Peptides	# AAs	MW [kDa]	pI	Reported in literature
1433E_BOVIN	14-3-3 protein epsilon	RecName: Full=14-3-3 protein epsilon; Short=14-3-3E; - OS=Bos taurus	562.94	45.49	7	9	255	29.2	4.74	N
1433T_BOVIN	14-3-3 protein theta	RecName: Full=14-3-3 protein theta; - OS=Bos taurus (Bovine). RecName: Full=14-3-3 protein	440.84	17.55	2	4	245	27.7	4.78	N
1433Z_BOVIN	14-3-3 protein zeta/delta	zeta/delta; AltName: Full=Factor activating exoenzyme S; Short=FAS; AltName: Full=Protein kinase C SubName: Full=1-acylglycerol-3-	779.08	30.20	4	6	245	27.7	4.79	N
A6H7D4_BOVIN	1-acylglycerol-3-phosphate O-acyltransferase 6	phosphate O-acyltransferase 6 (Lysophosphatidic acid acyltransferase, zeta); SubName: Full=Glycerol-3-	1362.30	20.18	7	7	456	52.0	9.26	N
CN37_BOVIN	2',3'-cyclic-nucleotide 3'-phosphodiesterase	phosphate acyltransferase 4; - OS=Bos RecName: Full=2',3'-cyclic-nucleotide 3'-phosphodiesterase; Short=CNP; Short=CNPase; EC=3.1.4.37; - OS=Bos	1145.10	22.00	7	7	400	44.8	8.41	N
RS8_BOVIN	40S ribosomal protein S8	RecName: Full=40S ribosomal protein S8; - OS=Bos taurus (Bovine). RecName: Full=40S ribosomal protein	108.5	13.46	2	2	208	24.2	10.32	N
RSSA_BOVIN	40S ribosomal protein SA	SA; AltName: Full=37 kDa laminin receptor precursor; Short=37LRP; AltName: Full=37/67 kDa laminin receptor; Short=LRP/LR; AltName: Full=67 kDa laminin receptor; Short=67LR; AltName: Full=Laminin receptor 1; Short=LamR; AltName: Full=laminin-binding protein precursor RecName: Full=5'-nucleotidase;	525.37	24.42	4	4	295	32.9	4.87	N
5NTD_BOVIN	5'-nucleotidase	Short=5'-NT; EC=3.1.3.5; AltName: Full=Ecto-5'-nucleotidase; AltName: CD antigen=CD73; Flags: Precursor; -	2568.65	34.32	15	15	574	62.9	6.95	N
RLA2_BOVIN	60S acidic ribosomal protein P2	RecName: Full=60S acidic ribosomal protein P2; - OS=Bos taurus (Bovine).	233.48	26.96	2	2	115	11.7	4.61	N
RL12_BOVIN	60S ribosomal protein L12	RecName: Full=60S ribosomal protein L12; - OS=Bos taurus (Bovine).	91.77	15.15	2	2	165	17.8	9.42	N

Q3ZCI4_BOVIN	6-phosphogluconate dehydrogenase, decarboxylating	RecName: Full=6-phosphogluconate dehydrogenase, decarboxylating; EC=1.1.1.44; - OS=Bos taurus (Bovine).	573.94	10.35	4	4	483	53	7.09	N
GRP78_BOVIN	78 kDa glucose-regulated protein	RecName: Full=78 kDa glucose-regulated protein; Short=GRP-78; AltName: Full=Heat shock 70 kDa protein 5; Flags: Precursor; - OS=Bos	2114.72	26.72	10	12	655	72.4	5.16	N
ABHEB_BOVIN	Abhydrolase domain-containing protein 14B	RecName: Full=Abhydrolase domain-containing protein 14B; EC=3.-.-.; - RecName: Full=Actin, cytoplasmic 2;	178.70	21.90	3	3	210	22.4	6.52	N
ACTG_BOVIN	Actin, cytoplasmic 2	AltName: Full=Gamma-actin; Contains: RecName: Full=Actin, cytoplasmic 2, N-terminally processed; - OS=Bos taurus	2580.36	53.33	15	15	375	41.8	5.48	(D'Ambrosio et al., 2008)
Q0VCZ8_BOVIN	Acyl-CoA synthetase long-chain family member 1	SubName: Full=Acyl-CoA synthetase long-chain family member 1; SubName: Full=Uncharacterized	1809.72	23.89	14	14	699	78.2	7.21	N
G9KHA2_MUSPF	Adipose differentiation-related protein	SubName: Full=Adipose differentiation-related protein; Flags: Fragment; - OS=Mustela putorius furo (European	3974.02	17.16	3	7	402	43.8	7.44	N
ARF3_BOVIN	ADP-ribosylation factor 3	RecName: Full=ADP-ribosylation factor 3; - OS=Bos taurus (Bovine).	855.92	58.56	5	5	181	20.6	7.43	N
ARF4_BOVIN	ADP-ribosylation factor 4	RecName: Full=ADP-ribosylation factor 4; - OS=Bos taurus (Bovine).	1257.43	64.44	6	9	180	20.5	6.19	N
ARL15_BOVIN	ADP-ribosylation factor-like protein 15	RecName: Full=ADP-ribosylation factor-like protein 15; - OS=Bos taurus	224.02	19.31	3	3	202	22.6	5.62	(D'Ambrosio et al., 2008)
F6KPG5_HUMAN	Albumin	SubName: Full=Albumin; Flags: Fragment; - OS=Homo sapiens	429.21	12.31	5	7	585	66.5	6.04	N
GALM_BOVIN	Aldose 1-epimerase	RecName: Full=Aldose 1-epimerase; EC=5.1.3.3; AltName: Full=Galactose mutarotase; - OS=Bos taurus (Bovine).	414.91	18.71	4	4	342	37.6	6.33	(D'Ambrosio et al., 2008)
PPBT_BOVIN	Alkaline phosphatase	RecName: Full=Alkaline phosphatase, tissue-nonspecific isozyme; Short=AP-TNAP; Short=TNSALP; EC=3.1.3.1; AltName: Full=Alkaline phosphatase	553.20	10.31	4	4	524	57.2	6.77	N
LALBA_BOVIN	Alpha-lactalbumin	liver/bone/kidney isozyme; Flags: RecName: Full=Alpha-lactalbumin; AltName: Full=Lactose synthase B protein; AltName: Allergen=Bos d 4; Flags: Precursor; - OS=Bos taurus	1017.73	42.25	7	7	142	16.2	5.14	N

CASA1_BUBBU	Alpha-S1-casein	RecName: Full=Alpha-S1-casein; Flags: Precursor; - OS=Bubalus bubalis	9785.79	47.20	6	9	214	24.3	4.89	(D'Ambrosio et al., 2008)
O62825_BUBBU	Alpha-S2-casein	SubName: Full=AS2-casein; Flags: Fragment; - OS=Bubalus bubalis	2539.96	56.19	11	11	210	24.7	7.47	N
F7I2W7_CALJA	Annexin	RecName: Full=Annexin; - OS=Callithrix jacchus (White-tufted-ear marmoset). RecName: Full=Annexin A1; AltName: Full=Annexin I; AltName: Full=Annexin- 1; AltName: Full=Calpactin II; AltName: Full=Calpactin-2; AltName: Full=Chromobindin-9; AltName: Full=Lipocortin I; AltName: RecName: Full=Annexin A11; AltName: Full=Annexin XI; AltName: Full=Annexin-11; AltName:	2167.36	46.73	12	12	321	36.1	5.11	N
ANXA1_BOVIN	Annexin A1	Full=Annexin I; AltName: Full=Annexin- 1; AltName: Full=Calpactin II; AltName: Full=Calpactin-2; AltName: Full=Chromobindin-9; AltName: Full=Lipocortin I; AltName: RecName: Full=Annexin A11; AltName: Full=Annexin XI; AltName: Full=Annexin-11; AltName:	1101.04	27.46	6	6	346	38.9	6.81	N
ANX11_BOVIN	Annexin A11	Full=Annexin XI; AltName: Full=Annexin-11; AltName: Full=Calcyclin-associated annexin-50; RecName: Full=Annexin A2; AltName: Full=Annexin II; AltName: Full=Annexin- 2; AltName: Full=Calpactin I heavy chain; AltName: Full=Calpactin-1 heavy chain; AltName: Full=Chromobindin-8; AltName: Full=Lipocortin II; AltName: Full=Placental anticoagulant protein IV; Short=PAP-IV; AltName: RecName: Full=Annexin A4; AltName: Full=35-beta calcimedin; AltName: Full=Annexin IV; AltName: Full=Annexin-4; AltName:	151.69	5.37	2	2	503	54.0	7.65	N
ANXA2_BOVIN	Annexin A2	Full=Calcyclin-associated annexin-50; RecName: Full=Annexin A2; AltName: Full=Annexin II; AltName: Full=Annexin- 2; AltName: Full=Calpactin I heavy chain; AltName: Full=Calpactin-1 heavy chain; AltName: Full=Chromobindin-8; AltName: Full=Lipocortin II; AltName: Full=Placental anticoagulant protein IV; Short=PAP-IV; AltName: RecName: Full=Annexin A4; AltName: Full=35-beta calcimedin; AltName: Full=Annexin IV; AltName: Full=Annexin-4; AltName:	1554.30	41.59	12	12	339	38.6	7.31	N
ANXA4_BOVIN	Annexin A4	Full=Carbohydrate-binding protein p33/p41; AltName: Full=Chromobindin- 4; AltName: Full=Endonexin I; AltName: Full=Lipocortin IV; AltName: Full=P32.5; AltName: Full=PP4-X; RecName: Full=Annexin A7; AltName: Full=Annexin VII; AltName:	1487.20	27.59	7	7	319	35.9	5.72	N
ANXA7_BOVIN	Annexin A7	Full=Annexin VII; AltName: Full=Annexin-7; AltName: Full=Synexin; RecName: Full=Apolipoprotein A-I; Short=Apo-AI; Short=ApoA-I; AltName: Full=Apolipoprotein A1; Contains: RecName: Full=Truncated	117.48	3.89	2	2	463	49.9	6.8	N
APOA1_BOVIN	Apolipoprotein A-I	Short=Apo-AI; Short=ApoA-I; AltName: Full=Apolipoprotein A1; Contains: RecName: Full=Truncated	707.56	18.11	4	4	265	30.3	5.97	N

Q0ZCB4_BOVIN	Apolipoprotein E	SubName: Full=Apolipoprotein E; Flags: Fragment; - OS=Bos taurus (Bovine).	454.83	18.57	3	3	237	27.1	8.90	N
ATPB_BOVIN	ATP synthase subunit beta	RecName: Full=ATP synthase subunit beta, mitochondrial; EC=3.6.3.14; Flags: Precursor; - OS=Bos taurus	194.23	11.74	4	4	528	56.2	5.27	N
E9NV81_BUBBU	ATP-binding cassette sub-family G member 2	SubName: Full=ATP-binding cassette sub-family G (WHITE) member 2; - OS=Bubalus bubalis (Domestic water SubName: Full=Basigin; SubName: Full=Basigin isoform 2; SubName: Full=RPE7 protein; SubName:	6937.06	36.47	19	19	658	72.9	8.48	N
Q3ZBX0_BOVIN	Basigin	Full=Uncharacterized protein; - OS=Bos RecName: Full=Beta-casein; Flags: Precursor; - OS=Bubalus bubalis SubName: Full=Beta-lactoglobulin;	766.86	29.15	5	5	271	29.8	5.94	N
CASB_BUBBU	Beta-casein	Flags: Precursor; - OS=Bubalus bubalis (Domestic water buffalo).	7136.98	50.45	7	7	224	25.1	5.35	N
C3W955_BUBBU	Beta-lactoglobulin	RecName: Full=Butyrophilin subfamily 1 member A1; Short=BT; Flags: Precursor; - OS=Bos taurus (Bovine). RecName: Full=Calcineurin B homologous protein 1; AltName: Full=Calcineurin B-like protein;	2818.17	59.44	8	8	180	20.0	5.02	(D'Ambrosio et al., 2008)
BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	AltName: Full=Calcium-binding protein CHP; AltName: Full=Calcium-binding protein p22; AltName: Full=EF-hand RecName: Full=Calcium and integrin- binding protein 1; AltName: Full=Calmyrin; - OS=Bos taurus SubName: Full=CALR protein;	#####	49.43	7	24	526	59.2	5.20	(D'Ambrosio et al., 2008; Bhattacharya
CHP1_BOVIN	Calcineurin B homologous protein 1	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine). SubName: Full=CD80/B7-1 secreted form; - OS=Ovis aries (Sheep). RecName: Full=CD81 antigen; AltName: CD_antigen=CD81; - OS=Bos SubName: Full=CD97 antigen; SubName: Full=CD97 molecule; -	2222.18	57.95	9	9	195	22.4	5.1	(D'Ambrosio et al., 2008)
CIB1_BOVIN	Calcium and integrin- binding protein 1		473.43	23.56	4	4	191	21.7	4.74	N
A5D7J6_BOVIN	CALR protein		373.39	17.75	4	4	417	48.1	4.48	N
Q5YJI1_SHEEP	CD80/B7-1 secreted form		82.87	6.72	2	2	238	27.0	7.93	N
CD81_BOVIN	CD81 antigen		389	15.25	2	2	236	25.8	5.52	N
A6QNW8_BOVIN	CD97 antigen		384.00	3.68	2	2	734	80.3	7.74	N

B6VAP7_BOVIN	CDC42 protein	SubName: Full=CDC42 protein; - OS=Bos taurus (Bovine).	350.89	32.46	4	5	191	21.2	5.67	N
B4DWV9_HUMAN	cDNA FLJ53108	SubName: Full=cDNA FLJ53108, highly similar to Guanine nucleotide-binding protein alpha-13 subunit; - OS=Homo	750.36	11.36	2	3	352	40.9	7.99	N
A4FUX1_BOVIN	CIDEA protein	SubName: Full=CIDEA protein; - OS=Bos taurus (Bovine).	2060.47	34.70	6	7	219	24.5	9.32	N
CLUS_BOVIN	Clusterin	RecName: Full=Clusterin; AltName: Full=Glycoprotein III; Short=GpIII; Contains: RecName: Full=Clusterin beta chain; Contains: RecName: Full=Clusterin alpha chain; Flags: RecName: Full=Cofilin-1; AltName: Full=Cofilin, non-muscle isoform; - RecName: Full=Cytoplasmic aconitate hydratase; Short=Aconitase; EC=4.2.1.3; AltName: Full=Citrate hydro-lyase; AltName: Full=Iron-responsive element-binding protein 1; RecName: Full=Dermcidin; EC=3.4.-.-; AltName: Full=Preproteolysin; Contains: RecName: Full=Survival-promoting peptide; Contains: RecName: Full=DCD-1; Flags: RecName: Full=Ectonucleotide pyrophosphatase/phosphodiesterase family member 3; Short=E-NPP 3; AltName: Full=Phosphodiesterase I beta; Short=PD-Ibeta; AltName: Full=Phosphodiesterase I/nucleotide pyrophosphatase 3; AltName: CD_antigen=CD203c; Includes: RecName: Full=Alkaline phosphodiesterase I; EC=3.1.4.1; RecName: Full=Elongation factor 1-alpha 1; Short=EF-1-alpha-1; AltName: Full=Elongation factor Tu; Short=EF-Tu; AltName: Full=Eukaryotic elongation factor 1 A-1; Short=eEF1A-1; - OS=Bos	684.24	14.12	6	6	439	51.1	6.04	N
COF1_BOVIN	Cofilin-1		798.82	46.99	6	6	166	18.5	8	N
ACOC_BOVIN	Cytoplasmic aconitate hydratase		257.95	3.26	2	2	889	98.1	7.97	N
DCD_HUMAN	Dermcidin		690.41	22.73	3	3	110	11.3	6.54	N
ENPP3_BOVIN	Ectonucleotide pyrophosphatase		2223.40	18.99	11	11	874	99.5	5.96	N
EF1A1_BOVIN	Elongation factor 1-alpha 1		1643.70	32.47	10	10	462	50.1	9.01	N

EF2_BOVIN	Elongation factor 2	RecName: Full=Elongation factor 2; Short=EF-2; - OS=Bos taurus (Bovine).	700.33	11.42	8	8	858	95.3	6.83	N
ENPL_BOVIN	Endoplasmin	RecName: Full=Endoplasmin; AltName: Full=94 kDa glucose-regulated protein; Short=GRP-94; AltName: Full=Heat shock protein 90 kDa beta member 1; RecName: Full=Eukaryotic initiation	831.3	13.31	8	10	804	92.4	4.84	N
IF4A1_BOVIN	Eukaryotic initiation factor 4A-I	factor 4A-I; Short=eIF-4A-I; Short=eIF4A-I; EC=3.6.4.13; AltName: Full=ATP-dependent RNA helicase RecName: Full=Eukaryotic translation	180.5	5.91	2	2	406	46.1	5.48	N
IF5A1_BOVIN	Eukaryotic translation initiation factor 5A-1	initiation factor 5A-1; Short=eIF-5A-1; Short=eIF-5A1; AltName: Full=Eukaryotic initiation factor 5A isoform 1; Short=eIF-5A; AltName: RecName: Full=Ezrin; AltName:	153.94	35.06	3	3	154	16.8	5.24	(D'Ambrosio et al., 2008)
EZRI_BOVIN	Ezrin	Full=Cytovillin; AltName: Full=Villin-2; AltName: Full=p81; - OS=Bos taurus	463.59	10.33	5	5	581	68.7	6.42	N
Q076H7_CAPHI	Fatty acid synthase	SubName: Full=Fatty acid synthase; - OS=Capra hircus (Goat). RecName: Full=Fatty acid-binding	4226.07	12.49	5	25	2514	273.8	6.35	(D'Ambrosio et al., 2008)
FABPH_BOSMU	Fatty acid-binding protein	protein, heart; AltName: Full=Fatty acid-binding protein 3; AltName: Full=Heart-type fatty acid-binding	5118.22	82.71	11	11	133	14.8	7.34	N
A5PKG9_BOVIN	FGR protein	protein; Short=H-FABP; - OS=Bos SubName: Full=FGR protein; SubName: Full=Uncharacterized protein; - OS=Bos	319.49	10.06	3	3	527	59.3	5.64	N
A6QLL8_BOVIN	Fructose-bisphosphate aldolase	taurus (Bovine). RecName: Full=Fructose-bisphosphate aldolase; EC=4.1.2.13; - OS=Bos taurus RecName: Full=Gamma-soluble NSF	139.54	13.74	3	3	364	39.4	8.19	N
SNAG_BOVIN	Gamma-soluble NSF attachment protein	attachment protein; Short=SNAP- gamma; AltName: Full=N- ethylmaleimide-sensitive factor	382.32	15.71	4	4	312	34.6	5.41	N
Q0VCH9_BOVIN	GLI pathogenesis- related 2	SubName: Full=GLI pathogenesis- related 2; SubName: Full=Uncharacterized protein; - OS=Bos	1418.48	33.12	4	4	154	17.2	9.5	N

G3P_BOVIN	Glyceraldehyde-3-phosphate dehydrogenase	RecName: Full=Glyceraldehyde-3-phosphate dehydrogenase; Short=GAPDH; EC=1.2.1.12; AltName: Full=Peptidyl-cysteine S-nitrosylase	669.24	18.02	4	4	333	35.8	8.35	N
F1MDT6_BOVIN	Glycerol-3-phosphate acyltransferase 1, mitochondrial	SubName: Full=Glycerol-3-phosphate acyltransferase 1, mitochondrial; - OS=Bos taurus (Bovine). RecName: Full=Glycosylation-dependent cell adhesion molecule 1; Short=GlyCAM-1; AltName: Full=28 kDa milk glycoprotein PP3; AltName: Full=Lactophorin; AltName: Full=Proteose-peptone component 3; SubName: Full=GNAI2 protein;	542.68	8.48	5	5	825	93.2	7.84	N
GLCM1_BOVIN	Glycosylation-dependent cell adhesion molecule 1	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine). SubName: Full=Golgi phosphoprotein 3 (Coat-protein); SubName: Full=Uncharacterized protein; - OS=Bos	1202.80	27.45	6	6	153	17.1	6.68	N
A7MBH9_BOVIN	GNAI2 protein	RecName: Full=GTP-binding protein Rheb; AltName: Full=Ras homolog enriched in brain; Flags: Precursor; - RecName: Full=GTP-binding protein SAR1a; - OS=Bos taurus (Bovine).	829.9	28.45	4	8	355	40.5	5.54	N
Q1RMW9_BOVIN	Golgi phosphoprotein 3	SubName: Full=GTP-binding protein SAR1b; - OS=Bos taurus (Bovine). SubName: Full=Guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 3; SubName: Full=Uncharacterized	432.85	9.40	2	2	298	33.7	6.21	N
RHEB_BOVIN	GTP-binding protein Rheb	SubName: Full=Guanine nucleotide-binding protein G(i) subunit alpha-1	702.23	14.13	2	2	184	20.5	6.8	N
SAR1A_BOVIN	GTP-binding protein SAR1a	RecName: Full=Guanine nucleotide-binding protein G(i) subunit alpha-1; AltName: Full=Adenylate cyclase-inhibiting G alpha protein; - OS=Bos	731.59	32.83	3	5	198	22.4	6.68	N
SAR1B_BOVIN	GTP-binding protein SAR1b	RecName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-12; AltName: Full=Gamma-S1; Flags: Precursor; - OS=Bos taurus	372.37	29.80	2	4	198	22.4	6.11	N
Q3ZCA7_BOVIN	Guanine nucleotide binding protein (G protein), alpha inhibiting activity		976.88	29.10	4	8	354	40.5	5.69	N
A5A755_PIG	Guanine nucleotide-binding protein		588.15	22.63	4	6	358	42.0	5.68	N
GNAI1_BOVIN	Guanine nucleotide-binding protein G(i) subunit alpha-1		698.85	24.58	3	7	354	40.3	5.97	(D'Ambrosio et al., 2008)
GBG12_BOVIN	Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-12		96.06	34.72	2	2	72	8.1	8.97	N

H9FT57_MACMU	Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit	SubName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1; - OS=Macaca mulatta (Rhesus)	2617.34	50.88	7	11	340	37.3	6.18	(D'Ambrosio et al., 2008)
H9FT58_MACMU	Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit	SubName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-2; - OS=Macaca mulatta (Rhesus)	2632.56	54.12	8	12	340	37.3	6.00	(D'Ambrosio et al., 2008)
GNAS2_BOVIN	Guanine nucleotide-binding protein G(s) subunit alpha isoforms short	RecName: Full=Guanine nucleotide-binding protein G(s) subunit alpha isoforms short; AltName: Full=Adenylate cyclase-stimulating G	764.61	32.49	10	11	394	45.7	5.71	N
GNA11_BOVIN	Guanine nucleotide-binding protein subunit alpha-11	RecName: Full=Guanine nucleotide-binding protein subunit alpha-11; Short=G alpha-11; Short=G-protein subunit alpha-11; AltName: Full=G-RecName: Full=Guanine nucleotide-binding protein subunit beta-2-like 1; AltName: Full=Receptor for activated C	496.92	15.60	3	5	359	42.0	6.16	N
GBLP_BOVIN	Guanine nucleotide-binding protein subunit beta-2-like 1	kinase; AltName: Full=Receptor of activated protein kinase C 1; RecName: Full=Heat shock cognate 71 kDa protein; AltName: Full=Heat shock	139.34	10.09	3	3	317	35.1	7.69	N
HSP7C_BOVIN	Heat shock cognate 71 kDa protein	70 kDa protein 8; - OS=Bos taurus	3096	37.54	17	20	650	71.2	5.52	N
HS90A_BOVIN	Heat shock protein HSP 90-alpha	RecName: Full=Heat shock protein HSP 90-alpha; - OS=Bos taurus (Bovine).	1048.81	15.42	5	10	733	84.7	5.01	N
HS90B_BOVIN	Heat shock protein HSP 90-beta	RecName: Full=Heat shock protein HSP 90-beta; - OS=Bos taurus (Bovine).	1236.83	17.40	4	11	724	83.2	5.03	N
G3HDT6_CRIGR	Histone H2A	RecName: Full=Histone H2A; - OS=Cricetulus griseus (Chinese	293.12	14.80	3	5	331	34.2	11.14	N
G3HPV6_CRIGR	Histone H2A type 1	SubName: Full=Histone H2A type 1; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis	348.21	26.72	4	6	262	28.4	11.03	N
HORN_HUMAN	Hornerin	RecName: Full=Hornerin; - OS=Homo sapiens (Human).	727.25	8.21	4	4	2850	282.2	10.04	N
A4FUD2_BOVIN	HSD17B7 protein	SubName: Full=HSD17B7 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1119.69	27.54	5	5	334	37.6	8.29	N

IDHC_SHEEP	Isocitrate dehydrogenase [NADP] cytoplasmic	RecName: Full=Isocitrate dehydrogenase [NADP] cytoplasmic; Short=IDH; EC=1.1.1.42; AltName: Full=Cytosolic NADP-isocitrate dehydrogenase; AltName: Full=IDP; AltName: Full=NADP(+)-specific ICDH; RecName: Full=Junction plakoglobin;	1273.76	25.60	8	8	414	46.8	6.80	N
PLAK_BOVIN	Junction plakoglobin	AltName: Full=Desmoplakin III; AltName: Full=Desmoplakin-3; -	261.02	5.91	4	4	745	81.8	6.14	N
CASK_BUBBU	Kappa-casein	RecName: Full=Kappa-casein; Flags: Precursor; - OS=Bubalus bubalis RecName: Full=Lactadherin; AltName: Full=BP47; AltName: Full=Components	2472.35	46.32	3	6	190	21.4	7.37	(D'Ambrosio et al., 2008)
MFGM_BOVIN	Lactadherin	15/16; AltName: Full=MFGM; AltName: Full=MGP57/53; AltName: Full=Milk fat globule-EGF factor 8; Short=MFG-E8; AltName: Full=PAS-	#####	55.74	14	26	427	47.4	7.15	(D'Ambrosio et al., 2008)
A5JUY8_BUBBU	Lactoperoxidase	6/PAS-7 glycoprotein; AltName: SubName: Full=Lactoperoxidase; - OS=Bubalus bubalis (Domestic water	1253.37	11.38	6	6	712	80.6	8.47	N
TRFL_BUBBU	Lactotransferrin	RecName: Full=Lactotransferrin; Short=Lactoferrin; EC=3.4.21.-; Flags: Precursor; - OS=Bubalus bubalis	5276.85	51.69	30	30	708	77.7	7.91	N
ERG7_BOVIN	Lanosterol synthase	RecName: Full=Lanosterol synthase; EC=5.4.99.7; AltName: Full=2,3-epoxysqualene--lanosterol cyclase; AltName: Full=Oxidosqualene--	1594.52	25.27	15	15	732	83.1	6.83	N
LRC8C_BOVIN	Leucine-rich repeat-containing protein 8C	RecName: Full=Leucine-rich repeat-containing protein 8C; - OS=Bos taurus RecName: Full=Leukocyte surface	422.43	6.10	3	3	803	92.3	7.72	N
CD47_BOVIN	Leukocyte surface antigen CD47	antigen CD47; AltName: Full=Integrin-associated protein; Short=IAP; AltName: CD antigen=CD47; Flags: RecName: Full=Lipoprotein lipase;	148.21	4.62	2	2	303	33.3	8.43	N
LIPL_BOVIN	Lipoprotein lipase	Short=LPL; EC=3.1.1.34; Flags: Precursor; - OS=Bos taurus (Bovine).	1918.47	20.50	8	8	478	53.3	8.51	N
A8Q334_BOVIN	LOC513482 protein	SubName: Full=LOC513482 protein; - OS=Bos taurus (Bovine).	229.45	19.23	2	2	156	17.3	9.64	N
G5B857_HETGA	Long-chain-fatty-acid--CoA ligase 3	SubName: Full=Long-chain-fatty-acid--CoA ligase 3; - OS=Heterocephalus	344.56	7.57	3	3	555	61.4	8.24	N

B5B290_PHOSU	Major prion protein	RecName: Full=Major prion protein; - OS=Phodopus sungorus (Striped hairy-footed hamster) (Djungarian hamster).	326.48	18.50	5	5	254	27.8	9.38	N
MDHC_BOVIN	Malate dehydrogenase, cytoplasmic	RecName: Full=Malate dehydrogenase, cytoplasmic; EC=1.1.1.37; AltName: Full=Cytosolic malate dehydrogenase; - SubName: Full=Mannose 6 phosphate receptor binding protein 1; SubName: Full=Mannose-6-phosphate receptor binding protein 1; SubName: Full=Uncharacterized protein; - OS=Bos	593.19	12.87	3	3	334	36.4	6.58	N
Q3SX32_BOVIN	Mannose 6 phosphate receptor binding protein 1	SubName: Full=Milk fat globule EGF factor 8 protein; Flags: Fragment; - RecName: Full=Monocyte differentiation antigen CD14; AltName: Full=Myeloid cell-specific leucine-rich glycoprotein; Flags: Fragment; -	2730.42	32.42	2	9	438	47.6	6.13	N
G5CC03_CAPHI	Milk fat globule EGF factor 8 protein	SubName: Full=Milk fat globule EGF factor 8 protein; Flags: Fragment; - RecName: Full=Monocyte differentiation antigen CD14; AltName: Full=Myeloid cell-specific leucine-rich glycoprotein; Flags: Fragment; -	#####	37.44	3	15	398	44.6	7.49	N
Q1W2K5_BUBBU	Monocyte differentiation antigen CD14	SubName: Full=Mucin 15, cell surface associated; - OS=Bos taurus (Bovine).	1730.50	27.69	7	7	372	39.6	6.02	(D'Ambrosio et al., 2008)
A7E340_BOVIN	Mucin 15, cell surface associated	SubName: Full=Mucin1-cell surface associated protein; - OS=Bubalus bubalis (Domestic water buffalo). RecName: Full=NADH-cytochrome b5 reductase 3; Short=B5R; Short=Cytochrome b5 reductase; EC=1.6.2.2; AltName: Full=Diaphorase-1; Contains: RecName: Full=NADH-cytochrome b5 reductase 3 membrane-bound form; Contains: RecName: SubName: Full=NAPA protein;	316.86	7.58	2	2	330	35.7	5.02	(D'Ambrosio et al., 2008; Bhattacharya
I6X9J1_BUBBU	Mucin1-cell surface associated protein	SubName: Full=Prolyl 4-hydroxylase, beta subunit; SubName: Full=Uncharacterized protein; - OS=Bos	510.99	7.93	3	3	580	58.2	6.73	(D'Ambrosio et al., 2008)
NB5R3_BOVIN	NADH-cytochrome b5 reductase 3	SubName: Full=PDIA3 protein; SubName: Full=Protein disulfide-isomerase A3; - OS=Bos taurus	616.76	24.58	5	5	301	34.1	7.28	N
A5D7S0_BOVIN	NAPA protein		914.32	17.29	4	4	295	33.2	5.36	N
A6H7J6_BOVIN	P4HB protein		563.97	25.10	9	9	510	57.2	4.91	N
A5D7E8_BOVIN	PDIA3 protein		150.23	9.70	3	4	505	56.9	6.81	N

GIPC2_BOVIN	PDZ domain-containing protein GIPC2	RecName: Full=PDZ domain-containing protein GIPC2; - OS=Bos taurus	1187.84	42.49	9	9	313	34.5	6.15	N
PPIA_BOVIN	Peptidyl-prolyl cis-trans isomerase A	RecName: Full=Peptidyl-prolyl cis-trans isomerase A; Short=PPlase A; EC=5.2.1.8; AltName: Full=Cyclophilin A; AltName: Full=Cyclosporin A-binding protein; AltName: Full=Rotamase A; - SubName: Full=Perilipin-2; - OS=Bos taurus (Bovine).	1578.90	66.46	10	10	164	17.9	8.16	N
F1MQB0_BOVIN	Perilipin-2	RecName: Full=Perilipin-2; - OS=Bos taurus (Bovine).	#####	53.53	22	26	411	45.1	8.41	(D'Ambrosio et al., 2008)
PRDX1_BOVIN	Peroxiredoxin-1	RecName: Full=Peroxiredoxin-1; EC=1.11.1.15; - OS=Bos taurus	509.63	19.60	3	4	199	22.2	8.4	N
PRDX5_BOVIN	Peroxiredoxin-5	RecName: Full=Peroxiredoxin-5, mitochondrial; EC=1.11.1.15; AltName: Full=Peroxiredoxin V; Short=Prx-V; AltName: Full=Thioredoxin reductase; RecName: Full=Phospholipid hydroperoxide glutathione peroxidase, mitochondrial; Short=PHGPx; EC=1.11.1.12; AltName: Full=Glutathione peroxidase 4; Short=GPx-4; Short=GSHPx-4; Flags: RecName: Full=Platelet glycoprotein 4; AltName: Full=Glycoprotein IIIb; Short=GPIIIB; AltName: Full=PAS IV; AltName: Full=PAS-4; AltName: Full=Platelet glycoprotein IV; SubName: Full=PIGR protein; - OS=Bos taurus (Bovine).	176.86	15.98	3	3	219	23.2	8.07	N
GPX4_BOVIN	Phospholipid hydroperoxide glutathione peroxidase	RecName: Full=Platelet glycoprotein 4; AltName: Full=Glycoprotein IIIb; Short=GPIIIB; AltName: Full=PAS IV; AltName: Full=PAS-4; AltName: Full=Platelet glycoprotein IV; SubName: Full=PIGR protein; - OS=Bos taurus (Bovine).	112.43	12.69	2	2	197	22.2	8.65	N
CD36_BOVIN	Platelet glycoprotein 4	RecName: Full=Platelet glycoprotein 4; AltName: Full=Glycoprotein IIIb; Short=GPIIIB; AltName: Full=PAS IV; AltName: Full=PAS-4; AltName: Full=Platelet glycoprotein IV; SubName: Full=PIGR protein; - OS=Bos taurus (Bovine).	2154.61	10.81	7	7	472	52.9	8.10	(D'Ambrosio et al., 2008)
A6QNW3_BOVIN	Polymeric immunoglobulin	RecName: Full=Profilin; - OS=Bos taurus (Bovine).	1013.60	12.55	7	7	757	82.5	7.28	N
E1BHJ0_BOVIN	Profilin	RecName: Full=Profilin; - OS=Bos taurus (Bovine).	735.77	45.71	5	5	140	15.0	8.28	N
NDRG1_BOVIN	Protein NDRG1	AltName: Full=N-myc downstream-regulated gene 1 protein; - OS=Bos taurus (Bovine).	551.03	7.81	2	2	384	41.6	5.49	N
B0BNK1_RAT	Protein Rab5c	SubName: Full=RCG32615, isoform CRA_a; SubName: Full=Rab5c protein; -	1658.42	32.41	3	5	216	23.4	8.41	N

S10A8_HUMAN	Protein S100-A8	RecName: Full=Protein S100-A8; AltName: Full=Calgranulin-A; AltName: Full=Calprotectin L1L subunit; AltName: Full=Cystic fibrosis antigen; Short=CFAG; AltName: Full=Leukocyte L1 complex light chain; AltName: Full=Migration inhibitory factor-related protein 8; Short=MRP-8; Short=p8; AltName: Full=S100 calcium-binding SubName: Full=Putative uncharacterized protein; - OS=Bos	171.66	31.18	3	3	93	10.8	7.03	N
A5D7Q2_BOVIN	Putative uncharacterized	SubName: Full=Putative uncharacterized protein; - OS=Bos	396.60	13.96	4	4	487	51.6	6.62	N
A6QM09_BOVIN	Putative uncharacterized	SubName: Full=Putative uncharacterized protein; - OS=Bos	661.24	14.22	3	3	232	24.7	7.61	N
D2H304_AILME	Putative uncharacterized protein	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda	867.21	39.11	3	4	179	19.7	5.39	N
D2I7H0_AILME	Putative uncharacterized protein	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda	1195.37	14.98	5	7	641	70.2	5.73	N
Q2PG58_MACFA	Putative uncharacterized protein	SubName: Full=Putative uncharacterized protein; - OS=Macaca fascicularis (Crab-eating macaque)	395.05	31.32	4	4	182	20.6	6.06	N
PDXK_BOVIN	Pyridoxal kinase	RecName: Full=Pyridoxal kinase; EC=2.7.1.35; AltName: Full=Pyridoxine kinase; - OS=Bos taurus (Bovine).	1062.71	25.96	5	5	312	34.8	5.94	N
GDIB_BOVIN	Rab GDP dissociation inhibitor beta	RecName: Full=Rab GDP dissociation inhibitor beta; Short=Rab GDI beta; AltName: Full=Guanosine diphosphate dissociation inhibitor 2; Short=GDI-2; - SubName: Full=RALB protein;	1810.91	47.87	15	15	445	50.5	6.25	N
A5D977_BOVIN	RALB protein	SubName: Full=Uncharacterized protein; SubName: Full=V-ral simian leukemia viral oncogene homolog B; - SubName: Full=Ras related v-ral simian	371.03	27.18	2	4	206	23.4	6.62	N
Q1JPH2_BOVIN	Ras related v-ral simian leukemia viral oncogene homolog A	leukemia viral oncogene homolog A; Flags: Fragment; - OS=Bos taurus RecName: Full=Ras-related C3	494.49	31.15	3	5	183	20.8	4.92	N
RAC1_BOVIN	Ras-related C3 botulinum toxin substrate 1	botulinum toxin substrate 1; AltName: Full=p21-Rac1; Flags: Precursor; -	400.67	18.75	3	4	192	21.4	8.5	N

RB11A_BOVIN	Ras-related protein Rab-11A	RecName: Full=Ras-related protein Rab-11A; Flags: Precursor; - OS=Bos taurus	406.25	24.54	4	5	216	24.5	6.57	N
RAB18_BOVIN	Ras-related protein Rab-18	RecName: Full=Ras-related protein Rab-18; Flags: Precursor; - OS=Bos taurus	4606.58	62.14	11	12	206	23	5.24	(D'Ambrosio et al., 2008)
RAB21_BOVIN	Ras-related protein Rab-21	RecName: Full=Ras-related protein Rab-21; Flags: Precursor; - OS=Bos taurus	260.78	18.47	3	3	222	24.1	7.94	N
RAB25_BOVIN	Ras-related protein Rab-25	RecName: Full=Ras-related protein Rab-25; Flags: Precursor; - OS=Bos taurus	165.72	13.62	2	3	213	23.5	6.35	N
F1LP82_RAT	Ras-related protein Rab-2A	SubName: Full=Ras-related protein Rab-2A; - OS=Rattus norvegicus (Rat).	1288.74	38.21	6	6	212	23.5	6.54	N
F5H157_HUMAN	Ras-related protein Rab-35	SubName: Full=Ras-related protein Rab-35; Flags: Fragment; - OS=Homo	784.17	30.81	2	5	185	21.2	8.31	N
RAP1B_BOVIN	Ras-related protein Rap-1b	RecName: Full=Ras-related protein Rap-1b; AltName: Full=GTP-binding protein smg p21B; Flags: Precursor; - OS=Bos	1156.25	41.30	2	6	184	20.8	5.78	N
G3HSE8_CRIGR	Ras-related protein R-Ras2	SubName: Full=Ras-related protein R-Ras2; Flags: Fragment; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus	180.71	15.58	2	2	154	18.1	5.02	N
GDIR1_BOVIN	Rho GDP-dissociation inhibitor 1	RecName: Full=Rho GDP-dissociation inhibitor 1; Short=Rho GDI 1; AltName: Full=Rho-GDI alpha; - OS=Bos taurus	842.37	28.92	4	4	204	23.4	5.2	N
RHOC_BOVIN	Rho-related GTP-binding protein RhoC	RecName: Full=Rho-related GTP-binding protein RhoC; Flags: Precursor;	1331.45	37.31	6	6	193	22	6.58	N
RHOF_BOVIN	Rho-related GTP-binding protein RhoF	RecName: Full=Rho-related GTP-binding protein RhoF; Flags: Precursor;	110.76	15.35	2	2	215	23.8	8.34	N
SBP1_BOVIN	Selenium-binding protein 1	RecName: Full=Selenium-binding protein 1; AltName: Full=56 kDa selenium-binding protein;	2154.96	32.42	10	10	472	52.5	6.48	N
H6WAG7_BUBBU	Selenoprotein 15	SubName: Full=Selenoprotein 15; - OS=Bubalus bubalis (Domestic water	1685.38	33.33	6	6	162	18.0	5.21	N
ALBU_BOVIN	Serum albumin	RecName: Full=Serum albumin; AltName: Full=BSA; AltName: Allergen=Bos d 6; Flags: Precursor; -	684.58	14.17	6	8	607	69.2	6.18	N
D2U6Q0_BUBBU	Serum amyloid A protein	RecName: Full=Serum amyloid A protein; Flags: Fragment; - OS=Bubalus bubalis (Domestic water buffalo).	547.26	26.53	5	5	147	15.9	8.97	N
F1N334_BOVIN	Short-chain dehydrogenase/reductase 3	SubName: Full=Short-chain dehydrogenase/reductase 3; - OS=Bos taurus (Bovine).	247.19	24.31	4	4	218	24.0	8.02	N

E9NST3_BUBBU	Sodium phosphate solute carrier family 34 member 2	SubName: Full=Sodium phosphate solute carrier family 34 member 2; - OS=Bubalus bubalis (Domestic water	1946.35	24.82	13	13	693	75.9	7.59	N
NSDHL_BOVIN	Sterol-4-alpha-carboxylate 3-dehydrogenase,	RecName: Full=Sterol-4-alpha-carboxylate 3-dehydrogenase, decarboxylating; EC=1.1.1.170; -	720.50	17.42	5	5	356	39.9	8.15	(D'Ambrosio et al., 2008)
A6QLH3_BOVIN	STX3 protein	SubName: Full=STX3 protein; - OS=Bos taurus (Bovine). RecName: Full=Synaptobrevin homolog YKT6; EC=2.3.1.-; Flags: Precursor; - OS=Bos taurus (Bovine).	440.62	10.73	3	3	289	33.2	5.36	(D'Ambrosio et al., 2008)
YKT6_BOVIN	Synaptobrevin homolog YKT6	RecName: Full=Synaptobrevin homolog YKT6; EC=2.3.1.-; Flags: Precursor; - OS=Bos taurus (Bovine).	181.25	19.70	3	3	198	22.5	6.58	N
Q2T9M8_BOVIN	Synaptosomal-associated protein	RecName: Full=Synaptosomal-associated protein; - OS=Bos taurus	904.69	26.07	2	4	211	23.2	4.83	N
G8JKZ8_BOVIN	Thioredoxin	SubName: Full=Thioredoxin; Flags: Fragment; - OS=Bos taurus (Bovine).	502.39	24.74	3	3	97	10.9	4.84	N
G3EHG5_CAPHI	TIP47 Tissue specific	SubName: Full=TIP47; - OS=Capra	2970.52	31.35	2	9	437	47.3	6.09	(D'Ambrosio
Q2KIT8_BOVIN	transplantation antigen P35B	SubName: Full=Tissue specific transplantation antigen P35B; SubName: Full=Uncharacterized	260.61	10.90	3	3	321	36.0	6.96	N
E3UZU9_BUBBU	Toll-like receptor	RecName: Full=Toll-like receptor; - OS=Bubalus bubalis (Domestic water	378.94	9.18	6	6	784	90.1	7.11	(D'Ambrosio et al., 2008)
TRYP_PIG	Trypsin	RecName: Full=Trypsin; EC=3.4.21.4; Flags: Precursor; - OS=Sus scrofa (Pig).	3466.22	31.60	5	5	231	24.4	7.18	N
SYWC_BOVIN	Tryptophan--tRNA ligase	RecName: Full=Tryptophan--tRNA ligase, cytoplasmic; EC=6.1.1.2; AltName: Full=Tryptophanyl-tRNA synthetase; Short=TrpRS; Contains: RecName: Full=T1-TrpRS; Contains: RecName: Full=Tumor protein p63-	152.53	6.93	2	2	476	53.8	5.78	N
TPRGL_BOVIN	Tumor protein p63-regulated gene 1-like protein	regulated gene 1-like protein; AltName: Full=Mossy fiber terminal-associated vertebrate-specific presynaptic protein; AltName: SubName: Full=Tyrosine-protein kinase Lyn; - OS=Bos taurus (Bovine). RecName: Full=Ubiquitin-40S	128.36	16.16	3	3	229	25.5	5.07	N
D4QGC1_BOVIN	Tyrosine-protein kinase	ribosomal protein S27a; AltName: Full=Ubiquitin carboxyl extension protein 80; Contains: RecName: Full=Ubiquitin; Contains: RecName:	482.77	15.63	5	5	512	58.7	7.37	N
RS27A_BOVIN	Ubiquitin-40S ribosomal protein S27a		1518.73	21.79	3	3	156	18	9.64	N

KCY_BOVIN	UMP-CMP kinase	RecName: Full=UMP-CMP kinase; EC=2.7.4.14; AltName: Full=Cytidine monophosphate kinase; AltName: Full=Cytidylate kinase; AltName: Full=Deoxycytidylate kinase; AltName: Full=Uridine monophosphate kinase; AltName: Full=Uridine monophosphate/cytidine SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant	442.77	33.67	5	5	196	22.3	5.83	N
D2HYT6_AILME	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant	256.23	22.51	2	3	191	21.3	8.12	N
E1B6Z6_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	234.93	15.00	2	2	200	23.0	9.32	N
E1B9D7_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	95.57	2.59	2	2	1041	113.5	4.7	N
E1BAT3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	250.34	3.93	3	3	1095	123.1	5.73	N
E1BG25_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	713.34	16.78	9	9	739	80.6	5.82	N
E1BGE7_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	234.16	15.66	2	2	166	19.0	8.31	N
E1BJL8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1095.21	17.12	3	3	257	29.7	7.77	N
E1BJQ7_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	127.29	9.31	2	2	333	35.9	6.14	N
E1BJV0_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2272.11	35.00	14	14	540	61.0	7.55	N
E1BKT9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	152.68	0.73	2	2	2889	332.2	6.84	N
E1BNX1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1119.35	41.55	6	7	219	24.4	4.93	N
E1BP91_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1231.74	15.31	13	13	921	103.5	5.83	N
E1BQ28_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	361.44	6.51	2	2	461	49.8	6.23	N
F1MBF6_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	588.57	22.12	3	4	208	23.5	5.54	N
F1MGR1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	897.69	7.03	4	4	697	77.2	7.43	N

F1MHC2_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1552.39	30.02	12	12	593	66.3	6.87	N
F1MJH1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1425.03	18.60	8	8	731	80.7	5.71	N
F1MJJ4_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	285.64	22.73	3	3	286	32.4	6.92	N
F1MJQ1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1113.99	53.14	8	8	207	23.5	6.7	N
F1MNI4_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	1655.56	41.05	5	6	229	25.1	7.81	N
F1MPE1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1659.60	5.46	6	6	1447	161.6	5.60	N
F1MSA6_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	527.52	27.88	2	10	391	44.7	4.91	N
F1MT12_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	116.31	2.65	2	2	717	79.0	5.69	N
F1MUP9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2655.93	33.08	9	9	402	42.8	6.44	N
F1MV32_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	441.15	6.48	6	6	1343	149.1	6.67	N
F1MX05_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	536.61	15.62	4	4	429	47.3	8.92	N
F1MYU3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	3082.57	0.62	7	201	22.1	6.21	6.21	N
F1N272_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	1318.29	12.20	11	11	1197	133.8	7.50	N
F1N2B5_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	85.79	5.92	2	2	490	55.4	6.98	N
F1N2D9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	6776.45	17.98	13	33	2503	272.5	6.16	N
F1N4W5_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	461.27	8.45	2	2	367	39.9	7.06	N
F1N726_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	785.73	11.80	5	5	534	59.2	4.82	N
F6WEM8_MOND O	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray	6158.45	9.39	2	13	1299	143.9	7.20	N
F6YKA7_MACMU	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus	5265.73	27.94	2	13	476	51.5	5.08	N

F7DMS9_ORNAN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Ornithorhynchus	172.43	18.29	2	3	175	20.0	8.81	N
F7E526_MACMU	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus	4847.89	23.05	2	13	564	59.9	8.00	N
F7GBD2_ORNAN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Ornithorhynchus	1280.88	38.14	2	5	215	23.6	8.15	N
G1PK30_MYOLU	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Myotis	188.02	6.16	2	2	438	47.9	5.07	N
G1QMQ0_NOML E	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon)	593.35	20.96	3	6	353	39.9	6.05	N
G1RHE3_NOMLE	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon)	156.13	25.00	2	2	112	13.0	6.13	N
G1RJ14_NOMLE	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon)	6530.49	35.03	4	15	471	51.4	5.25	N
G3MZ88_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	366.48	17.94	4	4	223	25.7	7.97	N
G3N2D8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1982.14	12.32	5	5	568	60.9	6.35	N
G3QDX0_GORGO	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla	#####	60.41	26	29	490	51.8	5.07	N
G3QWW0_GORG O	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla	278.98	8.09	3	3	482	53.7	7.39	N
G3RW31_GORG O	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla	4178.30	28.13	11	17	551	59.3	7.74	N
G5E513_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	2184.68	24.29	4	8	457	49.9	5.49	N
G5E5T5_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	2535.37	23.39	2	6	389	42.4	5.02	N
G5E604_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	465.43	21.50	2	2	107	11.1	7.99	N
H0WTJ3_OTOGA	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Otolemur garnettii (Small-eared	182.79	10.05	2	3	209	23.7	9.39	N
H2QHQ2_PANTR	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes	#####	14.25	2	20	1333	146.3	7.55	N
F1MN60_BOVIN	Uncharacterized protein;	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	755.37	7.26	5	5	1198	132.5	6.18	N

CL023_BOVIN	UPF0444 transmembrane	RecName: Full=UPF0444 transmembrane protein C12orf23	427.73	35.34	3	3	116	11.7	9.32	N
UGPA_BOVIN	UTP-glucose-1- phosphate uridylyltransferase	RecName: Full=UTP--glucose-1- phosphate uridylyltransferase; EC=2.7.7.9; AltName: Full=UDP-glucose pyrophosphorylase; Short=UDPGP; SubName: Full=Xanthine	752.04	11.02	4	4	508	56.9	7.88	N
G1AQP3_BUBBU	Xanthine dehydrogenase	dehydrogenase/oxidase; EC=1.17.1.4; ##### EC=1.17.3.2; - OS=Bubalus bubalis	69.22		6	85	1332	147.0	7.61	(D'Ambrosio et al., 2008)

The accession entry - the unique entry name that is assigned for a given protein according to the Uniprot database. The score - the summed score of all the identified peptides that match with a given protein in the database. The coverage - the percentage of the protein sequence covered by the identified peptides. The number of peptides - the total number of the identified peptides that match with the sequence of the given protein in the database. The number of unique peptides - the number of the identified peptides that are unique for the given protein. The score, coverage, number of unique peptides and number of peptides are generated by the Proteome Discoverer software (see method, section 2.7). The number of amino acids (Aas), molecular weight (MW) and isoelectric point (pI) are obtained by using the 'annotation' node in Proteome Discoverer which utilizes the ProteinCenter software (Thermo Scientific ProteinCenter) consisting of data from >20 public databases (Uniprot, NCBI, IPI etc.).

- na, A. (2004). Variability of milk fat globule membrane protein gene between cattle and riverine buffalo. *DNA Sequence*, 15 (5-6), 326-331.
- o milk fractions describing PTM of major species and the identification of minor components involved in nutrient delivery and defense against pathogens.
- 3). Characterization of human mucin (MUC15) and identification of ovine and caprine orthologs. *Journal of Dairy Science*, 91 (12), 4477-4483.

s.*Proteomics*, 8 (17), 3657-3666.

Supplementary Table 5. Bovine MFGM proteins identified by LC-MS analysis of combined in-gel and in-solution digest samples. Proteins having the code “N” in the last column have not previously been reported in the study of Le et al. (2013) for the bovine MFGM protein fraction while those having the code "Y" have been reported.

Accession entry	Protein name	Description	Score	Coverage	# Unique Peptides	# Peptides	# AAs	MW [kDa]	pI	Reported in literature
1433E_BOVIN	14-3-3 protein epsilon	RecName: Full=14-3-3 protein epsilon; Short=14-3-3E; - OS=Bos taurus (Bovine).	260.43	20.39	3	5	255	29.2	4.74	Y
1433Z_BOVIN	14-3-3 protein zeta/delta	RecName: Full=14-3-3 protein zeta/delta; AltName: Full=Factor activating exoenzyme S; Short=FAS; AltName: Full=Protein kinase C inhibitor protein 1; Short=KCIP-1; - OS=Bos taurus	691.1	25.31	3	5	245	27.7	4.79	Y
SEP15_BOVIN	15 kDa selenoprotein	RecName: Full=15 kDa selenoprotein; Flags: Precursor; - OS=Bos taurus (Bovine).	998.07	30.86	4	4	162	18	5.21	Y
A6H7D4_BOVIN	1-acylglycerol-3-phosphate O-acyltransferase 6	SubName: Full=1-acylglycerol-3-phosphate O-acyltransferase 6 (Lysophosphatidic acid acyltransferase, zeta); SubName: Full=Glycerol-3-phosphate acyltransferase 4; - OS=Bos taurus (Bovine).	1006.38	12.06	4	4	456	52.0	9.26	N
5NTD_BOVIN	5'-nucleotidase	RecName: Full=5'-nucleotidase; Short=5'-NT; EC=3.1.3.5; AltName: Full=Ecto-5'-nucleotidase; AltName: CD_antigen=CD73; Flags: Precursor; - OS=Bos taurus (Bovine).	2930.42	35.02	15	15	574	62.9	6.95	Y
GRP78_BOVIN	78 kDa glucose-regulated protein	RecName: Full=78 kDa glucose-regulated protein; Short=GRP-78; AltName: Full=Heat shock 70 kDa protein 5; Flags: Precursor; - OS=Bos taurus (Bovine).	381.97	8.55	2	4	655	72.4	5.16	N
ACACA_BOVIN	Acetyl-CoA carboxylase 1	RecName: Full=Acetyl-CoA carboxylase 1; Short=ACC1; EC=6.4.1.2; AltName: Full=ACC-alpha; Includes: RecName: Full=Biotin carboxylase; EC=6.3.4.14; - OS=Bos taurus (Bovine).	2116.29	12.92	24	24	2346	265.1	6.39	N
ACTG_BOVIN	Actin	RecName: Full=Actin, cytoplasmic 2; AltName: Full=Gamma-actin; Contains: RecName: Full=Actin, cytoplasmic 2, N-terminally processed; - OS=Bos taurus (Bovine).	3390.99	57.33	15	15	375	41.8	5.48	Y
Q0VCZ8_BOVIN	Acyl-CoA synthetase long-chain family	SubName: Full=Acyl-CoA synthetase long-chain family member 1; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	3366.98	27.75	17	17	699	78.2	7.21	Y

G9KHA2_MUSPF	Adipose differentiation-related protein	SubName: Full=Adipose differentiation-related protein; Flags: Fragment; - OS=Mustela putorius furo (European domestic ferret) (Mustela furo).	3801.15	17.91	2	7	402	43.8	7.44	N
ARF1_BOVIN	ADP-ribosylation factor 1	RecName: Full=ADP-ribosylation factor 1; - OS=Bos taurus (Bovine).	1241.39	58.56	5	8	181	20.7	6.80	Y
ARF4_BOVIN	ADP-ribosylation factor 4	RecName: Full=ADP-ribosylation factor 4; - OS=Bos taurus (Bovine).	1433.88	64.44	6	9	180	20.5	6.19	Y
ARF6_HUMAN	ADP-ribosylation factor 6	RecName: Full=ADP-ribosylation factor 6; - OS=Homo sapiens (Human).	207.43	18.29	3	3	175	20.1	8.95	Y
ARL15_BOVIN	ADP-ribosylation factor-like protein	RecName: Full=ADP-ribosylation factor-like protein 15; - OS=Bos taurus (Bovine).	587.03	19.31	3	3	202	22.6	5.62	Y
F6RC46_BOVIN	Aldehyde dehydrogenase	RecName: Full=Aldehyde dehydrogenase; - OS=Bos taurus (Bovine).	778.00	16.31	6	6	466	51.7	8.12	Y
GALM_BOVIN	Aldose 1-epimerase	RecName: Full=Aldose 1-epimerase; EC=5.1.3.3; AltName: Full=Galactose mutarotase; - OS=Bos taurus (Bovine).	726.88	13.45	3	3	342	37.6	6.33	Y
PPBT_BOVIN	Alkaline phosphatase	RecName: Full=Alkaline phosphatase, tissue-nonspecific isozyme; Short=AP-TNAP; Short=TNSALP; EC=3.1.3.1; AltName: Full=Alkaline phosphatase liver/bone/kidney isozyme; Flags: Precursor; - OS=Bos taurus (Bovine).	1264.29	12.02	5	5	524	57.2	6.77	Y
ACTN4_BOVIN	Alpha-actinin-4	RecName: Full=Alpha-actinin-4; AltName: Full=F-actin cross-linking protein; AltName: Full=Non-muscle alpha-actinin 4; - OS=Bos taurus (Bovine).	110.04	2.63	2	2	911	104.9	5.44	N
ENOA_BOVIN	Alpha-enolase	RecName: Full=Alpha-enolase; EC=4.2.1.11; AltName: Full=2-phospho-D-glycerate hydro-lyase; AltName: Full=Enolase 1; AltName: Full=HAP47; AltName: Full=Non-neural enolase; Short=NNE; AltName: Full=Phosphopyruvate hydratase; - OS=Bos taurus (Bovine).	210.01	10.60	3	3	434	47.3	6.80	Y
LALBA_BOVIN	Alpha-lactalbumin	RecName: Full=Alpha-lactalbumin; AltName: Full=Lactose synthase B protein; AltName: Allergen=Bos d 4; Flags: Precursor; - OS=Bos taurus (Bovine).	198.36	21.83	3	3	142	16.2	5.14	Y
CASA1_BOVIN	Alpha-S1-casein	RecName: Full=Alpha-S1-casein; AltName: Allergen=Bos d 8; Contains: RecName: Full=Antioxidant peptide; Flags: Precursor; - OS=Bos taurus (Bovine).	8201.08	51.87	7	11	214	24.5	5.02	Y

CASA2_BOVIN	Alpha-S2-casein	RecName: Full=Alpha-S2-casein; Contains: RecName: Full=Casocidin-1; AltName: Full=Casocidin-I; Flags: Precursor; - OS=Bos taurus	2325.94	48.20	7	7	222	26.0	8.43	Y
ANG1_BOVIN	Angiogenin-1	RecName: Full=Angiogenin-1; EC=3.1.27.-; Flags: Precursor; - OS=Bos taurus (Bovine).	73.25	20.95	2	2	148	17.0	8.85	Y
A2VDV1_BOVIN	Ankyrin repeat domain 22	SubName: Full=Ankyrin repeat domain 22; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	286.36	17.80	4	4	191	21.9	8.85	Y
ANXA1_BOVIN	Annexin A1	RecName: Full=Annexin A1; AltName: Full=Annexin I; AltName: Full=Annexin-1; AltName: Full=Calpactin II; AltName: Full=Calpactin-2; AltName: Full=Chromobindin-9; AltName: Full=Lipocortin I; AltName: Full=Phospholipase A2 inhibitory protein; AltName: Full=p35; - OS=Bos	3392.40	31.79	9	9	346	38.9	6.81	Y
ANX11_BOVIN	Annexin A11	RecName: Full=Annexin A11; AltName: Full=Annexin XI; AltName: Full=Annexin-11; AltName: Full=Calcyclin-associated annexin-50; Short=CAP-50; - OS=Bos taurus (Bovine).	570.04	9.54	4	4	503	54.0	7.65	Y
ANXA2_BOVIN	Annexin A2	RecName: Full=Annexin A2; AltName: Full=Annexin II; AltName: Full=Annexin-2; AltName: Full=Calpactin I heavy chain; AltName: Full=Calpactin-1 heavy chain; AltName: Full=Chromobindin-8; AltName: Full=Lipocortin II; AltName: Full=Placental anticoagulant protein IV; Short=PAP-IV; AltName: Full=Protein I; AltName: Full=p36; - OS=Bos taurus (Bovine).	2099.79	41.59	12	12	339	38.6	7.31	Y
ANXA4_BOVIN	Annexin A4	RecName: Full=Annexin A4; AltName: Full=35-beta calcimedlin; AltName: Full=Annexin IV; AltName: Full=Annexin-4; AltName: Full=Carbohydrate- binding protein p33/p41; AltName: Full=Chromobindin-4; AltName: Full=Endonexin I; AltName: Full=Lipocortin IV; AltName: Full=P32.5; AltName: Full=PP4-X; AltName: Full=Placental anticoagulant protein II; Short=PAP-II; AltName: Full=Protein II; - OS=Bos taurus (Bovine).	1436.24	29.47	7	7	319	35.9	5.72	Y

ANXA5_BOVIN	Annexin A5	RecName: Full=Annexin A5; AltName: Full=Anchorin CII; AltName: Full=Annexin V; AltName: Full=Annexin-5; AltName: Full=Calphobindin I; Short=CBP-I; AltName: Full=Endonexin II; AltName: Full=Lipocortin V; AltName: Full=Placental anticoagulant protein 4; AltName: Full=Placental anticoagulant protein I; Short=PAP-I; AltName: Full=Thromboplastin inhibitor; AltName: Full=Vascular anticoagulant-alpha; Short=VAC-alpha; - OS=Bos taurus (Bovine)	2175.85	56.39	13	13	321	36.1	4.96	Y
ANXA7_BOVIN	Annexin A7	RecName: Full=Annexin A7; AltName: Full=Annexin VII; AltName: Full=Annexin-7; AltName: Full=Synexin; - OS=Bos taurus (Bovine).	292.46	6.26	3	3	463	49.9	6.80	N
APOA1_BOVIN	Apolipoprotein A-I	RecName: Full=Apolipoprotein A-I; Short=Apo-AI; Short=ApoA-I; AltName: Full=Apolipoprotein A1; Contains: RecName: Full=Truncated apolipoprotein A-I; Flags: Precursor; - OS=Bos	956.47	27.17	6	6	265	30.3	5.97	Y
APOA2_BOVIN	Apolipoprotein A-II	RecName: Full=Apolipoprotein A-II; Short=Apo-AII; Short=ApoA-II; AltName: Full=Antimicrobial peptide BAMP-1; AltName: Full=Apolipoprotein A2; Contains: RecName: Full=Apolipoprotein A-II(1-76); Flags: Precursor; - OS=Bos taurus (Bovine).	201.08	27.00	3	3	100	11.2	8.10	N
APOE_BOVIN	Apolipoprotein E	RecName: Full=Apolipoprotein E; Short=Apo-E; Flags: Precursor; - OS=Bos taurus (Bovine).	3658.68	43.04	13	13	316	36.0	5.67	Y
ATPB_BOVIN	ATP synthase subunit beta	RecName: Full=ATP synthase subunit beta, mitochondrial; EC=3.6.3.14; Flags: Precursor; - OS=Bos taurus (Bovine).	546.72	10.98	4	4	528	56.2	5.27	N
ABCG2_BOVIN	ATP-binding cassette sub-family G member 2	RecName: Full=ATP-binding cassette sub-family G member 2; AltName: CD_antigen=CD338; - OS=Bos taurus (Bovine).	9068.21	42.44	23	23	655	72.7	8.66	Y
Q3ZBX0_BOVIN	Basigin	SubName: Full=Basigin; SubName: Full=Basigin isoform 2; SubName: Full=RPE7 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	108.31	9.96	2	2	271	29.8	5.94	N
Q6VUQ8_BOVIN	Beta-2-microglobulin	SubName: Full=Beta-2-microglobulin; Flags: Fragment; - OS=Bos taurus (Bovine).	213.65	17.91	2	2	67	7.9	6.76	N

CASB_BOVIN	Beta-casein	RecName: Full=Beta-casein; Contains: RecName: Full=Casoparan; Contains: RecName: Full=Antioxidant peptide; Contains: RecName: Full=Casohypotensin; Flags: Precursor; - OS=Bos taurus (Bovine).	4483.11	26.34	3	3	224	25.1	5.35	Y
BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	RecName: Full=Butyrophilin subfamily 1 member A1; Short=BT; Flags: Precursor; - OS=Bos taurus (Bovine).	27482.31	63.31	15	31	526	59.2	5.20	Y
CHP1_BOVIN	Calcineurin B homologous protein 1	RecName: Full=Calcineurin B homologous protein 1; AltName: Full=Calcineurin B-like protein; AltName: Full=Calcium-binding protein CHP; AltName: Full=Calcium-binding protein p22; AltName: Full=EF-hand calcium-binding domain-containing protein p22; - OS=Bos taurus (Bovine). SubName: Full=CALR protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1407.72	36.41	5	5	195	22.4	5.10	Y
A5D7J6_BOVIN	CALR protein	SubName: Full=Cathelicidin 7; - OS=Bos taurus (Bovine).	277.03	9.83	2	2	417	48.1	4.48	N
B9TUC9_BOVIN	Cathelicidin 7	RecName: Full=Cathelicidin-1; AltName: Full=Bactenecin-1; Short=Bac1; AltName: Full=Cyclic dodecapeptide; Flags: Precursor; - OS=Bos taurus (Bovine).	193.95	20.00	3	3	165	18.8	8.76	Y
CTHL1_BOVIN	Cathelicidin-1	SubName: Full=CD5L protein; - OS=Bos taurus (Bovine).	1369.46	38.06	6	6	155	17.6	7.65	Y
A6QNW7_BOVIN	CD5L protein	RecName: Full=CD81 antigen; AltName: CD_antigen=CD81; - OS=Bos taurus (Bovine). SubName: Full=CD9 antigen; Flags: Fragment; - OS=Bos taurus (Bovine).	1389.78	17.74	7	7	451	50.2	5.39	N
CD81_BOVIN	CD81 antigen	SubName: Full=CDC42 protein; - OS=Bos taurus (Bovine).	664.93	25.00	3	3	236	25.8	5.52	N
G8JKX6_BOVIN	CD9 antigen	SubName: Full=cDNA FLJ36533 fis, clone TRACH2004428, highly similar to Lactotransferrin (EC 3.4.21.-); Flags: Fragment; - OS=Homo sapiens (Human).	439.18	19.12	2	2	204	22.7	5.59	N
B6VAP7_BOVIN	CDC42 protein	RecName: Full=cGMP-dependent protein kinase; EC=2.7.11.12; - OS=Bos taurus (Bovine).	311.72	19.90	2	3	191	21.2	5.67	N
B3KSL2_HUMAN	cDNA FLJ36533 fis	SubName: Full=CIDEA protein; - OS=Bos taurus (Bovine).	322.06	8.32	4	4	697	76.7	8.02	N
D5HSX1_BOVIN	cGMP-dependent protein kinase		293.88	7.74	4	4	762	87.1	8.47	Y
A4FUX1_BOVIN	CIDEA protein		1421.58	30.59	5	6	219	24.5	9.32	Y

CLHC1_BOVIN	Clathrin heavy chain 1	RecName: Full=Clathrin heavy chain 1; - OS=Bos taurus (Bovine). RecName: Full=Clusterin; AltName: Full=Glycoprotein III; Short=GpIII; Contains:	174.27	1.49	2	2	1675	191.5	5.69	N
CLUS_BOVIN	Clusterin	RecName: Full=Clusterin beta chain; Contains: RecName: Full=Clusterin alpha chain; Flags: Precursor; - OS=Bos taurus (Bovine).	1259.29	21.64	7	7	439	51.1	6.04	N
COF1_BOVIN	Cofilin-1	RecName: Full=Cofilin-1; AltName: Full=Cofilin, non-muscle isoform; - OS=Bos taurus (Bovine). RecName: Full=Complement C3; Contains: RecName: Full=Complement C3 beta chain; Contains: RecName: Full=Complement C3 alpha chain; Contains: RecName: Full=C3a anaphylatoxin; Contains: RecName: Full=Complement C3b alpha' chain; Contains: RecName: Full=Complement C3c alpha' chain fragment 1; Contains: RecName: Full=Complement C3dg fragment; Contains: RecName: Full=Complement C3g fragment; Contains: RecName: Full=Complement C3d fragment; Contains: RecName: Full=Complement C3f fragment; Contains: RecName: Full=Complement C3c alpha' chain fragment 2; Flags: Precursor; -	606.4	38.55	5	5	166	18.5	8.00	Y
CO3_BOVIN	Complement C3	SubName: Full=Complement component 4 binding protein, alpha chain; - OS=Bos taurus (Bovine).	2679.76	19.99	25	25	1661	187.1	6.84	Y
A5D9D2_BOVIN	Complement component 4	SubName: Full=Complement regulatory protein variant 3; - OS=Bos taurus (Bovine).	160.81	6.39	3	3	610	68.9	6.38	N
F6K7I9_BOVIN	Complement regulatory protein	SubName: Full=Cumulus cell-specific fibronectin 1 transcript variant; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine). RecName: Full=Cytoplasmic aconitase hydratase; Short=Aconitase; EC=4.2.1.3; AltName: Full=Citrate hydro-lyase; AltName: Full=Iron-responsive element-binding protein 1; Short=IRE-BP 1; - OS=Bos taurus (Bovine).	575.16	8.15	2	2	368	40.1	6.49	N
B8Y9T0_BOVIN	Cumulus cell-specific fibronectin 1 transcript variant	SubName: Full=Dehydrogenase/reductase (SDR family) member 1; SubName: Full=Uncharacterized protein; - OS=Bos taurus	1761.80	12.61	10	19	2268	249.0	5.63	N
ACOC_BOVIN	Cytoplasmic aconitase hydratase		287.44	5.85	4	4	889	98.1	7.97	N
Q2KIS4_BOVIN	Dehydrogenase/reductase (SDR family) member 1		2767.99	45.83	10	10	312	34.0	8.37	Y

DCD_HUMAN	Dermcidin	RecName: Full=Dermcidin; EC=3.4.-.-; AltName: Full=Preproteolysin; Contains: RecName: Full=Survival-promoting peptide; Contains: RecName: Full=DCD-1; Flags: Precursor; - OS=Homo sapiens (Human). RecName: Full=Ectonucleotide pyrophosphatase/phosphodiesterase family member 3; Short=E-NPP 3; AltName: Full=Phosphodiesterase I beta; Short=PD-Ibeta; AltName: Full=Phosphodiesterase I/nucleotide pyrophosphatase 3; AltName: CD_antigen=CD203c; Includes: RecName: Full=Alkaline phosphodiesterase I; EC=3.1.4.1; Includes: RecName: Full=Nucleotide pyrophosphatase; Short=NPPase; EC=3.6.1.9; -	246.32	22.73	3	3	110	11.3	6.54	N
ENPP3_BOVIN	Ectonucleotide pyrophosphatase	RecName: Full=EH domain-containing protein 1; - OS=Bos taurus (Bovine). SubName: Full=ELA2 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine). RecName: Full=Elongation factor 1-alpha 1; Short=EF-1-alpha-1; AltName: Full=Elongation factor Tu; Short=EF-Tu; AltName: Full=Eukaryotic elongation factor 1 A-1; Short=eEF1A-1; - OS=Bos taurus (Bovine).	2093.98	20.37	13	13	874	99.5	5.96	Y
EHD1_BOVIN	EH domain-containing protein	RecName: Full=Elongation factor 2; Short=EF-2; - OS=Bos taurus (Bovine). RecName: Full=Endoplasmin; AltName: Full=94 kDa glucose-regulated protein; Short=GRP-94; AltName: Full=Heat shock protein 90 kDa beta member 1; Flags: Precursor; - OS=Bos taurus (Bovine).	89.82	4.49	2	2	534	60.6	6.83	N
A6QPP7_BOVIN	ELA2 protein	RecName: Full=Extracellular glycoprotein lacritin; Flags: Precursor; - OS=Homo sapiens (Human). RecName: Full=Ezrin; AltName: Full=Cytovillin; AltName: Full=Villin-2; AltName: Full=p81; - OS=Bos taurus (Bovine).	451.67	13.11	3	3	267	28.9	11.31	N
EF1A1_BOVIN	Elongation factor 1-alpha 1		1210.11	25.11	7	7	462	50.1	9.01	Y
EF2_BOVIN	Elongation factor 2		547.94	0.09	6	6	858	95.3	6.83	N
ENPL_BOVIN	Endoplasmin		638.89	8.21	6	6	804	92.4	4.84	N
LACRT_HUMAN	Extracellular glycoprotein lacritin		115.70	16.67	2	2	138	14.2	5.50	N
EZRI_BOVIN	Ezrin		119.25	4.65	3	3	581	68.7	6.42	Y

FABPH_BOSMU	Fatty acid-binding protein	RecName: Full=Fatty acid-binding protein, heart; AltName: Full=Fatty acid-binding protein 3; AltName: Full=Heart-type fatty acid-binding protein; Short=H-FABP; - OS=Bos mutus grunniens (Wild yak) (Bos grunniens). SubName: Full=FGG protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1931.68	51.88	6	6	133	14.8	7.34	Y
Q3SZZ9_BOVIN	FGG protein	SubName: Full=FGR protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	741.62	25.29	8	8	435	49.1	5.87	N
A5PKG9_BOVIN	FGR protein	SubName: Full=Fibrinogen alpha chain; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	606.74	10.06	3	3	527	59.3	5.64	Y
A5PJE3_BOVIN	Fibrinogen alpha chain	SubName: Full=Fibrinogen beta chain; - OS=Bos taurus (Bovine).	1537.81	11.38	5	5	615	67.0	7.02	N
F1MAV0_BOVIN	Fibrinogen beta chain	RecName: Full=Fructose-bisphosphate aldolase; EC=4.1.2.13; - OS=Bos taurus (Bovine). RecName: Full=Gelsolin; AltName: Full=Actin-depolymerizing factor; Short=ADF; AltName: Full=Brevin; Contains: RecName: Full=Gelsolin, N-terminally processed; - OS=Bos taurus (Bovine). SubName: Full=GLI pathogenesis-related 2; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1484.71	32.73	14	14	495	56.4	8.22	N
A6QLL8_BOVIN	Fructose-bisphosphate	RecName: Full=Glyceraldehyde-3-phosphate dehydrogenase; Short=GAPDH; EC=1.2.1.12; AltName: Full=Peptidyl-cysteine S-nitrosylase GAPDH; EC=2.6.99.-; - OS=Bos taurus (Bovine). SubName: Full=Glycerol-3-phosphate acyltransferase 1, mitochondrial; - OS=Bos taurus (Bovine).	112.10	9.34	2	2	364	39.4	8.19	N
GELS_BOVIN	Gelsolin	RecName: Full=Glycosylation-dependent cell adhesion molecule 1; Short=GlyCAM-1; AltName: Full=28 kDa milk glycoprotein PP3; AltName: Full=Lactophorin; AltName: Full=Proteose-peptone component 3; Short=PP3; Flags: Precursor; - OS=Bos taurus (Bovine).	190.92	5.20	3	3	731	80.7	5.78	N
Q0VCH9_BOVIN	GLI pathogenesis-related 2		212.09	16.88	2	2	154	17.2	9.50	Y
G3P_BOVIN	Glyceraldehyde-3-phosphate dehydrogenase		1203.88	18.02	4	4	333	35.8	8.35	Y
F1MDT6_BOVIN	Glycerol-3-phosphate acyltransferase 1		196.87	3.52	2	2	825	93.2	7.84	N
GLCM1_BOVIN	Glycosylation-dependent cell adhesion molecule 1		3221.87	39.87	10	10	153	17.1	6.68	Y

A7MBH9_BOVIN	GNAI2 protein	SubName: Full=GNAI2 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1075.28	33.24	5	9	355	40.5	5.54	Y
Q2HJI6_BOVIN	Granulin	SubName: Full=Granulin; - OS=Bos taurus (Bovine). RecName: Full=GTP-binding protein Rheb;	177.3	10.39	2	2	587	63	7.50	N
RHEB_BOVIN	GTP-binding protein Rheb	AltName: Full=Ras homolog enriched in brain; Flags: Precursor; - OS=Bos taurus (Bovine). RecName: Full=GTP-binding protein SAR1a; - OS=Bos taurus (Bovine).	714.67	14.13	2	2	184	20.5	6.80	N
SAR1A_BOVIN	GTP-binding protein SAR1a	RecName: Full=GTP-binding protein SAR1b; - OS=Bos taurus (Bovine).	679.88	27.27	2	4	198	22.4	6.68	Y
SAR1B_BOVIN	GTP-binding protein SAR1b	RecName: Full=GTP-binding protein SAR1b; - OS=Bos taurus (Bovine).	218.64	29.80	2	4	198	22.4	6.11	Y
Q3ZCA7_BOVIN	Guanine nucleotide binding protein (G protein), alpha inhibiting activity	SubName: Full=Guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 3; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1023	31.92	6	10	354	40.5	5.69	Y
A5A755_PIG	Guanine nucleotide-binding protein	SubName: Full=Guanine nucleotide-binding protein; Flags: Fragment; - OS=Sus scrofa (Pig). RecName: Full=Guanine nucleotide-binding protein G(i) subunit alpha-1; AltName: Full=Adenylate cyclase-inhibiting G alpha protein; - OS=Bos taurus (Bovine).	805.90	22.63	4	6	358	42.0	5.68	N
GNAI1_BOVIN	Guanine nucleotide-binding protein G(i) subunit alpha-1	RecName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-12; AltName: Full=Gamma-S1; Flags: Precursor; - OS=Bos taurus (Bovine).	511.94	19.77	2	6	354	40.3	5.97	Y
GBG12_BOVIN	Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-12	RecName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1; AltName: Full=Transducin beta chain 1; - OS=Bos taurus (Bovine).	96.02	34.72	2	2	72	8.1	8.97	Y
GBB1_BOVIN	Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1	RecName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-2; AltName: Full=G protein subunit beta-2; AltName: Full=Transducin beta chain 2; - OS=Bos taurus	1961.19	41.76	6	10	340	37.4	6.00	Y
GBB2_BOVIN	Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-2	RecName: Full=Guanine nucleotide-binding protein G(s) subunit alpha isoforms short; AltName: Full=Adenylate cyclase-stimulating G alpha protein; - OS=Bos taurus (Bovine).	2094.98	37.94	5	9	340	37.3	6.00	Y
GNAS2_BOVIN	Guanine nucleotide-binding protein G(s) subunit alpha isoforms short		647.11	21.07	7	8	394	45.7	5.71	Y

GNA11_BOVIN	Guanine nucleotide-binding protein subunit alpha-11	RecName: Full=Guanine nucleotide-binding protein subunit alpha-11; Short=G alpha-11; Short=G-protein subunit alpha-11; AltName: Full=G-protein subunit GL2 alpha; - OS=Bos taurus	799.89	15.60	3	5	359	42.0	6.16	Y
G3X6K8_BOVIN	Haptoglobin beta chain	SubName: Full=Haptoglobin beta chain; - OS=Bos taurus (Bovine).	859.62	16.71	5	5	401	44.8	7.71	N
HSP7C_BOVIN	Heat shock cognate 71 kDa protein	RecName: Full=Heat shock cognate 71 kDa protein; AltName: Full=Heat shock 70 kDa protein 8; - OS=Bos taurus (Bovine).	1174.98	23.69	9	11	650	71.2	5.52	Y
HSPB1_BOVIN	Heat shock protein beta-1	RecName: Full=Heat shock protein beta-1; Short=HspB1; AltName: Full=Heat shock 27 kDa protein; Short=HSP 27; - OS=Bos taurus (Bovine).	1065.41	43.28	5	5	201	22.4	6.40	Y
HS90A_BOVIN	Heat shock protein HSP 90-alpha	RecName: Full=Heat shock protein HSP 90-alpha; - OS=Bos taurus (Bovine).	467.02	11.73	7	7	733	84.7	5.01	N
HEBP1_BOVIN	Heme-binding protein 1	RecName: Full=Heme-binding protein 1; - OS=Bos taurus (Bovine).	314.31	14.66	2	2	191	21.2	5.48	N
Q2KII3_BOVIN	Hepatitis A virus cellular receptor 1 N-terminal domain containing protein	SubName: Full=Hepatitis A virus cellular receptor 1 N-terminal domain containing protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	701.78	29.01	3	3	131	14.9	6.10	Y
G5BSE8_HETGA	Histone H2A	RecName: Full=Histone H2A; - OS=Heterocephalus glaber (Naked mole rat).	1164.89	25.18	6	6	274	29.6	10.93	N
HORN_HUMAN	Hornerin	RecName: Full=Hornerin; - OS=Homo sapiens (Human).	1495.95	14.21	13	13	2850	282.2	10.04	N
A4FUD2_BOVIN	HSD17B7 protein	SubName: Full=HSD17B7 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1789.12	32.04	7	7	334	37.6	8.29	N
Q3SYR8_BOVIN	Immunoglobulin J chain	SubName: Full=Immunoglobulin J chain; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1073.43	46.50	4	4	157	17.8	5.22	N
Q1RMN8_BOVIN	Immunoglobulin light chain, lambda	SubName: Full=Immunoglobulin light chain, lambda gene cluster; - OS=Bos taurus (Bovine). RecName: Full=Isocitrate dehydrogenase [NADP] cytoplasmic; Short=IDH; EC=1.1.1.42; AltName: Full=Cytosolic NADP-isocitrate dehydrogenase; AltName: Full=IDP; AltName: Full=NADP(+)-specific ICDH; AltName: Full=Oxalosuccinate decarboxylase; - OS=Ovis aries (Sheep).	3445.64	36.75	4	6	234	24.5	7.62	Y
IDHC_SHEEP	Isocitrate dehydrogenase [NADP] cytoplasmic		818.13	27.78	9	9	414	46.8	6.80	Y

CASK_BOVIN	Kappa-casein	RecName: Full=Kappa-casein; Contains: RecName: Full=Casoxin-C; Contains: RecName: Full=Casoxin-6; Contains: RecName: Full=Casoxin-A; Contains: RecName: Full=Casoxin-B; Contains: RecName: Full=Casoplatelin; Flags: Precursor; - OS=Bos taurus (Bovine).	1718.06	45.79	5	5	190	21.3	6.77	Y
MFGM_BOVIN	Lactadherin	RecName: Full=Lactadherin; AltName: Full=BP47; AltName: Full=Components 15/16; AltName: Full=MFGM; AltName: Full=MGP57/53; AltName: Full=Milk fat globule-EGF factor 8; Short=MFG-E8; AltName: Full=PAS-6/PAS-7 glycoprotein;	19069.14	72.83	19	32	427	47.4	7.15	Y
C7FE01_BOVIN	Lactoferrin	AltName: Full=SED1; AltName: Full=Sperm surface protein SP47; Flags: Precursor; - OS=Bos taurus SubName: Full=Lactoferrin; Flags: Fragment; - OS=Bos taurus (Bovine).	7877.98	59.86	37	37	690	76.2	8.29	Y
PERL_BOVIN	Lactoperoxidase	RecName: Full=Lactoperoxidase; Short=LPO; EC=1.11.1.7; Flags: Precursor; - OS=Bos taurus (Bovine).	1032.61	7.72	4	4	712	80.6	8.54	Y
ERG7_BOVIN	Lanosterol synthase	RecName: Full=Lanosterol synthase; EC=5.4.99.7; AltName: Full=2,3-epoxysqualene--lanosterol cyclase; AltName: Full=Oxidosqualene--lanosterol cyclase; Short=OSC; - OS=Bos taurus (Bovine).	1835.99	25.41	15	15	732	83.1	6.83	Y
LRC8C_BOVIN	Leucine-rich repeat-containing protein	RecName: Full=Leucine-rich repeat-containing protein 8C; - OS=Bos taurus (Bovine).	603.67	6.35	4	4	803	92.3	7.72	N
CD47_BOVIN	Leukocyte surface antigen CD47	RecName: Full=Leukocyte surface antigen CD47; AltName: Full=Integrin-associated protein; Short=IAP; AltName: CD_antigen=CD47; Flags: Precursor; - OS=Bos taurus (Bovine).	158.14	4.62	2	2	303	33.3	8.43	N
LBP_BOVIN	Lipopolysaccharide-binding protein	RecName: Full=Lipopolysaccharide-binding protein; Short=LBP; Flags: Precursor; - OS=Bos taurus (Bovine).	264.93	6.24	2	2	481	53.7	7.09	N
LIPL_BOVIN	Lipoprotein lipase	RecName: Full=Lipoprotein lipase; Short=LPL; EC=3.1.1.34; Flags: Precursor; - OS=Bos taurus (Bovine).	1091.4	15.27	5	5	478	53.3	8.51	Y
H2R791_PANTR	Lysozyme C	SubName: Full=Lysozyme C; - OS=Pan troglodytes (Chimpanzee).	379.51	40.94	3	3	127	14.0	8.90	N
B5B0D4_BOVIN	Major allergen beta-lactoglobulin	SubName: Full=Major allergen beta-lactoglobulin; - OS=Bos taurus (Bovine).	4014.29	69.66	11	11	178	20.0	4.94	N

Q3SX32_BOVIN	Mannose 6 phosphate receptor binding protein 1	SubName: Full=Mannose 6 phosphate receptor binding protein 1; SubName: Full=Mannose-6-phosphate receptor binding protein 1; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2242.41	42.47	11	11	438	47.6	6.13	Y
METL9_BOVIN	Methyltransferase-like protein 9	RecName: Full=Methyltransferase-like protein 9; Flags: Precursor; - OS=Bos taurus (Bovine).	311.57	15.09	4	4	318	36.5	7.71	Y
G5CC03_CAPHI	Milk fat globule EGF factor 8 protein Monocyte	SubName: Full=Milk fat globule EGF factor 8 protein; Flags: Fragment; - OS=Capra hircus (Goat). RecName: Full=Monocyte differentiation antigen	10427.05	35.43	2	15	398	44.6	7.49	N
A8DBT6_BOVIN	differentiation antigen CD14	CD14; AltName: Full=Myeloid cell-specific leucine-rich glycoprotein; - OS=Bos taurus (Bovine). SubName: Full=MPO protein; SubName:	1332.28	20.64	4	4	373	39.6	5.41	Y
A6QPT4_BOVIN	MPO protein	Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	78.77	3.06	2	2	719	81.8	9.86	N
MUC1_BOVIN	Mucin-1	RecName: Full=Mucin-1; Short=MUC-1; AltName: CD_antigen=CD227; Contains: RecName: Full=Mucin-1 subunit alpha; Short=MUC1-NT; Short=MUC1-alpha; Contains: RecName: Full=Mucin-1 subunit beta; Short=MUC1-beta; AltName: Full=MUC1-CT; Flags: Precursor; -	593.74	16.38	7	7	580	58.1	7.28	Y
G5E6S0_BOVIN	Mucin-15	SubName: Full=Mucin-15; - OS=Bos taurus	361.41	8.57	3	3	280	30.2	4.74	Y
F2FB38_BOVIN	Mucin-16	SubName: Full=Mucin-16; - OS=Bos taurus	1030.68	2.04	8	8	5049	531.6	5.50	N
Q8MKB7_BOVIN	Na+/glucose cotransporter	SubName: Full=Na+/glucose cotransporter; - OS=Bos taurus (Bovine). RecName: Full=NADH-cytochrome b5 reductase 3; Short=B5R; Short=Cytochrome b5 reductase; EC=1.6.2.2; AltName: Full=Diaphorase-1; Contains:	880.75	7.53	4	4	664	73	7.27	N
NB5R3_BOVIN	NADH-cytochrome b5 reductase 3	RecName: Full=NADH-cytochrome b5 reductase 3 membrane-bound form; Contains: RecName: Full=NADH-cytochrome b5 reductase 3 soluble form: - OS=Bos taurus (Bovine). SubName: Full=NAPA protein; SubName:	1388.35	30.23	7	7	301	34.1	7.28	Y
A5D7S0_BOVIN	NAPA protein	Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	775.42	28.14	7	7	295	33.2	5.36	N
Q3SZQ1_BOVIN	Nicestrin	SubName: Full=Nicestrin; - OS=Bos taurus SubName: Full=P4HB protein; SubName:	171.17	2.65	2	2	717	79	5.69	N
A6H7J6_BOVIN	P4HB protein	Full=Prolyl 4-hydroxylase, beta subunit; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	368.86	17.06	7	7	510	57.2	4.91	N

PLPL2_BOVIN	Patatin-like phospholipase domain-containing protein 2	RecName: Full=Patatin-like phospholipase domain-containing protein 2; EC=3.1.1.3; AltName: Full=Adipose triglyceride lipase; - OS=Bos taurus (Bovine).	184.66	5.56	2	2	486	53.4	7.37	N
GIPC2_BOVIN	PDZ domain-containing protein	RecName: Full=PDZ domain-containing protein GIPC2; - OS=Bos taurus (Bovine).	236.64	10.22	3	3	313	34.5	6.15	Y
PGRP1_BOVIN	Peptidoglycan recognition protein 1	RecName: Full=Peptidoglycan recognition protein 1; AltName: Full=Oligosaccharide-binding protein; Short=OBP; AltName: Full=Peptidoglycan recognition protein short; Short=PGRP-S; Flags: Precursor; - OS=Bos taurus (Bovine).	418.92	24.21	3	3	190	21	9.50	N
PPIA_BOVIN	Peptidyl-prolyl cis-trans isomerase A	RecName: Full=Peptidyl-prolyl cis-trans isomerase A; Short=PPIase A; EC=5.2.1.8; AltName: Full=Cyclophilin A; AltName: Full=Cyclosporin A-binding protein; AltName: Full=Rotamase A; - OS=Bos taurus (Bovine).	1507.31	66.46	11	11	164	17.9	8.16	Y
F1N1N6_BOVIN	Perilipin-2	SubName: Full=Perilipin-2; - OS=Bos taurus (Bovine).	28517.30	74.44	29	34	450	49.3	8.56	Y
PRDX1_BOVIN	Peroxiredoxin-1	RecName: Full=Peroxiredoxin-1; EC=1.11.1.15; - OS=Bos taurus (Bovine).	267.86	10.55	2	2	199	22.2	8.40	Y
CD36_BOVIN	Platelet glycoprotein 4	RecName: Full=Platelet glycoprotein 4; AltName: Full=Glycoprotein IIIB; Short=GPIIB; AltName: Full=PAS IV; AltName: Full=PAS-4; AltName: Full=Platelet glycoprotein IV; Short=GPIV; AltName: CD antigen=CD36; - OS=Bos taurus	2251.62	17.58	8	8	472	52.9	8.10	Y
PIGR_BOVIN	Polymeric immunoglobulin receptor	RecName: Full=Polymeric immunoglobulin receptor; Short=PIgR; Short=Poly-Ig receptor; Contains: RecName: Full=Secretory component; Flags: Precursor; - OS=Bos taurus (Bovine).	12770.19	43.33	7	28	757	82.4	7.27	Y
Q6QRN7_BOVIN	PP1201 protein	SubName: Full=PP1201 protein; SubName: Full=Responsive to centrifugal force and shear; SubName: Full=Transmembrane BAX inhibitor motif containing 1; SubName: Full=Uncharacterized protein; - OS=Bos taurus	771.34	4.87	2	2	308	33.9	8.40	Y
E1BHJ0_BOVIN	Profilin	RecName: Full=Profilin; - OS=Bos taurus (Bovine).	265.93	30.00	3	3	140	15.0	8.28	Y
PGFS_BOVIN	Prostamide/prostaglandin F synthase	RecName: Full=Prostamide/prostaglandin F synthase; Short=Prostamide/PF synthase; Short=Prostamide/PGF synthase; EC=1.11.1.20; - OS=Bos taurus (Bovine).	166.47	12.44	2	2	201	21.5	6.33	Y

E1BLI9_BOVIN	Protein S100-A9	SubName: Full=Protein S100-A9; - OS=Bos taurus (Bovine).	676.49	19.73	3	3	147	16.4	6.80	N
A5D7Q2_BOVIN	Putative uncharacterized	SubName: Full=Putative uncharacterized protein; - OS=Bos taurus (Bovine).	4953.72	36.55	12	12	487	51.6	6.62	Y
D2H304_AILME	Putative uncharacterized protein	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	582.94	22.35	2	3	179	19.7	5.39	N
D2I2S4_AILME	Putative uncharacterized protein	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	363.93	20.11	3	3	189	21.2	5.31	N
PDXK_BOVIN	Pyridoxal kinase	RecName: Full=Pyridoxal kinase; EC=2.7.1.35; AltName: Full=Pyridoxine kinase; - OS=Bos taurus (Bovine).	515.95	25.96	5	5	312	34.8	5.94	Y
A5D984_BOVIN	Pyruvate kinase	RecName: Full=Pyruvate kinase; EC=2.7.1.40; - OS=Bos taurus (Bovine).	71.14	6.40	2	2	531	57.9	7.85	Y
GDIB_BOVIN	Rab GDP dissociation inhibitor beta	RecName: Full=Rab GDP dissociation inhibitor beta; Short=Rab GDI beta; AltName: Full=Guanosine diphosphate dissociation inhibitor 2; Short=GDI-2; - OS=Bos taurus (Bovine).	254.19	11.46	4	4	445	50.5	6.25	N
Q1JPH2_BOVIN	Ras related v-ral simian leukemia viral oncogene	SubName: Full=Ras related v-ral simian leukemia viral oncogene homolog A; Flags: Fragment; - OS=Bos taurus (Bovine).	351.11	33.33	4	4	183	20.8	4.92	Y
RAC1_BOVIN	Ras-related C3 botulinum toxin substrate 1	RecName: Full=Ras-related C3 botulinum toxin substrate 1; AltName: Full=p21-Rac1; Flags: Precursor; - OS=Bos taurus (Bovine).	412.97	26.04	4	5	192	21.4	8.50	Y
I6L590_PONAB	Ras-related protein Rab-10	SubName: Full=Ras-related protein Rab-10; - OS=Pongo abelii (Sumatran orangutan) (Pongo pygmaeus abelii).	942.57	22.61	2	4	199	22.4	8.38	N
RB11A_BOVIN	Ras-related protein Rab-11A	RecName: Full=Ras-related protein Rab-11A; Flags: Precursor; - OS=Bos taurus (Bovine).	799.76	31.48	5	6	216	24.5	6.57	Y
RAB13_BOVIN	Ras-related protein Rab-13	RecName: Full=Ras-related protein Rab-13; Flags: Precursor; - OS=Bos taurus (Bovine).	611.44	0.22	2	4	203	23	9.29	N
RAB18_BOVIN	Ras-related protein Rab-18	RecName: Full=Ras-related protein Rab-18; Flags: Precursor; - OS=Bos taurus (Bovine).	3754.16	58.74	10	10	206	23	5.24	Y
RAB25_BOVIN	Ras-related protein Rab-25	RecName: Full=Ras-related protein Rab-25; Flags: Precursor; - OS=Bos taurus (Bovine).	132.79	13.62	2	3	213	23.5	6.35	Y
F1LP82_RAT	Ras-related protein Rab-2A	SubName: Full=Ras-related protein Rab-2A; - OS=Rattus norvegicus (Rat).	1492.26	38.68	6	6	212	23.5	6.54	N
RAB5C_BOVIN	Ras-related protein Rab-5C	RecName: Full=Ras-related protein Rab-5C; - OS=Bos taurus (Bovine).	1196.57	43.52	5	6	216	23.5	8.41	Y

RAB6B_BOVIN	Ras-related protein Rab-6B	RecName: Full=Ras-related protein Rab-6B; - OS=Bos taurus (Bovine).	469.6	16.35	2	3	208	23.4	5.53	Y
RAP1A_BOVIN	Ras-related protein Rap-1A	RecName: Full=Ras-related protein Rap-1A; AltName: Full=GTP-binding protein smg p21A; Flags: Precursor; - OS=Bos taurus (Bovine).	1075.31	33.15	5	5	184	21	6.67	Y
RAP2C_BOVIN	Ras-related protein Rap-2c	RecName: Full=Ras-related protein Rap-2c; Flags: Precursor; - OS=Bos taurus (Bovine).	124.86	16.39	3	3	183	20.7	4.94	Y
Q2TBH2_BOVIN	Related RAS viral (R-ras) oncogene homolog Rho GDP-dissociation inhibitor 1	SubName: Full=Related RAS viral (R-ras) oncogene homolog; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	924.41	29.36	5	5	218	23.6	6.93	Y
GDIR1_BOVIN	Rho-related GTP-binding protein RhoC	RecName: Full=Rho GDP-dissociation inhibitor 1; Short=Rho GDI 1; AltName: Full=Rho-GDI alpha; - OS=Bos taurus (Bovine).	469.43	23.53	3	3	204	23.4	5.20	Y
RHOC_BOVIN	Rho-related GTP-binding protein RhoF	RecName: Full=Rho-related GTP-binding protein RhoC; Flags: Precursor; - OS=Bos taurus (Bovine).	1337.42	31.61	5	5	193	22	6.58	Y
RHOF_BOVIN	Rho-related GTP-binding protein Saccharopine dehydrogenase-like	RecName: Full=Rho-related GTP-binding protein RhoF; Flags: Precursor; - OS=Bos taurus (Bovine).	510.48	27.91	3	3	215	23.8	8.34	Y
SCPDL_BOVIN	Saccharopine dehydrogenase-like	RecName: Full=Saccharopine dehydrogenase-like oxidoreductase; EC=1.-.-.; - OS=Bos taurus SubName: Full=SCAMP2 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	546.65	15.62	4	4	429	47.3	8.92	N
A6QR35_BOVIN	SCAMP2 protein	Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	158.84	10.37	2	2	328	36.7	6.19	N
SBP1_BOVIN	Selenium-binding protein 1	RecName: Full=Selenium-binding protein 1; AltName: Full=56 kDa selenium-binding protein; Short=SBP56; Short=SP56; - OS=Bos taurus SubName: Full=SERPINB4 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	492.95	14.41	5	5	472	52.5	6.48	N
A6QPZ4_BOVIN	SERPINB4 protein	Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	181.52	6.49	2	2	339	38.6	6.64	N
ALBU_BOVIN	Serum albumin	RecName: Full=Serum albumin; AltName: Full=BSA; AltName: Allergen=Bos d 6; Flags: Precursor; - OS=Bos taurus (Bovine).	907.69	14.66	7	7	607	69.2	6.18	Y
F1MMW8_BOVIN	Serum amyloid A protein	RecName: Full=Serum amyloid A protein; - OS=Bos taurus (Bovine).	435.14	26.72	2	4	131	14.5	9.23	N
F1N334_BOVIN	Short-chain dehydrogenase	SubName: Full=Short-chain dehydrogenase/reductase 3; - OS=Bos taurus (Bovine).	186.51	18.81	3	3	218	24.0	8.02	N

NPT2B_BOVIN	Sodium-dependent phosphate transport protein 2B	RecName: Full=Sodium-dependent phosphate transport protein 2B; Short=Sodium-phosphate transport protein 2B; AltName: Full=Na(+)-dependent phosphate cotransporter 2B; AltName: Full=Sodium/phosphate cotransporter 2B; Short=Na(+)/Pi cotransporter 2B; Short=NaPi-2b; AltName: Full=Solute carrier family 34 member 2; - OS=Bos taurus (Bovine).	3136.47	24.96	14	14	693	75.8	7.47	Y
Q0V8K9_BOVIN	Solute carrier family 29 (Nucleoside transporters), Sterol-4-alpha-carboxylate 3-dehydrogenase	SubName: Full=Solute carrier family 29 (Nucleoside transporters), member 1; Flags: Fragment; - OS=Bos taurus (Bovine). RecName: Full=Sterol-4-alpha-carboxylate 3-dehydrogenase, decarboxylating; EC=1.1.1.170; - OS=Bos taurus (Bovine).	655.48	10.44	3	3	450	49.2	8.31	N
NSDHL_BOVIN	STOM protein	SubName: Full=STOM protein; - OS=Bos taurus (Bovine).	895.01	21.35	6	6	356	39.9	8.15	Y
A8E4P3_BOVIN	STX3 protein	SubName: Full=STX3 protein; - OS=Bos taurus (Bovine).	1774.81	43.31	10	10	284	31.3	7.08	Y
A6QLH3_BOVIN	Synaptobrevin homolog YKT6	RecName: Full=Synaptobrevin homolog YKT6; EC=2.3.1.-; Flags: Precursor; - OS=Bos taurus (Bovine).	450.26	18.34	5	5	289	33.2	5.36	Y
YKT6_BOVIN	Synaptosomal-associated protein 29	RecName: Full=Synaptosomal-associated protein; - OS=Bos taurus (Bovine). RecName: Full=Synaptosomal-associated protein 29; Short=SNAP-29; AltName: Full=Soluble 29 kDa NSF attachment protein; AltName: Full=Vesicle-membrane fusion protein SNAP-29; - OS=Bos taurus (Bovine).	1275.24	35.86	6	6	198	22.5	6.58	Y
Q2T9M8_BOVIN	Syntaxin binding protein 2	SubName: Full=Syntaxin binding protein 2; - OS=Bos taurus (Bovine). RecName: Full=Toll-like receptor 2; AltName: CD_antigen=CD282; Flags: Precursor; - OS=Bos taurus (Bovine).	1369.40	45.02	6	6	211	23.2	4.83	Y
SNP29_BOVIN	Toll-like receptor 2	RecName: Full=Translocon-associated protein subunit delta; Short=TRAP-delta; AltName: Full=Signal sequence receptor subunit delta; Short=SSR-delta; Flags: Precursor; - OS=Bos taurus (Bovine).	479.61	18.60	4	4	258	28.5	5.47	N
Q2NL10_BOVIN	Translocon-associated protein subunit delta		1025.38	13.15	5	5	593	66.3	6.99	Y
TLR2_BOVIN			1101.96	11.22	7	7	784	90.1	7.01	N
SSRD_BOVIN			181.75	13.95	2	2	172	18.8	5.78	N

TRYP_PIG	Trypsin	RecName: Full=Trypsin; EC=3.4.21.4; Flags: Precursor; - OS=Sus scrofa (Pig).	3012.54	31.60	5	5	231	24.4	7.18	N
F6QRH3_BOVIN	Tumor protein p63-regulated gene 1-like protein	SubName: Full=Tumor protein p63-regulated gene 1-like protein; Flags: Fragment; - OS=Bos taurus (Bovine).	279.38	10.08	2	2	258	28.6	6.79	N
D4QGC1_BOVIN	Tyrosine-protein kinase	SubName: Full=Tyrosine-protein kinase Lyn; - OS=Bos taurus (Bovine).	248.9	7.62	3	3	512	58.7	7.37	Y
RS27A_BOVIN	Ubiquitin-40S ribosomal protein S27a	RecName: Full=Ubiquitin-40S ribosomal protein S27a; AltName: Full=Ubiquitin carboxyl extension protein 80; Contains: RecName: Full=Ubiquitin; Contains: RecName: Full=40S ribosomal protein S27a; Flags: Precursor; - OS=Bos taurus (Bovine).	1514.62	21.79	3	3	156	18	9.64	N
A7MB57_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; SubName: Full=YES1 protein; - OS=Bos taurus	146.23	4.62	2	2	541	60.6	6.80	N
D2HYT6_AILME	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	214.69	22.51	2	3	191	21.3	8.12	N
D2I225_AILME	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	1135.35	16.94	9	9	720	80.2	8.53	N
E1B6Z6_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	688.68	23.50	3	3	200	23.0	9.32	N
E1BCI3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1738.92	10.81	5	5	629	67.3	8.54	N
E1BJL8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1366.25	31.52	6	6	257	29.7	7.77	Y
E1BJV0_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1310.78	15.37	7	7	540	61.0	7.55	Y
E1BNX1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1352.99	36.07	4	6	219	24.4	4.93	Y
E1BP91_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	315.95	6.08	5	5	921	103.5	5.83	N
E1BQ28_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	516.66	6.51	2	2	461	49.8	6.23	Y
F1MD73_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	1021.47	11.36	6	6	1751	190.0	5.86	N
F1MGG1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	520.04	3.71	3	4	1240	139.8	8.24	N
F1MGR1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	4322.81	20.66	10	10	697	77.2	7.43	N

F1MJQ1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1228.39	43.48	7	7	207	23.5	6.70	N
F1MLR4_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	188.67	13.98	3	3	372	40.7	6.95	N
F1MLW8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2240.94	26.61	3	5	233	24.6	5.91	N
F1MNI4_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	650.36	30.57	4	5	229	25.1	7.81	N
F1MPE1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1249.04	5.53	5	5	1447	161.6	5.60	N
F1MR22_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	10211.88	44.25	6	27	757	82.5	7.42	N
F1MSI2_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	515.20	2.66	4	4	2032	215.1	6.14	N
F1MUP9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1574.78	23.88	7	7	402	42.8	6.44	N
F1MYU3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	2481.82	51.74	5	7	201	22.1	6.21	N
F1MZ96_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2564.16	40.42	10	10	240	26.5	6.90	N
F1N272_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	2597.88	16.88	15	15	1197	133.8	7.50	N
F1N2D9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	7982.26	25.17	25	41	2503	272.5	6.16	N
F1N726_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	8499.46	43.26	20	20	534	59.2	4.82	N
F6Q480_CALJA	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (White-tufted-ear	3499.93	11.09	2	8	577	61.4	9.17	N
F7A679_MACMU	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Macaca mulatta (Rhesus	2382.24	27.03	6	11	444	48.3	4.96	N
F7E526_MACMU	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	5785.73	41.84	4	25	564	59.9	8.00	N
G1QMQ0_NOMLE	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	699.43	17.00	2	5	353	39.9	6.05	N
G1S7P4_NOMLE	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	1943.10	12.79	3	8	594	63.8	8.25	N
G3MWT1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	1240.53	31.39	2	2	137	14.5	9.83	N

G3MZ88_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	200.12	10.76	2	2	223	25.7	7.97	N
G3N0Q8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	728.06	13.39	2	2	239	25.7	10.99	N
G3N0S9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	826.37	20.60	4	4	199	22.3	7.49	N
G3N0V0_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	113.49	9.82	2	2	326	35.9	7.84	N
G3N2D8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	2108.32	17.08	7	7	568	60.9	6.35	N
G3QDX0_GORGO	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	26774.62	60.41	25	29	490	51.8	5.07	N
G3QK09_GORGO	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Gorilla gorilla gorilla (Lowland gorilla).	4827.50	37.90	13	24	562	60.1	7.27	N
G3SAA4_GORGO	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Gorilla gorilla gorilla (Lowland gorilla).	599.93	14.20	2	3	338	36.3	5.96	N
G3T808_LOXAF	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Loxodonta africana (African elephant).	9359.99	13.53	2	14	1316	145.0	7.77	N
G5E513_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	7888.96	54.49	7	18	457	49.9	5.49	N
G5E554_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	400.72	22.81	5	5	377	42.0	7.62	N
G5E5T3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	267.20	3.61	2	3	1081	121.6	6.99	N
G5E5T5_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	8047.60	55.53	6	17	389	42.4	5.02	N
G5E604_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	1227.75	52.34	4	4	107	11.1	7.99	N
G5E6P3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	683.47	23.24	6	6	284	33.4	6.34	N
H0WTJ3_OTOGA	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Otolemur garnettii (Small-eared galago) (Garnett's greater bushbaby).	186.58	10.05	2	3	209	23.7	9.39	N
VIME_BOVIN	Vimentin	RecName: Full=Vimentin; - OS=Bos taurus	882.54	23.82	10	10	466	53.7	5.12	N

F1MUT3_BOVIN	Xanthine dehydrogenase	SubName: Full=Xanthine dehydrogenase; - OS=Bos taurus (Bovine).	34272.07	62.91	10	60	1332	146.7	7.68	Y
--------------	------------------------	---	----------	-------	----	----	------	-------	------	---

The accession entry - the unique entry name that is assigned for a given protein according to the Uniprot database. The score - the summed score of all the identified peptides that match with a given protein in the database. The coverage - the percentage of the protein sequence covered by the identified peptides. The number of peptides - the total number of the identified peptides that match with the sequence of the given protein in the database The number of unique peptides - the number of the identified peptides that are unique for the given protein. The score, coverage, number of unique peptides and number of peptides are generated by the Proteome Discoverer software (see method, section 2.7). The number of amino acids (Aas), molecular weight (MW) and isoelectric point (pI) are obtained by using the ‘annotation’ node in Proteome Discoverer which utilizes the ProteinCenter software (Thermo Scientific ProteinCenter) consisting of data from >20 public databases (Uniprot, NCBI, IPI etc.).

Le, T.T., Debyser, G., Gilbert, W., Struijs, K., Van Camp, J., Van de Wiele, T., Devreese, B., & Dewettinck, K. (2013). Distribution and isolation of milk fat globule membrane proteins duri

ing dairy processing as revealed by proteomic analysis.*International Dairy Journal*, 32 (2), 110-120.

Supplementary Table 6: The top 10 protein hits of the individual 13 SDS-PAGE gel sections.

Section	CM		BM	
	Accession	Protein name	Accession	Protein name
1	F1MUT3_BOVIN	Xanthine dehydrogenase	XDH_BOVIN	Xanthine dehydrogenase/oxidase
	F1N2D9_BOVIN	Uncharacterized protein	F1N2D9_BOVIN	Uncharacterized protein
	G3QDX0_GORGO	Uncharacterized protein	G3QDX0_GORGO	Uncharacterized protein
	F1MQB0_BOVIN	Perilipin-2	Q06B57_CAPHI	Fatty acid synthase
	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	F1MQB0_BOVIN	Perilipin-2
	ABCG2_BOVIN	ATP-binding cassette sub-family G member 2	ABCG2_BOVIN	ATP-binding cassette sub-family G member 2
	B8Y9T0_BOVIN	Cumulus cell-specific fibronectin 1 transcript variant	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1
	G1RJ14_NOMLE	Uncharacterized protein	G1RJ14_NOMLE	Uncharacterized protein
	F1MD73_BOVIN	Uncharacterized protein	G3RW31_GORGO	Uncharacterized protein
	F7E526_MACMU	Uncharacterized protein	MFGM_BOVIN	Lactadherin
2	XDH_BOVIN	Xanthine dehydrogenase/oxidase	G1AQP3_BUBBU	Xanthine dehydrogenase/oxidase
	F1MQB0_BOVIN	Perilipin-2	I3MIN7_SPETR	Uncharacterized protein
	G3QDX0_GORGO	Uncharacterized protein	G1PAU7_MYOLU	Uncharacterized protein
	F1N2D9_BOVIN	Uncharacterized protein	G3QDX0_GORGO	Uncharacterized protein
	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	F1N2D9_BOVIN	Uncharacterized protein
	ACACA_BOVIN	Acetyl-CoA carboxylase 1	Q06B57_CAPHI	Fatty acid synthase
	ABCG2_BOVIN	ATP-binding cassette sub-family G member 2	ABCG2_BOVIN	ATP-binding cassette sub-family G member 2
	G5E5T5_BOVIN	Uncharacterized protein	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1
	F1MGR1_BOVIN	Uncharacterized protein	F1MQB0_BOVIN	Perilipin-2
	MFGM_BOVIN	Lactadherin	MFGM_BOVIN	Lactadherin
3	XDH_BOVIN	Xanthine dehydrogenase/oxidase	G1AQP3_BUBBU	Xanthine dehydrogenase/oxidase
	F1MQB0_BOVIN	Perilipin-2	G3QDX0_GORGO	Uncharacterized protein
	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	F1MQB0_BOVIN	Perilipin-2
	G3QDX0_GORGO	Uncharacterized protein	TRFL_BUBBU	Lactotransferrin
	C7FE01_BOVIN	Lactoferrin	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1
	G5E5T5_BOVIN	Uncharacterized protein	ENPP3_BOVIN	Ectonucleotide pyrophosphatase/phosphodiesterase family member 3

	G5E513_BOVIN	Uncharacterized protein	E1BP91_BOVIN	Uncharacterized protein
	MFGM_BOVIN	Lactadherin	F1N272_BOVIN	Uncharacterized protein
	F1N272_BOVIN	Uncharacterized protein	MFGM_BOVIN	Lactadherin
	ABCG2_BOVIN	ATP-binding cassette sub-family G member 2	E9NV81_BUBBU	ATP-binding cassette sub-family G (WHITE) member 2
4	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	G1AQP3_BUBBU	Xanthine dehydrogenase/oxidase
	F1MR22_BOVIN	Uncharacterized protein	G3QDX0_GORGO	Uncharacterized protein
	PIGR_BOVIN	Polymeric immunoglobulin receptor	TRFL_BUBBU	Lactotransferrin
	F1MUT3_BOVIN	Xanthine dehydrogenase	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1
	G5E513_BOVIN	Uncharacterized protein	Q3UDS0_MOUSE	Putative uncharacterized protein
	C7FE01_BOVIN	Lactoferrin	ABCG2_BOVIN	ATP-binding cassette sub-family G member 2
	F1MQB0_BOVIN	Perilipin-2	F1MQB0_BOVIN	Perilipin-2
	G5E5T5_BOVIN	Uncharacterized protein	Q0VCZ8_BOVIN	Acyl-CoA synthetase long-chain family member 1
	F1N726_BOVIN	Uncharacterized protein	GRP78_BOVIN	78 kDa glucose-regulated protein
	G3QDX0_GORGO	Uncharacterized protein	E1BJV0_BOVIN	Uncharacterized protein
5	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	MFGM_BOVIN	Lactadherin
	MFGM_BOVIN	Lactadherin	G1AQP3_BUBBU	Xanthine dehydrogenase/oxidase
	F1MQB0_BOVIN	Perilipin-2	F1MQB0_BOVIN	Perilipin-2
	F1MUT3_BOVIN	Xanthine dehydrogenase	G5CC03_CAPHI	Milk fat globule EGF factor 8 protein
	G3QDX0_GORGO	Uncharacterized protein	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1
	A5D7Q2_BOVIN	Putative uncharacterized protein	G3QDX0_GORGO	Uncharacterized protein
	A6QNW3_BOVIN	PIGR protein	SBP1_BOVIN	Selenium-binding protein 1
	G5E513_BOVIN	Uncharacterized protein	F1MUP9_BOVIN	Uncharacterized protein
	FIBB_BOVIN	Fibrinogen beta chain	C5IJ88_SHEEP	GDI2
	Q3SX32_BOVIN	Mannose 6 phosphate receptor binding protein 1	Q3SX32_BOVIN	Mannose 6 phosphate receptor binding protein 1
_	F1MQB0_BOVIN	Perilipin-2	G1AQP3_BUBBU	Xanthine dehydrogenase/oxidase
	MFGM_BOVIN	Lactadherin	G3QDX0_GORGO	Uncharacterized protein
	G3QDX0_GORGO	Uncharacterized protein	MFGM_BOVIN	Lactadherin
	F1MUT3_BOVIN	Xanthine dehydrogenase	F1MQB0_BOVIN	Perilipin-2
	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	Q8WVW5_HUMAN	Putative uncharacterized protein

6	Q8WVW5_HUMAN	Putative uncharacterized protein	G3QVA4_GORGO	Uncharacterized protein
	APOE_BOVIN	Apolipoprotein E	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1
	F7FD32_MACMU	Uncharacterized protein	F1MUP9_BOVIN	Uncharacterized protein
	F1MUP9_BOVIN	Uncharacterized protein	ANXA2_HUMAN	Annexin A2
	G3QVA4_GORGO	Uncharacterized protein	IDHC_SHEEP	Isocitrate dehydrogenase [NADP] cytoplasmic
7	G3QDX0_GORGO	Uncharacterized protein	G3QDX0_GORGO	Uncharacterized protein
	F1MQB0_BOVIN	Perilipin-2	CASA1_BUBBU	Alpha-S1-casein
	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	F1MQB0_BOVIN	Perilipin-2
	F1MUT3_BOVIN	Xanthine dehydrogenase	A1L5B6_BOVIN	Annexin
	B5B3R8_BOVIN	Alpha S1 casein	MFGM_BOVIN	Lactadherin
	Q2KIS4_BOVIN	Dehydrogenase/reductase (SDR family) member 1	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1
	ANXA5_BOVIN	Annexin A5	G1AQP3_BUBBU	Xanthine dehydrogenase/oxidase
	MFGM_BOVIN	Lactadherin	Q3HW31_BUBBU	Beta-casein
	A8E4P3_BOVIN	STOM protein	ANXA4_BOVIN	Annexin A4
	ANXA4_BOVIN	Annexin A4	I3MSE8_SPETR	Uncharacterized protein
8	G3QDX0_GORGO	Uncharacterized protein	G3QDX0_GORGO	Uncharacterized protein
	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	F1MQB0_BOVIN	Perilipin-2
	F1MQB0_BOVIN	Perilipin-2	CASB_BUBBU	Beta-casein
	MFGM_BOVIN	Lactadherin	CASA1_BUBBU	Alpha-S1-casein
	G3RW31_GORGO	Uncharacterized protein	G9KJR0_MUSPF	RAB18, member RAS oncoprotein family
	B5B3R8_BOVIN	Alpha S1 casein	MFGM_BOVIN	Lactadherin
	G9KJR0_MUSPF	RAB18, member RAS oncoprotein family	G5C5Z3_HETGA	Ras-related protein Rab-1A
	F1MUT3_BOVIN	Xanthine dehydrogenase	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1
	CASB_BOVIN	Beta-casein	G1AQP3_BUBBU	Xanthine dehydrogenase/oxidase
	F1MLW7_BOVIN	Uncharacterized protein	RAB5C_BOVIN	Ras-related protein Rab-5C
	G3QDX0_GORGO	Uncharacterized protein	G3QDX0_GORGO	Uncharacterized protein
	F1MQB0_BOVIN	Perilipin-2	F1MQB0_BOVIN	Perilipin-2
	B5B0D4_BOVIN	Major allergen beta-lactoglobulin	G1AQP3_BUBBU	Xanthine dehydrogenase/oxidase
	F1MUT3_BOVIN	Xanthine dehydrogenase	G9KJR0_MUSPF	RAB18, member RAS oncoprotein family

9	B5B3R8_BOVIN	Alpha S1 casein	LACB_BOVIN	Beta-lactoglobulin
	G9KJR0_MUSPF	RAB18, member RAS oncoprotein family	G1RJ14_NOMLE	Uncharacterized protein
	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	G5C5Z3_HETGA	Ras-related protein Rab-1A
	G3U8C3_LOXAF	Uncharacterized protein	ARF4_BOVIN	ADP-ribosylation factor 4
	Q5ISS1_MACFA	ADP-ribosylation factor 1	CASA1_BUBBU	Alpha-S1-casein
	ARF4_BOVIN	ADP-ribosylation factor 4	F1MSA6_BOVIN	Uncharacterized protein
10	No protein was identified in this section		G3QDX0_GORGO	Uncharacterized protein
			FABPH_BOSMU	Fatty acid-binding protein
			F1MQB0_BOVIN	Perilipin-2
			H6WAG7_BUBBU	Selenoprotein 15
			G1RJ14_NOMLE	Uncharacterized protein
			CASA1_BUBBU	Alpha-S1-casein
			G3RW31_GORGO	Uncharacterized protein
			B7Z4P9_HUMAN	cDNA FLJ51678, highly similar to Ras-related protein Rab-18
			Q3HW31_BUBBU	Beta-casein
11			F1MUT3_BOVIN	Xanthine dehydrogenase
	G3QLP7_GORGO	Uncharacterized protein	G3QDX0_GORGO	Uncharacterized protein
	G3QDX0_GORGO	Uncharacterized protein	G3RW31_GORGO	Uncharacterized protein
	G1RJ14_NOMLE	Uncharacterized protein	G1RJ14_NOMLE	Uncharacterized protein
	F1MQB0_BOVIN	Perilipin-2	F7E526_MACMU	Uncharacterized protein
	F7E526_MACMU	Uncharacterized protein	F1MQB0_BOVIN	Perilipin-2
	G7NII9_MACMU	Putative uncharacterized protein	C0LSL0_BOVIN	Heart fatty acid-binding protein
	G3RW31_GORGO	Uncharacterized protein	BT1A1_BOVIN	Butyrophilin subfamily 1 member A1
	CASA2_BOVIN	Alpha-S2-casein	O97896_SYNCA	Xanthine dehydrogenase/oxidase
	G3MYW7_BOVIN	Lactadherin	HORN_HUMAN	Hornerin
	D2HWJ1_AILME	Histone H2A	B5B3R8_BOVIN	Alpha S1 casein
	No protein was identified in this section.		G3QDX0_GORGO	Uncharacterized protein
			G1RJ14_NOMLE	Uncharacterized protein
			F7E526_MACMU	Uncharacterized protein

12			Q58DW1_BOVIN	Fatty acid binding protein 3
			Q3HL94_PANLE	Major prion protein
			F1MQB0_BOVIN	Perilipin-2
			B5B3R8_BOVIN	Alpha S1 casein
			HORN_HUMAN	Hornerin
13	G3QLP7_GORGO	Uncharacterized protein	G3QDX0_GORGO	Uncharacterized protein
	H2QCZ6_PANTR	Uncharacterized protein	G3RW31_GORGO	Uncharacterized protein
	G3QDX0_GORGO	Uncharacterized protein	G1RJ14_NOMLE	Uncharacterized protein
	F7E526_MACMU	Uncharacterized protein	HORN_HUMAN	Hornerin
	G1RJ14_NOMLE	Uncharacterized protein	DCD_HUMAN	Dermcidin
	G3RW31_GORGO	Uncharacterized protein	B5B3R8_BOVIN	Alpha S1 casein
	HORN_HUMAN	Hornerin	O97903_ADDNA	Major prion protein
			H2Q003_PANTR	Uncharacterized protein

Supplementary Table 7. Molecular function, cellular component and biological process classification of identified buffalo MFGM proteins. (na = information not available from searching databases).

Accession entry	Protein name	Description	Molecular Function	Cellular Component	Biological Process
1433E_BOVIN	14-3-3 protein epsilon	RecName: Full=14-3-3 protein epsilon; Short=14-3-3E; - OS=Bos taurus (Bovine).	protein binding	cytoplasm; mitochondrion	cell differentiation; cellular component movement; development; transport; metabolic process; regulation of transport; cell communication;
1433T_BOVIN	14-3-3 protein theta	RecName: Full=14-3-3 protein theta; - OS=Bos taurus (Bovine).	catalytic activity; protein binding	nucleus; cytoplasm; cytoskeleton	regulation of biological process; response to stimulus; metabolic process
1433Z_BOVIN	14-3-3 protein zeta/delta	RecName: Full=14-3-3 protein zeta/delta; AltName: Full=Factor activating exoenzyme S; Short=FAS; AltName: Full=Protein kinase C inhibitor protein 1; Short=KCIP-1; - OS=Bos taurus (Bovine).	protein binding	nucleus; cytoplasm; mitochondrion	transport; cell death; regulation of biological process
A6H7D4_BOVIN	1-acylglycerol-3-phosphate O-acyltransferase 6	SubName: Full=1-acylglycerol-3-phosphate O-acyltransferase 6 (Lysophosphatidic acid acyltransferase, zeta); SubName: Full=Glycerol-3-phosphate acyltransferase 4; - OS=Bos taurus (Bovine).	catalytic activity	cytoplasm; endoplasmic reticulum; membrane	cell differentiation; metabolic process; development; reproduction; transport; regulation of biological process
CN37_BOVIN	2',3'-cyclic-nucleotide 3'-phosphodiesterase	RecName: Full=2',3'-cyclic-nucleotide 3'-phosphodiesterase; Short=CNP; Short=CNPase; EC=3.1.4.37; - OS=Bos taurus	RNA binding; catalytic activity; nucleotide binding	extracellular; cytoplasm; cytoskeleton; membrane	metabolic process; cell differentiation; cell organization and biogenesis; development; response to stimulus
RS8_BOVIN	40S ribosomal protein S8	RecName: Full=40S ribosomal protein S8; - OS=Bos taurus (Bovine). RecName: Full=40S ribosomal protein SA; AltName: Full=37 kDa laminin receptor precursor; Short=37LRP; AltName: Full=37/67 kDa laminin receptor; Short=LRP/LR;	structural molecule activity	cytoplasm; ribosome; cytosol	metabolic process
RSSA_BOVIN	40S ribosomal protein SA	AltName: Full=67 kDa laminin receptor; Short=67LR; AltName: Full=Laminin receptor 1; Short=LamR; AltName: Full=Laminin-binding protein precursor p40; Short=LBP/p40; AltName: Full=Protein C10; - OS=Bos taurus (Bovine)	structural molecule activity; receptor activity; protein binding	nucleus; cytoplasm; ribosome; membrane; cytosol	cell organization and biogenesis; metabolic process; transport
5NTD_BOVIN	5'-nucleotidase	RecName: Full=5'-nucleotidase; Short=5'-NT; EC=3.1.3.5; AltName: Full=Ecto-5'-nucleotidase; AltName: CD_antigen=CD73; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; metal ion binding	membrane	metabolic process

RLA2_BOVIN	60S acidic ribosomal protein P2	RecName: Full=60S acidic ribosomal protein P2; - OS=Bos taurus (Bovine).	structural molecule activity	cytoplasm; ribosome	metabolic process
RL12_BOVIN	60S ribosomal protein L12	RecName: Full=60S ribosomal protein L12; - OS=Bos taurus (Bovine).	RNA binding; structural molecule activity	cytoplasm; ribosome; cytosol	metabolic process
Q3ZCI4_BOVIN	6-phosphogluconate dehydrogenase, decarboxylating	RecName: Full=6-phosphogluconate dehydrogenase, decarboxylating; EC=1.1.1.44; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	na	metabolic process
GRP78_BOVIN	78 kDa glucose-regulated protein	RecName: Full=78 kDa glucose-regulated protein; Short=GRP-78; AltName: Full=Heat shock 70 kDa protein 5; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	cytoplasm; endoplasmic reticulum; organelle lumen	cell organization and biogenesis
ABHEB_BOVIN	Abhydrolase domain-containing protein 14B	RecName: Full=Abhydrolase domain-containing protein 14B; EC=3.-.-.; - OS=Bos taurus (Bovine).	catalytic activity	nucleus; organelle lumen; cytoplasm	na
ACTG_BOVIN	Actin, cytoplasmic 2	RecName: Full=Actin, cytoplasmic 2; AltName: Full=Gamma-actin; Contains: RecName: Full=Actin, cytoplasmic 2, N-terminally processed; - OS=Bos taurus (Bovine).	nucleotide binding; structural molecule activity; protein binding	cytoplasm; cytoskeleton; extracellular	cell differentiation; cell organization and biogenesis
Q0VCZ8_BOVIN	Acyl-CoA synthetase long-chain family member 1	SubName: Full=Acyl-CoA synthetase long-chain family member 1; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity	cytoplasm; mitochondrion	metabolic process; transport
G9KHA2_MUSPF	Adipose differentiation-related protein	SubName: Full=Adipose differentiation-related protein; Flags: Fragment; - OS=Mustela putorius furo (European domestic ferret) (Mustela furo).	na	nucleus; cytoplasm; membrane	transport
ARF3_BOVIN	ADP-ribosylation factor 3	RecName: Full=ADP-ribosylation factor 3; - OS=Bos taurus (Bovine).	nucleotide binding; signal transducer	nucleus; cytoplasm; Golgi	transport; cell communication; regulation of biological process;
ARF4_BOVIN	ADP-ribosylation factor 4	RecName: Full=ADP-ribosylation factor 4; - OS=Bos taurus (Bovine).	nucleotide binding; signal transducer	nucleus; cytoplasm; Golgi; membrane	transport; cell communication; regulation of biological process;
ARL15_BOVIN	ADP-ribosylation factor-like protein 15	RecName: Full=ADP-ribosylation factor-like protein 15; - OS=Bos taurus (Bovine).	nucleotide binding	na	cell communication; regulation of biological process; response to stimulus
F6KPG5_HUMAN	Albumin	SubName: Full=Albumin; Flags: Fragment; - OS=Homo sapiens (Human).	DNA binding; metal ion binding; protein binding; antioxidant activity; catalytic activity	extracellular; membrane; cytoplasm; organelle lumen	transport; metabolic process; response to stimulus; coagulation; cell communication; cell death; regulation of metabolic process
GALM_BOVIN	Aldose 1-epimerase	RecName: Full=Aldose 1-epimerase; EC=5.1.3.3; AltName: Full=Galactose mutarotase; - OS=Bos taurus (Bovine).		cytoplasm	

PPBT_BOVIN	Alkaline phosphatase	RecName: Full=Alkaline phosphatase, tissue-nonspecific isozyme; Short=AP-TNAP; Short=TNSALP; EC=3.1.3.1; AltName: Full=Alkaline phosphatase liver/bone/kidney isozyme; Flags: Precursor; - OS=Bos taurus (Bovine).	catalytic activity; metal ion binding	membrane	development; reproduction; metabolic process; response to stimulus
LALBA_BOVIN	Alpha-lactalbumin	RecName: Full=Alpha-lactalbumin; AltName: Full=Lactose synthase B protein; AltName: Allergen=Bos d 4; Flags: Precursor; - OS=Bos taurus (Bovine).	catalytic activity; metal ion binding; protein binding	extracellular	metabolic process
CASA1_BUBBU	Alpha-S1-casein	RecName: Full=Alpha-S1-casein; Flags: Precursor; - OS=Bubalus bubalis (Domestic water buffalo).	transporter activity	extracellular	transport
O62825_BUBBU	Alpha-S2-casein	SubName: Full=AS2-casein; Flags: Fragment; - OS=Bubalus bubalis (Domestic water buffalo).	transporter activity	extracellular	transport
F7I2W7_CALJA	Annexin	RecName: Full=Annexin; - OS=Callithrix jacchus (White-tufted-ear marmoset). RecName: Full=Annexin A1; AltName: Full=Annexin I; AltName: Full=Annexin-1; AltName: Full=Calpactin II; AltName: Full=Calpactin-2; AltName: Full=Chromobindin-9; AltName: Full=Lipocortin I; AltName: Full=Phospholipase A2 inhibitory protein; AltName: Full=p35; - OS=Bos taurus (Bovine).	metal ion binding	cell surface; membrane; extracellular	response to stimulus; coagulation; regulation of biological process
ANXA1_BOVIN	Annexin A1	RecName: Full=Annexin A11; AltName: Full=Annexin XI; AltName: Full=Annexin-11; AltName: Full=Calcyclin-associated annexin-50; Short=CAP-50; - OS=Bos taurus (Bovine). RecName: Full=Annexin A2; AltName: Full=Annexin II; AltName: Full=Annexin-2; AltName: Full=Calpactin I heavy chain; AltName: Full=Calpactin-1 heavy chain; AltName: Full=Chromobindin-8; AltName: Full=Lipocortin II; AltName: Full=Placental anticoagulant protein IV; Short=PAP-IV; AltName: Full=Protein I; AltName: Full=p36; - OS=Bos taurus (Bovine).	enzyme regulator activity; metal ion binding; protein binding	nucleus; organelle lumen; cytoplasm; cytoskeleton	cell division
ANX11_BOVIN	Annexin A11				
ANXA2_BOVIN	Annexin A2			extracellular; cytoplasm; endosome; membrane	development; cell organization and biogenesis; regulation of biological process; transport; coagulation; response to stimulus

BT1A1_BOVIN	Butyrophilin subfamily 1 member A1	RecName: Full=Butyrophilin subfamily 1 member A1; Short=BT; Flags: Precursor; - OS=Bos taurus (Bovine).	protein binding	membrane	na
CHP1_BOVIN	Calcineurin B homologous protein 1	RecName: Full=Calcineurin B homologous protein 1; AltName: Full=Calcineurin B-like protein; AltName: Full=Calcium-binding protein CHP; AltName: Full=Calcium-binding protein p22; AltName: Full=EF-hand calcium-binding domain-containing protein p22; - OS=Bos taurus (Bovine).	enzyme regulator activity; transporter activity; metal ion binding; protein binding	cytoplasm; Golgi; membrane; nucleus; endoplasmic reticulum; cytoskeleton	cell organization and biogenesis; metabolic process; regulation of biological process; transport; cellular homeostasis; cell communication; response to stimulus
CIB1_BOVIN	Calcium and integrin-binding protein 1	RecName: Full=Calcium and integrin-binding protein 1; AltName: Full=Calmyrin; - OS=Bos taurus (Bovine).	metal ion binding; protein binding	nucleus; organelle lumen; cytoplasm; endoplasmic reticulum; membrane	cell death; response to stimulus; cell proliferation; regulation of biological process; cell communication; cell organization and biogenesis
A5D7J6_BOVIN	CALR protein	SubName: Full=CALR protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	RNA binding; protein binding; metal ion binding	extracellular; cytoplasm; endoplasmic reticulum; organelle lumen; cytosol; cell surface; membrane	metabolic process; regulation of biological process; cell organization and biogenesis; transport; cell proliferation; cell communication; response to stimulus; reproduction; cell differentiation; development; cellular
Q5YJI1_SHEEP	CD80/B7-1 secreted form	SubName: Full=CD80/B7-1 secreted form; - OS=Ovis aries (Sheep).	protein binding	membrane	na
CD81_BOVIN	CD81 antigen	RecName: Full=CD81 antigen; AltName: CD_antigen=CD81; - OS=Bos taurus (Bovine).	na	membrane	cell communication; metabolic process; regulation of biological process; response to stimulus; cell proliferation
A6QNW8_BOVIN	CD97 antigen	SubName: Full=CD97 antigen; SubName: Full=CD97 molecule; - OS=Bos taurus (Bovine).	receptor activity; signal transducer activity; metal ion binding; protein binding; nucleotide binding	membrane	cell communication; regulation of biological process; response to stimulus
B6VAP7_BOVIN	CDC42 protein	SubName: Full=CDC42 protein; - OS=Bos taurus (Bovine).		cytoplasm; cytoskeleton; membrane	cell communication; regulation of biological process; response to stimulus; development; cell differentiation; cell division; cell development; metabolic process; cellular component movement; cell communication; regulation of biological process; response to stimulus; coagulation; cell organization and cell death
B4DWV9_HUMAN	cDNA FLJ53108	SubName: Full=cDNA FLJ53108, highly similar to Guanine nucleotide-binding protein alpha-13 subunit; - OS=Homo sapiens (Human).	nucleotide binding; protein binding; catalytic activity; signal transducer activity; metal ion binding	membrane; cytoplasm	
A4FUX1_BOVIN	CIDEA protein	SubName: Full=CIDEA protein; - OS=Bos taurus (Bovine).	na	na	

CLUS_BOVIN	Clusterin	RecName: Full=Clusterin; AltName: Full=Glycoprotein III; Short=GpIII; Contains: RecName: Full=Clusterin beta chain; Contains: RecName: Full=Clusterin alpha chain; Flags: Precursor; - OS=Bos taurus (Bovine).	catalytic activity; protein binding	extracellular; nucleus; cytoplasm; mitochondrion; endoplasmic reticulum; cytosol; membrane	cell death; metabolic process; regulation of biological process; cell organization and biogenesis; response to stimulus; cell communication
COF1_BOVIN	Cofilin-1	RecName: Full=Cofilin-1; AltName: Full=Cofilin, non-muscle isoform; - OS=Bos taurus (Bovine).	protein binding	nucleus; cytoplasm; cytoskeleton; membrane; organelle lumen	cell division; cell differentiation; cellular component movement; development; metabolic process; cell organization and biogenesis; response to stimulus; regulation of biological process
ACOC_BOVIN	Cytoplasmic aconitate hydratase	RecName: Full=Cytoplasmic aconitate hydratase; Short=Aconitase; EC=4.2.1.3; AltName: Full=Citrate hydro-lyase; AltName: Full=Iron-responsive element-binding protein 1; Short=IRE-BP 1; - OS=Bos taurus (Bovine).	RNA binding; catalytic activity; metal ion binding	cytoplasm	metabolic process; response to stimulus
DCD_HUMAN	Dermcidin	RecName: Full=Dermcidin; EC=3.4.-.-; AltName: Full=Preproteolysin; Contains: RecName: Full=Survival-promoting peptide; Contains: RecName: Full=DCD-1; Flags: Precursor; - OS=Homo sapiens (Human).	catalytic activity	extracellular	metabolic process; defense response; response to stimulus
ENPP3_BOVIN	Ectonucleotide pyrophosphatase	RecName: Full=Ectonucleotide pyrophosphatase/phosphodiesterase family member 3; Short=E-NPP 3; AltName: Full=Phosphodiesterase I beta; Short=PD-Ibeta; AltName: Full=Phosphodiesterase I/nucleotide pyrophosphatase 3; AltName: CD_antigen=CD203c; Includes: RecName: Full=Alkaline phosphodiesterase I; EC=3.1.4.1; Includes: RecName: Full=Nucleotide pyrophosphatase; Short=NPPase; EC=3.6.1.9; - OS=Bos taurus (Bovine)	catalytic activity; receptor activity; metal ion binding	extracellular; membrane	response to stimulus; metabolic process
EF1A1_BOVIN	Elongation factor 1-alpha 1	RecName: Full=Elongation factor 1-alpha 1; Short=EF-1-alpha-1; AltName: Full=Elongation factor Tu; Short=EF-Tu; AltName: Full=Eukaryotic elongation factor 1 A-1; Short=eEF1A-1; - OS=Bos taurus (Bovine).	nucleotide binding; RNA binding; catalytic activity; protein binding	nucleus; cytoplasm	metabolic process
EF2_BOVIN	Elongation factor 2	RecName: Full=Elongation factor 2; Short=EF-2; - OS=Bos taurus (Bovine).	nucleotide binding; RNA binding; catalytic	cytoplasm	metabolic process

ENPL_BOVIN	Endoplasmin	RecName: Full=Endoplasmin; AltName: Full=94 kDa glucose-regulated protein; Short=GRP-94; AltName: Full=Heat shock protein 90 kDa beta member 1; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; RNA binding; protein binding	cytoplasm; endoplasmic reticulum; organelle lumen; membrane; cytosol	response to stimulus; metabolic process; cell organization and biogenesis; cell death; regulation of biological process
IF4A1_BOVIN	Eukaryotic initiation factor 4A-I	RecName: Full=Eukaryotic initiation factor 4A-I; Short=eIF-4A-I; Short=eIF4A-I; EC=3.6.4.13; AltName: Full=ATP-dependent RNA helicase eIF4A-1; - OS=Bos taurus (Bovine).	nucleotide binding; RNA binding; catalytic activity	cytoplasm	metabolic process
IF5A1_BOVIN	Eukaryotic translation initiation factor 5A-1	RecName: Full=Eukaryotic translation initiation factor 5A-1; Short=eIF-5A-1; Short=eIF-5A1; AltName: Full=Eukaryotic initiation factor 5A isoform 1; Short=eIF-5A; AltName: Full=eIF-4D; - OS=Bos taurus (Bovine).	RNA binding; protein binding	nucleus; membrane; cytoplasm; endoplasmic reticulum	transport; metabolic process; cell death; cell proliferation; regulation of biological process; cell organization and biogenesis
EZRI_BOVIN	Ezrin	RecName: Full=Ezrin; AltName: Full=Cytovillin; AltName: Full=Villin-2; AltName: Full=p81; - OS=Bos taurus (Bovine).	protein binding	nucleus; organelle lumen; cytoplasm; cytosol; cytoskeleton; membrane	cell organization and biogenesis; regulation of biological process
Q076H7_CAPHI	Fatty acid synthase	SubName: Full=Fatty acid synthase; - OS=Capra hircus (Goat).	nucleotide binding; catalytic activity; protein binding; metal ion transporter activity	cytoplasm	metabolic process
FABPH_BOSMU	Fatty acid-binding protein	RecName: Full=Fatty acid-binding protein, heart; AltName: Full=Fatty acid-binding protein 3; AltName: Full=Heart-type fatty acid-binding protein; Short=H-FABP; - OS=Bos mutus grunniens (Wild yak) (Bos grunniens).			transport
A5PKG9_BOVIN	FGR protein	SubName: Full=FGR protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; protein binding; catalytic activity	cytoskeleton; membrane	metabolic process; cell communication; regulation of biological process; response to stimulus; cell organization and biogenesis; cellular component movement; transport; defense
A6QLL8_BOVIN	Fructose-bisphosphate aldolase	RecName: Full=Fructose-bisphosphate aldolase; EC=4.1.2.13; - OS=Bos taurus (Bovine).	catalytic activity; protein binding	cytoskeleton; extracellular	metabolic process; cell organization and biogenesis; regulation of biological process; cellular homeostasis
SNAG_BOVIN	Gamma-soluble NSF attachment protein	RecName: Full=Gamma-soluble NSF attachment protein; Short=SNAP-gamma; AltName: Full=N-ethylmaleimide-sensitive factor attachment protein gamma; - OS=Bos taurus (Bovine).	protein binding	cytoplasm; mitochondrion; membrane	transport

Q0VCH9_BOVIN	GLI pathogenesis-related 2	SubName: Full=GLI pathogenesis-related 2; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	na	extracellular	na
G3P_BOVIN	Glyceraldehyde-3-phosphate dehydrogenase	RecName: Full=Glyceraldehyde-3-phosphate dehydrogenase; Short=GAPDH; EC=1.2.1.12; AltName: Full=Peptidyl-cysteine S-nitrosylase GAPDH; EC=2.6.99.-; - OS=Bos taurus	nucleotide binding; catalytic activity; protein binding	nucleus; cytoplasm; cytosol; cytoskeleton; membrane; extracellular	cell organization and biogenesis; metabolic process; regulation of biological process; cell death; defense response; response to stimulus
F1MDT6_BOVIN	Glycerol-3-phosphate acyltransferase 1, mitochondrial	SubName: Full=Glycerol-3-phosphate acyltransferase 1, mitochondrial; - OS=Bos taurus (Bovine).	catalytic activity	cytoplasm; mitochondrion; membrane	metabolic process; response to stimulus; regulation of biological process; cell proliferation; transport; defense response: cell death
GLCM1_BOVIN	Glycosylation-dependent cell adhesion molecule 1	RecName: Full=Glycosylation-dependent cell adhesion molecule 1; Short=GlyCAM-1; AltName: Full=28 kDa milk glycoprotein PP3; AltName: Full=Lactophorin; AltName: Full=Proteose-peptone component 3; Short=PP3; Flags: Precursor; - OS=Bos taurus (Bovine).	protein binding	extracellular; membrane	na
A7MBH9_BOVIN	GNAI2 protein	SubName: Full=GNAI2 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; protein binding; catalytic activity; signal	cytoplasm; cytoskeleton; membrane	cell communication; regulation of biological process; response to stimulus; metabolic process; cell
Q1RMW9_BOVIN	Golgi phosphoprotein 3	SubName: Full=Golgi phosphoprotein 3 (Coat-protein); SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	na	cytoplasm; mitochondrion; Golgi; cytosol; membrane; nucleus	cell proliferation; cell organization and biogenesis; regulation of biological process; cell communication; response
RHEB_BOVIN	GTP-binding protein Rheb	RecName: Full=GTP-binding protein Rheb; AltName: Full=Ras homolog enriched in brain; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; metal ion binding	membrane	metabolic process; cell communication; regulation of biological process; response to stimulus
SAR1A_BOVIN	GTP-binding protein SAR1a	RecName: Full=GTP-binding protein SAR1a; - OS=Bos taurus (Bovine).	nucleotide binding	cytoplasm; endoplasmic reticulum; Golgi	transport; cell communication; regulation of biological process;
SAR1B_BOVIN	GTP-binding protein SAR1b	RecName: Full=GTP-binding protein SAR1b; - OS=Bos taurus (Bovine).	nucleotide binding; signal transducer activity; metal ion	cytoplasm; endoplasmic reticulum; membrane; Golgi	transport; cell communication; regulation of biological process; response to stimulus
Q3ZCA7_BOVIN	Guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 3	SubName: Full=Guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 3; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; signal transducer activity; protein binding	cytoplasm; Golgi; cytoskeleton; membrane	metabolic process; cell communication; regulation of biological process; response to stimulus; cell division
A5A755_PIG	Guanine nucleotide-binding protein	SubName: Full=Guanine nucleotide-binding protein; Flags: Fragment; - OS=Sus scrofa (Pig).	nucleotide binding; protein binding; catalytic activity; signal	na	metabolic process; cell communication; regulation of biological process; response to stimulus

GNAI1_BOVIN	Guanine nucleotide-binding protein G(i) subunit alpha-1	RecName: Full=Guanine nucleotide-binding protein G(i) subunit alpha-1; AltName: Full=Adenylate cyclase-inhibiting G alpha protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; signal transducer activity; protein binding; metal	nucleus; cytoplasm; cytoskeleton; membrane	metabolic process; cell communication; regulation of biological process; response to stimulus; cell division
GBG12_BOVIN	Guanine nucleotide-binding protein G(l)/G(s)/G(o) subunit gamma-12	RecName: Full=Guanine nucleotide-binding protein G(l)/G(s)/G(o) subunit gamma-12; AltName: Full=Gamma-S1; Flags: Precursor; - OS=Bos taurus (Bovine).	signal transducer activity	membrane	cell communication; regulation of biological process; response to stimulus
H9FT57_MACMU	Guanine nucleotide-binding protein G(l)/G(s)/G(t) subunit beta-1	SubName: Full=Guanine nucleotide-binding protein G(l)/G(s)/G(t) subunit beta-1; - OS=Macaca mulatta (Rhesus macaque).	protein binding	na	na
H9FT58_MACMU	Guanine nucleotide-binding protein G(l)/G(s)/G(t) subunit beta-2	SubName: Full=Guanine nucleotide-binding protein G(l)/G(s)/G(t) subunit beta-2; - OS=Macaca mulatta (Rhesus macaque).	protein binding	na	na
GNAS2_BOVIN	Guanine nucleotide-binding protein G(s) subunit alpha isoforms short	RecName: Full=Guanine nucleotide-binding protein G(s) subunit alpha isoforms short; AltName: Full=Adenylate cyclase-stimulating G alpha protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; signal transducer activity; protein binding: metal nucleotide binding;	extracellular; membrane; cytoplasm	development; metabolic process; regulation of biological process; cell communication; response to stimulus; cell differentiation
GNA11_BOVIN	Guanine nucleotide-binding protein subunit alpha-11	RecName: Full=Guanine nucleotide-binding protein subunit alpha-11; Short=G alpha-11; Short=G-protein subunit alpha-11; AltName: Full=G-protein subunit GL2 alpha; - OS=Bos taurus (Bovine).	protein binding; catalytic activity; signal transducer activity; metal ion binding	membrane	development; metabolic process; cell communication; regulation of biological process; response to stimulus; cell differentiation
GBLP_BOVIN	Guanine nucleotide-binding protein subunit beta-2-like 1	RecName: Full=Guanine nucleotide-binding protein subunit beta-2-like 1; AltName: Full=Receptor for activated C kinase; AltName: Full=Receptor of activated protein kinase C 1; Short=RACK1; - OS=Bos taurus (Bovine).	protein binding; enzyme regulator activity	membrane; nucleus; cytoplasm; cytoskeleton	metabolic process; regulation of biological process; cell death; development; cell communication; response to stimulus; cell growth; cell organization and biogenesis; cellular component movement; transport; cell cell organization and biogenesis;
HSP7C_BOVIN	Heat shock cognate 71 kDa protein	RecName: Full=Heat shock cognate 71 kDa protein; AltName: Full=Heat shock 70 kDa protein 8; - OS=Bos taurus (Bovine).	nucleotide binding; protein binding; catalytic activity nucleotide binding;	nucleus; spliceosomal complex; organelle lumen; cytoplasm; cytosol; cell	metabolic process; regulation of biological process; response to stimulus metabolic process; response to stimulus
HS90A_BOVIN	Heat shock protein HSP 90-alpha	RecName: Full=Heat shock protein HSP 90-alpha; - OS=Bos taurus (Bovine).	protein binding; catalytic activity;	extracellular; cytoplasm	stimulus; cell organization and biogenesis; transport; regulation of
HS90B_BOVIN	Heat shock protein HSP 90-beta	RecName: Full=Heat shock protein HSP 90-beta; - OS=Bos taurus (Bovine).	nucleotide binding; protein binding	cytoplasm; mitochondrion	metabolic process; response to stimulus

G3HDT6_CRIGR	Histone H2A	RecName: Full=Histone H2A; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	DNA binding; protein binding	chromosome; nucleus; membrane	cell organization and biogenesis; metabolic process
G3HPV6_CRIGR	Histone H2A type 1	SubName: Full=Histone H2A type 1; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	DNA binding; protein binding	chromosome; nucleus; membrane	cell organization and biogenesis; metabolic process
HORN_HUMAN	Hornerin	RecName: Full=Hornerin; - OS=Homo sapiens (Human).	catalytic activity; metal ion binding	cytoskeleton; extracellular	metabolic process; development; cell differentiation
A4FUD2_BOVIN	HSD17B7 protein	SubName: Full=HSD17B7 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	cytoplasm; endoplasmic reticulum	metabolic process
IDHC_SHEEP	Isocitrate dehydrogenase [NADP] cytoplasmic	RecName: Full=Isocitrate dehydrogenase [NADP] cytoplasmic; Short=IDH; EC=1.1.1.42; AltName: Full=Cytosolic NADP-isocitrate dehydrogenase; AltName: Full=IDP; AltName: Full=NADP(+)-specific ICDH; AltName: Full=Oxalosuccinate decarboxylase; - OS=Ovis aries (Sheep).	metal ion binding; catalytic activity; nucleotide binding	cytoplasm	metabolic process
PLAK_BOVIN	Junction plakoglobin	RecName: Full=Junction plakoglobin; AltName: Full=Desmoplakin III; AltName: Full=Desmoplakin-3; - OS=Bos taurus (Bovine).	structural molecule activity; protein binding	nucleus; cytoplasm; cytosol; cytoskeleton; membrane	metabolic process; regulation of biological process; cell organization and biogenesis; cell communication; cell differentiation; development; response to stimulus; cellular component movement; cell proliferation; transport;
CASK_BUBBU	Kappa-casein	RecName: Full=Kappa-casein; Flags: Precursor; - OS=Bubalus bubalis (Domestic water buffalo).	na	extracellular	na
MFGM_BOVIN	Lactadherin	RecName: Full=Lactadherin; AltName: Full=BP47; AltName: Full=Components 15/16; AltName: Full=MFGM; AltName: Full=MGP57/53; AltName: Full=Milk fat globule-EGF factor 8; Short=MFG-E8; AltName: Full=PAS-6/PAS-7 glycoprotein; AltName: Full=SED1; AltName: Full=Sperm surface protein SP47; Flags: Precursor; - OS=Bos taurus (Bovine).	protein binding	extracellular; membrane	development; reproduction
A5JUY8_BUBBU	Lactoperoxidase	SubName: Full=Lactoperoxidase; - OS=Bubalus bubalis (Domestic water buffalo).	antioxidant activity; catalytic activity; metal	na	response to stimulus; metabolic process

TRFL_BUBBU	Lactotransferrin	RecName: Full=Lactotransferrin; Short=Lactoferrin; EC=3.4.21.-; Flags: Precursor; - OS=Bubalus bubalis (Domestic water buffalo).	catalytic activity; metal ion binding	extracellular	regulation of biological process; metabolic process; transport; cellular homeostasis; defense response; response to stimulus; cell metabolic process
ERG7_BOVIN	Lanosterol synthase	RecName: Full=Lanosterol synthase; EC=5.4.99.7; AltName: Full=2,3-epoxysqualene--lanosterol cyclase; AltName: Full=Oxidosqualene--lanosterol cyclase; Short=OSC; - OS=Bos taurus (Bovine).	catalytic activity	cytoplasm; endoplasmic reticulum; membrane	
LRC8C_BOVIN	Leucine-rich repeat-containing protein 8C	RecName: Full=Leucine-rich repeat-containing protein 8C; - OS=Bos taurus (Bovine).	protein binding	cytoplasm; endoplasmic reticulum; membrane	na
CD47_BOVIN	Leukocyte surface antigen CD47	RecName: Full=Leukocyte surface antigen CD47; AltName: Full=Integrin-associated protein; Short=IAP; AltName: CD_antigen=CD47; Flags: Precursor; - OS=Bos taurus (Bovine).	protein binding	membrane	na
LIPL_BOVIN	Lipoprotein lipase	RecName: Full=Lipoprotein lipase; Short=LPL; EC=3.1.1.34; Flags: Precursor; - OS=Bos taurus (Bovine).	catalytic activity; protein binding	extracellular; membrane; cell surface	metabolic process; cell differentiation; regulation of biological process; cell organization and biogenesis
A8Q334_BOVIN	LOC513482 protein	SubName: Full=LOC513482 protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	na	metabolic process
G5B857_HETGA	Long-chain-fatty-acid--CoA ligase 3	SubName: Full=Long-chain-fatty-acid--CoA ligase 3; - OS=Heterocephalus glaber (Naked mole rat).	catalytic activity	membrane	metabolic process
B5B290_PHOSU	Major prion protein	RecName: Full=Major prion protein; - OS=Phodopus sungorus (Striped hairy-footed hamster) (Djungarian hamster).	na	membrane	cell organization and biogenesis
MDHC_BOVIN	Malate dehydrogenase, cytoplasmic	RecName: Full=Malate dehydrogenase, cytoplasmic; EC=1.1.1.37; AltName: Full=Cytosolic malate dehydrogenase; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	cytoplasm; mitochondrion; cytoskeleton	metabolic process
Q3SX32_BOVIN	Mannose 6 phosphate receptor binding protein 1	SubName: Full=Mannose 6 phosphate receptor binding protein 1; SubName: Full=Mannose-6-phosphate receptor binding protein 1; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	na	cytoplasm	na
G5CC03_CAPHI	Milk fat globule EGF factor 8 protein	SubName: Full=Milk fat globule EGF factor 8 protein; Flags: Fragment; - OS=Capra hircus (Goat).	protein binding	na	na

Q1W2K5_BUBBU	Monocyte differentiation antigen CD14	RecName: Full=Monocyte differentiation antigen CD14; AltName: Full=Myeloid cell-specific leucine-rich glycoprotein; Flags: Fragment; - OS=Bubalus bubalis (Domestic water buffalo).	protein binding	membrane	defense response; response to stimulus
A7E340_BOVIN	Mucin 15, cell surface associated	SubName: Full=Mucin 15, cell surface associated; - OS=Bos taurus (Bovine).	na	extracellular; membrane	na
I6X9J1_BUBBU	Mucin1-cell surface associated protein	SubName: Full=Mucin1-cell surface associated protein; - OS=Bubalus bubalis (Domestic water buffalo).	na	membrane	na
NB5R3_BOVIN	NADH-cytochrome b5 reductase 3	RecName: Full=NADH-cytochrome b5 reductase 3; Short=B5R; Short=Cytochrome b5 reductase; EC=1.6.2.2; AltName: Full=Diaphorase-1; Contains: RecName: Full=NADH-cytochrome b5 reductase 3 membrane-bound form; Contains: RecName: Full=NADH-cytochrome b5 reductase 3 soluble form; - OS=Bos taurus (Bovine).	catalytic activity	cytoplasm; mitochondrion; membrane; endoplasmic reticulum	metabolic process
A5D7S0_BOVIN	NAPA protein	SubName: Full=NAPA protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	membrane; cytoplasm	transport; development; cell communication; cell organization and biogenesis; regulation of biological process
A6H7J6_BOVIN	P4HB protein	SubName: Full=P4HB protein; SubName: Full=Prolyl 4-hydroxylase, beta subunit; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity; metal ion binding	cytoplasm; endoplasmic reticulum; organelle lumen; membrane; cell surface	homeostasis; regulation of biological process
A5D7E8_BOVIN	PDIA3 protein	SubName: Full=PDIA3 protein; SubName: Full=Protein disulfide-isomerase A3; - OS=Bos taurus (Bovine).	catalytic activity	cytoplasm; endoplasmic reticulum; organelle lumen; cell surface	metabolic process; cell death; regulation of biological process; cellular homeostasis
GIPC2_BOVIN	PDZ domain-containing protein	RecName: Full=PDZ domain-containing protein GIPC2; - OS=Bos taurus (Bovine).	protein binding	cytoplasm	na
PPIA_BOVIN	Peptidyl-prolyl cis-trans isomerase A	RecName: Full=Peptidyl-prolyl cis-trans isomerase A; Short=PPIase A; EC=5.2.1.8; AltName: Full=Cyclophilin A; AltName: Full=Cyclosporin A-binding protein; AltName: Full=Rotamase A; - OS=Bos taurus (Bovine).	catalytic activity	extracellular; nucleus; cytoplasm; cytosol	metabolic process; regulation of biological process
F1MQB0_BOVIN	Perilipin-2	SubName: Full=Perilipin-2; - OS=Bos taurus (Bovine).	na	na	na

PRDX1_BOVIN	Peroxiredoxin-1	RecName: Full=Peroxiredoxin-1; EC=1.11.1.15; - OS=Bos taurus (Bovine).	antioxidant activity; catalytic activity; protein binding	nucleus; cytoplasm; mitochondrion	response to stimulus; cell proliferation; metabolic process; cell communication; regulation of biological process;
PRDX5_BOVIN	Peroxiredoxin-5, mitochondrial	RecName: Full=Peroxiredoxin-5, mitochondrial; EC=1.11.1.15; AltName: Full=Peroxiredoxin V; Short=Prx-V; AltName: Full=Thioredoxin reductase; Flags: Precursor; - OS=Bos taurus (Bovine). RecName: Full=Phospholipid hydroperoxide glutathione peroxidase, mitochondrial; Short=PHGPx; EC=1.11.1.12; AltName: Full=Glutathione peroxidase 4; Short=GPx-4; Short=GSHPx-4; Flags: Precursor; - OS=Bos taurus (Bovine).	DNA binding; antioxidant activity; catalytic activity; protein binding; enzyme regulator activity	nucleus; cytoplasm; mitochondrion; organelle lumen; cytosol	defense response; transport response to stimulus; metabolic process; regulation of biological process; cell death
GPX4_BOVIN	Phospholipid hydroperoxide glutathione peroxidase	Short=PHGPx; EC=1.11.1.12; AltName: Full=Glutathione peroxidase 4; Short=GPx-4; Short=GSHPx-4; Flags: Precursor; - OS=Bos taurus (Bovine).	antioxidant activity; catalytic activity	cytoplasm; mitochondrion	response to stimulus; development; metabolic process
CD36_BOVIN	Platelet glycoprotein 4	RecName: Full=Platelet glycoprotein 4; AltName: Full=Glycoprotein IIIb; Short=GPIIIB; AltName: Full=PAS IV; AltName: Full=PAS-4; AltName: Full=Platelet glycoprotein IV; Short=GPIV; AltName: CD_antigen=CD36; - OS=Bos taurus (Bovine).	na	membrane	transport
A6QNW3_BOVIN	Polymeric immunoglobulin	SubName: Full=PIGR protein; - OS=Bos taurus (Bovine).	protein binding	extracellular; membrane	na
E1BHJO_BOVIN	Profilin	RecName: Full=Profilin; - OS=Bos taurus (Bovine).	protein binding	cytoskeleton	cell organization and biogenesis
NDRG1_BOVIN	Protein NDRG1	RecName: Full=Protein NDRG1; AltName: Full=N-myc downstream-regulated gene 1 protein; - OS=Bos taurus (Bovine).	na	nucleus; cytoplasm; cytoskeleton; cytosol; membrane	na
BOBNK1_RAT	Protein Rab5c	SubName: Full=Protein Rab5c; SubName: Full=RCG32615, isoform CRA_a; SubName: Full=Rab5c protein; - OS=Rattus norvegicus (Rat).	nucleotide binding; catalytic activity	nucleus; cytoplasm; membrane; vacuole	cell organization and biogenesis; cell communication; regulation of biological process; response to stimulus; transport

S10A8_HUMAN	Protein S100-A8	RecName: Full=Protein S100-A8; AltName: Full=Calgranulin-A; AltName: Full=Calprotectin L1L subunit; AltName: Full=Cystic fibrosis antigen; Short=CFAG; AltName: Full=Leukocyte L1 complex light chain; AltName: Full=Migration inhibitory factor-related protein 8; Short=MRP-8; Short=p8; AltName: Full=S100 calcium-binding protein A8; AltName: Full=Urinary stone protein band A; - OS=Homo sapiens (Human)	metal ion binding; protein binding	extracellular; cytoplasm; cytosol; cytoskeleton; membrane	cellular component movement; defense response; response to stimulus; metabolic process; cell death; regulation of biological process; cell growth; cell organization and biogenesis; cellular homeostasis; cell communication
A5D7Q2_BOVIN	Putative uncharacterized	SubName: Full=Putative uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	membrane	na
A6QM09_BOVIN	Putative uncharacterized	SubName: Full=Putative uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	na	na
D2H304_AILME	Putative uncharacterized protein	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	nucleotide binding; catalytic activity	nucleus; cytoplasm; endosome	transport; cell communication; regulation of biological process; response to stimulus; development
D2I7H0_AILME	Putative uncharacterized protein	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	nucleotide binding	na	cell organization and biogenesis
Q2PG58_MACFA	Putative uncharacterized protein	SubName: Full=Putative uncharacterized protein; - OS=Macaca fascicularis (Crab-eating macaque) (Cynomolgus monkey).	nucleotide binding; catalytic activity; transporter activity	membrane	metabolic process; cell communication; regulation of biological process; response to stimulus; transport
PDXK_BOVIN	Pyridoxal kinase	RecName: Full=Pyridoxal kinase; EC=2.7.1.35; AltName: Full=Pyridoxine kinase; - OS=Bos taurus (Bovine).	nucleotide binding; metal ion binding; catalytic activity; protein	nucleus; cytoplasm; cytosol	cell proliferation; metabolic process
GDIB_BOVIN	Rab GDP dissociation inhibitor beta	RecName: Full=Rab GDP dissociation inhibitor beta; Short=Rab GDI beta; AltName: Full=Guanosine diphosphate dissociation inhibitor 2; Short=GDI-2; - OS=Bos taurus (Bovine).	enzyme regulator activity	cytoplasm; Golgi; cell surface; membrane	cell communication; regulation of biological process; response to stimulus; transport; metabolic process
A5D977_BOVIN	RALB protein	SubName: Full=RALB protein; SubName: Full=Uncharacterized protein; SubName: Full=V-ral simian leukemia viral oncogene homolog B; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	membrane	cell division; metabolic process; cell communication; regulation of biological process; response to stimulus
Q1JPH2_BOVIN	Ras related v-ral simian leukemia viral oncogene homolog A	SubName: Full=Ras related v-ral simian leukemia viral oncogene homolog A; Flags: Fragment; - OS=Bos taurus (Bovine).	N	na	na

RAC1_BOVIN	Ras-related C3 botulinum toxin substrate 1	RecName: Full=Ras-related C3 botulinum toxin substrate 1; AltName: Full=p21-Rac1; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; protein binding	membrane; cytoplasm	metabolic process; regulation of biological process; cell differentiation; cell organization and biogenesis; development; transport; response to stimulus; cell communication; cellular metabolic process; transport; cell communication; regulation of biological process; response to stimulus; cell differentiation; cell organization and biogenesis; development
RB11A_BOVIN	Ras-related protein Rab-11A	RecName: Full=Ras-related protein Rab-11A; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	cytoplasm; endosome; membrane	development; transport; cell communication; regulation of biological process; response to stimulus; cell differentiation; cell organization and biogenesis; development
RAB18_BOVIN	Ras-related protein Rab-18	RecName: Full=Ras-related protein Rab-18; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding	nucleus; cytoplasm; membrane	communication; regulation of biological process; response to stimulus
RAB21_BOVIN	Ras-related protein Rab-21	RecName: Full=Ras-related protein Rab-21; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	cytoplasm; Golgi; membrane; endosome; endoplasmic reticulum	metabolic process; transport; cell communication; regulation of biological process; response to stimulus
RAB25_BOVIN	Ras-related protein Rab-25	RecName: Full=Ras-related protein Rab-25; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding	nucleus; cytoplasm; membrane	transport; cell communication; regulation of biological process; response to stimulus; cell proliferation; metabolic process; cell communication; regulation of biological process;
F1LP82_RAT	Ras-related protein Rab-2A	SubName: Full=Ras-related protein Rab-2A; - OS=Rattus norvegicus (Rat).	nucleotide binding; catalytic activity	nucleus; cytoplasm; Golgi	response to stimulus; transport
F5H157_HUMAN	Ras-related protein Rab-35	SubName: Full=Ras-related protein Rab-35; Flags: Fragment; - OS=Homo sapiens	nucleotide binding	na	cell communication; regulation of biological process; response to metabolic process; cell communication; regulation of biological process;
RAP1B_BOVIN	Ras-related protein Rap-1b	RecName: Full=Ras-related protein Rap-1b; AltName: Full=GTP-binding protein smg p21B; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	cytoplasm; cytosol; membrane	response to stimulus; cell proliferation; cell differentiation; cell organization
G3HSE8_CRIGR	Ras-related protein R-Ras2	SubName: Full=Ras-related protein R-Ras2; Flags: Fragment; - OS=Cricetulus griseus (Chinese hamster) (Cricetulus barabensis griseus).	nucleotide binding; catalytic activity	membrane	metabolic process; cell communication; regulation of biological process; response to stimulus
GDIR1_BOVIN	Rho GDP-dissociation inhibitor 1	RecName: Full=Rho GDP-dissociation inhibitor 1; Short=Rho GDI 1; AltName: Full=Rho-GDI alpha; - OS=Bos taurus (Bovine).	enzyme regulator activity	membrane; cytoplasm	cell communication; regulation of biological process; response to stimulus; metabolic process
RHOC_BOVIN	Rho-related GTP-binding protein RhoC	RecName: Full=Rho-related GTP-binding protein RhoC; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; signal transducer activity	nucleus; membrane	cell division; cell communication; regulation of biological process; response to stimulus; cell organization

RHOF_BOVIN	Rho-related GTP-binding protein RhoF	RecName: Full=Rho-related GTP-binding protein RhoF; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding	cytoplasm; cytoskeleton; membrane	cell organization and biogenesis; cell communication; regulation of biological process; response to stimulus
SBP1_BOVIN	Selenium-binding protein 1	RecName: Full=Selenium-binding protein 1; AltName: Full=56 kDa selenium-binding protein; Short=SBP56; Short=SP56; - OS=Bos taurus (Bovine).	protein binding	nucleus; organelle lumen; cytoplasm; cytosol; membrane	transport
H6WAG7_BUBBU	Selenoprotein 15	SubName: Full=Selenoprotein 15; - OS=Bubalus bubalis (Domestic water buffalo).	na	na	na
ALBU_BOVIN	Serum albumin	RecName: Full=Serum albumin; AltName: Full=BSA; AltName: Allergen=Bos d 6; Flags: Precursor; - OS=Bos taurus (Bovine).	DNA binding; metal ion binding; protein binding	extracellular; cytoplasm	transport; cell communication; response to stimulus; cell death; regulation of biological process
D2U6Q0_BUBBU	Serum amyloid A protein	RecName: Full=Serum amyloid A protein; Flags: Fragment; - OS=Bubalus bubalis (Domestic water buffalo).	na	extracellular	defense response; response to stimulus
F1N334_BOVIN	Short-chain dehydrogenase/reductase 3	SubName: Full=Short-chain dehydrogenase/reductase 3; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	membrane	metabolic process
E9NST3_BUBBU	Sodium phosphate solute carrier family 34 member 2	SubName: Full=Sodium phosphate solute carrier family 34 member 2; - OS=Bubalus bubalis (Domestic water buffalo).	transporter activity	membrane	transport
NSDHL_BOVIN	Sterol-4-alpha-carboxylate 3-dehydrogenase, decarboxylating	RecName: Full=Sterol-4-alpha-carboxylate 3-dehydrogenase, decarboxylating; EC=1.1.1.170; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	cytoplasm; endoplasmic reticulum; membrane	development; metabolic process; cell communication; regulation of biological process; response to stimulus
A6QLH3_BOVIN	STX3 protein	SubName: Full=STX3 protein; - OS=Bos taurus (Bovine).	protein binding	membrane; cytoplasm; vacuole	transport
YKT6_BOVIN	Synaptobrevin homolog YKT6	RecName: Full=Synaptobrevin homolog YKT6; EC=2.3.1.-; Flags: Precursor; - OS=Bos taurus (Bovine).	protein binding; catalytic activity	cytoplasm; Golgi; membrane; mitochondrion; endosome; endoplasmic	transport
Q2T9M8_BOVIN	Synaptosomal-associated protein	RecName: Full=Synaptosomal-associated protein; - OS=Bos taurus (Bovine).	protein binding	nucleus; cytoplasm; Golgi; vacuole	na
G8JKZ8_BOVIN	Thioredoxin	SubName: Full=Thioredoxin; Flags: Fragment; - OS=Bos taurus (Bovine).	catalytic activity	nucleus; cytoplasm; mitochondrion; cytosol	metabolic process; regulation of biological process; response to stimulus; transport; cellular
G3EHG5_CAPHI	TIP47	SubName: Full=TIP47; - OS=Capra hircus (Goat).	na	na	na

Q2KIT8_BOVIN	Tissue specific transplantation antigen P35B	SubName: Full=Tissue specific transplantation antigen P35B; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	na	metabolic process; cell death
E3UZU9_BUBBU	Toll-like receptor	RecName: Full=Toll-like receptor; - OS=Bubalus bubalis (Domestic water buffalo).	receptor activity; signal transducer activity; protein binding	membrane	cell communication; defense response; regulation of biological process; response to stimulus; transport
TRYP_PIG	Trypsin	RecName: Full=Trypsin; EC=3.4.21.4; Flags: Precursor; - OS=Sus scrofa (Pig). RecName: Full=Tryptophan--tRNA ligase, cytoplasmic; EC=6.1.1.2; AltName: Full=Tryptophanyl-tRNA synthetase; Short=TrpRS; Contains: RecName: Full=T1-TrpRS; Contains: RecName: Full=T2-TrpRS; - OS=Bos taurus (Bovine).	catalytic activity; metal ion binding	extracellular	metabolic process
SYWC_BOVIN	Tryptophan--tRNA ligase	Full=Tryptophanyl-tRNA synthetase; Short=TrpRS; Contains: RecName: Full=T1-TrpRS; Contains: RecName: Full=T2-TrpRS; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	cytoplasm	metabolic process; development; regulation of biological process
TPRGL_BOVIN	Tumor protein p63-regulated gene 1-like protein	RecName: Full=Tumor protein p63-regulated gene 1-like protein; AltName: Full=Mossy fiber terminal-associated vertebrate-specific presynaptic protein; AltName: Full=Protein FAM79A; - OS=Bos taurus (Bovine).	na	cytoplasm	na
D4QGC1_BOVIN	Tyrosine-protein kinase Lyn	SubName: Full=Tyrosine-protein kinase Lyn; - OS=Bos taurus (Bovine). RecName: Full=Ubiquitin-40S ribosomal protein S27a; AltName: Full=Ubiquitin carboxyl extension protein 80; Contains: RecName: Full=Ubiquitin; Contains: RecName: Full=40S ribosomal protein S27a; Flags: Precursor; - OS=Bos taurus (Bovine). RecName: Full=UMP-CMP kinase; EC=2.7.4.14; AltName: Full=Cytidine monophosphate kinase; AltName: Full=Cytidylate kinase; AltName: Full=Deoxycytidylate kinase; AltName: Full=Uridine monophosphate kinase; AltName: Full=Uridine monophosphate/cytidine monophosphate kinase: Short=LIMP/CMP kinase:	nucleotide binding; catalytic activity; protein	membrane	metabolic process
RS27A_BOVIN	Ubiquitin-40S ribosomal protein S27a	RecName: Full=Ubiquitin; Contains: RecName: Full=40S ribosomal protein S27a; Flags: Precursor; - OS=Bos taurus (Bovine). RecName: Full=UMP-CMP kinase; EC=2.7.4.14; AltName: Full=Cytidine monophosphate kinase; AltName: Full=Cytidylate kinase; AltName: Full=Deoxycytidylate kinase; AltName: Full=Uridine monophosphate kinase; AltName: Full=Uridine monophosphate/cytidine monophosphate kinase: Short=LIMP/CMP kinase:	structural molecule activity; protein binding; metal ion binding	nucleus; cytoplasm; ribosome; cytosol	metabolic process
KCY_BOVIN	UMP-CMP kinase	Full=Deoxycytidylate kinase; AltName: Full=Uridine monophosphate kinase; AltName: Full=Uridine monophosphate/cytidine monophosphate kinase: Short=LIMP/CMP kinase:	nucleotide binding; catalytic activity	nucleus; cytoplasm	metabolic process

D2HYT6_AILME	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	nucleotide binding; catalytic activity	nucleus; cytoplasm; membrane	metabolic process; cell communication; regulation of biological process; response to stimulus; cell organization and biogenesis: cellular component transport; response to stimulus; cellular
E1B6Z6_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	transporter activity; metal ion binding	extracellular; cytoplasm	homeostasis; cell death; regulation of biological process; defense response development; cell differentiation; cell
E1B9D7_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	metal ion binding	membrane	communication; metabolic process; regulation of biological process; cell proliferation; regulation of
E1BAT3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	receptor activity; signal transducer activity; protein binding	membrane	biological process; cell communication; response to stimulus
E1BG25_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	metal ion binding	extracellular	transport; cellular homeostasis
E1BGE7_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity	na	metabolic process
E1BJL8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	na	na	na
E1BJQ7_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	cytoplasm; cytosol; membrane	transport; cell communication; regulation of biological process; response to stimulus; metabolic
E1BJV0_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity; metal ion binding; protein binding; nucleotide catalytic activity; motor	cytoplasm; endoplasmic reticulum; endosome; membrane	process: cellular component movement metabolic process; transport; cell organization and biogenesis
E1BKT9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	activity; protein binding; structural molecule activity	chromosome; nucleus; organelle lumen; cytoskeleton; cytoplasm; mitochondrion; membrane	cell organization and biogenesis; development; metabolic process; reproduction; cell differentiation; regulation of biological process; cell
E1BNX1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	na	cell communication; regulation of biological process; response to
E1BP91_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity; metal ion binding	na	metabolic process
E1BQ28_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	transporter activity	membrane	transport
F1MBF6_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; transporter activity	nucleus; cytoplasm; cytoskeleton; membrane	metabolic process; cell communication; regulation of biological process; response to stimulus; cell organization and biogenesis; transport

F1MGR1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	transporter activity	membrane	transport
F1MHC2_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	cytoplasm; cytosol; membrane; vacuole	transport; response to stimulus
F1MJH1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding; metal ion binding	cytoplasm; cytoskeleton; extracellular membrane	cell organization and biogenesis; regulation of biological process
F1MJJ4_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	receptor activity; signal transducer activity; protein binding	na	na
F1MJQ1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	nucleus; cytoplasm; vacuole; endosome; Golgi; membrane	metabolic process; transport; cell communication; regulation of biological process; response to stimulus; cell organization and biogenesis; cellular cell organization and biogenesis; cell communication; regulation of biological process; response to stimulus; metabolic process; regulation of biological process
F1MNI4_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; protein binding	nucleus; cytoplasm; endosome	na
F1MPE1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	enzyme regulator activity	extracellular; membrane	metabolic process; regulation of biological process
F1MSA6_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	structural molecule activity	cytoskeleton	na
F1MT12_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	na	membrane	metabolic process
F1MUP9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; metal ion binding; receptor activity; signal transducer activity; protein binding	na	cell organization and biogenesis; regulation of biological process; cell communication; regulation of biological process; response to stimulus
F1MV32_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	membrane	na
F1MX05_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	cytoplasm; mitochondrion	metabolic process
F1MYU3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	catalytic activity; nucleotide binding	nucleus; cytoplasm	cell communication; regulation of biological process; response to stimulus
F1N272_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; transporter activity; catalytic activity	membrane	metabolic process; transport
F1N2B5_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	na	na	metabolic process
F1N2D9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; protein binding; metal ion	na	metabolic process

F1N4W5_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	na	membrane	na
F1N726_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	na	extracellular; membrane	response to stimulus; transport
F6WEM8_MONDO	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Monodelphis domestica (Gray short-tailed opossum).	catalytic activity; metal ion binding; nucleotide binding	na	metabolic process
F6YKA7_MACMU	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	structural molecule activity	cytoskeleton	cell organization and biogenesis
F7DMS9_ORNAN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Ornithorhynchus anatinus (Duckbill platypus).	nucleotide binding; signal transducer activity	nucleus; cytoplasm	cell communication; regulation of biological process; response to stimulus
F7E526_MACMU	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta (Rhesus macaque).	structural molecule activity	cytoskeleton	na
F7GBD2_ORNAN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Ornithorhynchus anatinus (Duckbill platypus).	nucleotide binding	nucleus; cytoplasm	cell communication; regulation of biological process; response to stimulus; transport
G1PK30_MYOLU	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Myotis lucifugus (Little brown bat).	catalytic activity	cytoplasm; membrane	metabolic process; cellular homeostasis; regulation of biological process
G1QMQ0_NOMLE	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	nucleotide binding; catalytic activity; signal transducer activity; metal ion binding	membrane	metabolic process; cell communication; regulation of biological process; response to stimulus
G1RHE3_NOMLE	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).		nucleus; cytoplasm	cellular component movement; defense response; response to stimulus; metabolic process; cell death; regulation of biological process: cell
G1RJ14_NOMLE	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-cheeked gibbon) (Hylobates leucogenys).	structural molecule activity	nucleus; cytoplasm; cytoskeleton; membrane	cell organization and biogenesis
G3MZ88_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	cytoplasm; endoplasmic reticulum	metabolic process
G3N2D8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity	na	regulation of biological process; metabolic process; defense response; cell differentiation; development; response to stimulus
G3QDX0_GORGO	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	structural molecule activity	cytoplasm; cytoskeleton	

G3QWW0_GORGO	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	nucleotide binding; catalytic activity; protein binding	cytoplasm; membrane; mitochondrion; vacuole; endosome	metabolic process; cell communication; regulation of biological process; response to stimulus; cellular component movement; development; cell organization and biogenesis; cell na
G3RW31_GORGO	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla (Lowland gorilla).	catalytic activity; motor activity; structural protein binding	cytoskeleton	na
G5E513_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	protein binding	na	na
G5E5T5_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	protein binding	membrane	na
G5E604_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	protein binding	na	na
H0WTJ3_OTOGA	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Otolemur garnettii (Small-eared galago) (Garnett's greater bushbaby).	na	membrane	cell death
H2QHQ2_PANTR	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Pan troglodytes (Chimpanzee).	catalytic activity; metal ion binding; nucleotide nucleotide binding;	na	metabolic process
F1MN60_BOVIN	Uncharacterized protein;	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity; transporter activity; metal ion binding; protein binding	cytoplasm; endoplasmic reticulum; membrane	cell organization and biogenesis; metabolic process; transport; cellular homeostasis; development; reproduction; response to stimulus; cell differentiation; cell communication;
CL023_BOVIN	UPF0444 transmembrane protein C12orf23	RecName: Full=UPF0444 transmembrane protein C12orf23 homolog; - OS=Bos taurus (Bovine).	na	membrane	na
UGPA_BOVIN	UTP--glucose-1-phosphate uridylyltransferase	RecName: Full=UTP--glucose-1-phosphate uridylyltransferase; EC=2.7.7.9; AltName: Full=UDP-glucose pyrophosphorylase; Short=UDPGP; Short=UGPase; - OS=Bos taurus (Bovine).	catalytic activity; metal ion binding	cytoplasm	metabolic process
G1AQP3_BUBBU	Xanthine dehydrogenase	SubName: Full=Xanthine dehydrogenase/oxidase; EC=1.17.1.4; EC=1.17.3.2; - OS=Bubalus bubalis (Domestic water buffalo).	catalytic activity; metal ion binding; nucleotide binding	membrane	metabolic process

The accession entry - the unique entry name that is assigned for an identified protein according to the Uniprot database. Molecular function, cellular component and biological process are obtained by using the 'annotation' node in Proteome Discoverer which utilizes the ProteinCenter software (Thermo Scientific ProteinCenter) consisting of data from >20 public databases (Uniprot, NCBI, IPI etc.).

Supplementary Table 8. Molecular function, cellular component and biological process classification of identified bovine MFGM proteins (na = information not available from searching databases).

Accession entry	Protein name	Description	Molecular Function	Cellular Component	Biological Process
1433E_BOVIN	14-3-3 protein epsilon	RecName: Full=14-3-3 protein epsilon; Short=14-3-3E; - OS=Bos taurus (Bovine).	protein binding	cytoplasm; mitochondrion	cell differentiation; cellular component movement; development; transport; metabolic process; regulation of
1433Z_BOVIN	14-3-3 protein zeta/delta	RecName: Full=14-3-3 protein zeta/delta; AltName: Full=Factor activating exoenzyme S; Short=FAS; AltName: Full=Protein kinase C inhibitor protein 1;	protein binding	nucleus; cytoplasm; mitochondrion	transport; cell death; regulation of biological process
SEP15_BOVIN	15 kDa selenoprotein	RecName: Full=15 kDa selenoprotein; Flags: Precursor; -	na	cytoplasm; endoplasmic reticulum; organelle lumen	na
A6H7D4_BOVIN	1-acylglycerol-3-phosphate O-acyltransferase 6	SubName: Full=1-acylglycerol-3-phosphate O-acyltransferase 6 (Lysophosphatidic acid acyltransferase, zeta); SubName: Full=Glycerol-3-phosphate	catalytic activity	cytoplasm; endoplasmic reticulum; membrane	cell differentiation; metabolic process; development; reproduction; transport; regulation of biological process
5NTD_BOVIN	5'-nucleotidase	RecName: Full=5'-nucleotidase; Short=5'-NT; EC=3.1.3.5; AltName: Full=Ecto-5'-nucleotidase; AltName: CD antigen=CD73; Flags: RecName: Full=78 kDa glucose-	nucleotide binding; catalytic activity; metal ion binding	membrane	metabolic process
GRP78_BOVIN	78 kDa glucose-regulated protein	regulated protein; Short=GRP-78; AltName: Full=Heat shock 70 kDa protein 5; Flags: Precursor; -	nucleotide binding; catalytic activity	cytoplasm; endoplasmic reticulum; organelle lumen	cell organization and biogenesis
ACACA_BOVIN	Acetyl-CoA carboxylase 1	RecName: Full=Acetyl-CoA carboxylase 1; Short=ACC1; EC=6.4.1.2; AltName: Full=ACC-	nucleotide binding; catalytic activity; metal ion binding	cytoplasm; cytosol	metabolic process; cell organization and biogenesis
ACTG_BOVIN	Actin, cytoplasmic 2	alpha: Includes: RecName: Full=Actin, cytoplasmic 2; AltName: Full=Gamma-actin; Contains: RecName: Full=Actin, cytoplasmic 2, N-terminally	nucleotide binding; structural molecule activity; protein binding	cytoplasm; cytoskeleton; extracellular	cell differentiation; cell organization and biogenesis
Q0VCZ8_BOVIN	Acyl-CoA synthetase long-chain family member 1	SubName: Full=Acyl-CoA synthetase long-chain family member 1; SubName:	catalytic activity	cytoplasm; mitochondrion	metabolic process; transport

G9KHA2_MUSPF	Adipose differentiation-related protein	SubName: Full=Adipose differentiation-related protein; Flags: Fragment; - OS=Mustela	na	nucleus; cytoplasm; membrane	transport
ARF1_BOVIN	ADP-ribosylation factor 1	RecName: Full=ADP-ribosylation factor 1; - OS=Bos taurus (Bovine).	nucleotide binding; signal transducer activity; protein binding	nucleus; cytoplasm; Golgi; cytosol	transport; cellular homeostasis; cell communication; regulation of biological process; response
ARF4_BOVIN	ADP-ribosylation factor 4	RecName: Full=ADP-ribosylation factor 4; - OS=Bos taurus (Bovine).	nucleotide binding; signal transducer activity	nucleus; cytoplasm; Golgi; membrane	transport; cell communication; regulation of biological process; response to stimulus
ARF6_HUMAN	ADP-ribosylation factor 6	RecName: Full=ADP-ribosylation factor 6; - OS=Homo sapiens (Human).	nucleotide binding; catalytic activity; signal transducer activity; protein binding; enzyme regulator activity; metal ion binding	nucleus; cytoplasm; endosome; Golgi; membrane	development; metabolic process; transport; cell death; cellular component movement; cell communication; regulation of biological process; response to stimulus; cell differentiation
ARL15_BOVIN	ADP-ribosylation factor-like protein 15	RecName: Full=ADP-ribosylation factor-like protein 15; - OS=Bos	nucleotide binding	na	cell communication; regulation of biological process; response
F6RC46_BOVIN	Aldehyde dehydrogenase	RecName: Full=Aldehyde dehydrogenase; - OS=Bos taurus	catalytic activity	na	metabolic process
GALM_BOVIN	Aldose 1-epimerase	RecName: Full=Aldose 1-epimerase; EC=5.1.3.3; AltName: Full=Galactose mutarotase; -	catalytic activity	cytoplasm	metabolic process
PPBT_BOVIN	Alkaline phosphatase	RecName: Full=Alkaline phosphatase, tissue-nonspecific isozyme; Short=AP-TNAP; Short=TNSALP; EC=3.1.3.1; AltName: Full=Alkaline	catalytic activity; metal ion binding	membrane	development; reproduction; metabolic process; response to stimulus
ACTN4_BOVIN	Alpha-actinin-4	RecName: Full=Alpha-actinin-4; AltName: Full=F-actin cross-linking protein; AltName: Full=Non-	protein binding; metal ion binding	cytoskeleton; nucleus; cytoplasm; extracellular	transport; cell organization and biogenesis; regulation of biological process; cellular
ENOA_BOVIN	Alpha-enolase	RecName: Full=Alpha-enolase; EC=4.2.1.11; AltName: Full=2-phospho-D-glycerate hydro-lyase; AltName: Full=Enolase 1; AltName: Full=HAP47; AltName: Full=Non-neural enolase; Short=NNF	metal ion binding; catalytic activity	cytoplasm; cytosol; membrane	metabolic process
LALBA_BOVIN	Alpha-lactalbumin	RecName: Full=Lactose synthase B protein; AltName: Allergen=Bos d 4; Flags: Precursor; - OS=Bos	catalytic activity; metal ion binding; protein binding	extracellular	metabolic process

CASA1_BOVIN	Alpha-S1-casein	RecName: Full=Alpha-S1-casein; AltName: Allergen=Bos d 8; Contains: RecName: Full=Antioxidant peptide: Flags:	transporter activity; antioxidant activity; catalytic activity	extracellular	transport
CASA2_BOVIN	Alpha-S2-casein	RecName: Full=Alpha-S2-casein; Contains: RecName: Full=Casocidin-1; AltName: Full=Casocidin-I; Flags:	transporter activity	extracellular	transport; defense response; response to stimulus
ANG1_BOVIN	Angiogenin-1	Precursor: - OS=Bos taurus RecName: Full=Angiogenin-1; EC=3.1.27.-; Flags: Precursor; - OS=Bos taurus (Bovine).	DNA binding; protein binding; catalytic activity; metal ion binding	extracellular; nucleus; organelle lumen	development; reproduction; response to stimulus; cell proliferation; regulation of biological process; metabolic process; cell organization and na
A2VDV1_BOVIN	Ankyrin repeat domain 22	SubName: Full=Ankyrin repeat domain 22; SubName: Full=Uncharacterized protein; -	protein binding	na	na
ANXA1_BOVIN	Annexin A1	RecName: Full=Annexin A1; AltName: Full=Annexin I; AltName: Full=Annexin-1; AltName: Full=Calpactin II; AltName: Full=Calpactin-2; AltName: Full=Chromobindin-9; AltName: Full=Lipocortin I; AltName:	enzyme regulator activity; metal ion binding	nucleus; cytoplasm; membrane	na
ANX11_BOVIN	Annexin A11	RecName: Full=Annexin A11; AltName: Full=Annexin XI; AltName: Full=Annexin-11; AltName: Full=Calpactin-associated	metal ion binding; protein binding	nucleus; organelle lumen; cytoplasm; cytoskeleton	cell division
ANXA2_BOVIN	Annexin A2	RecName: Full=Annexin A2; AltName: Full=Annexin II; AltName: Full=Annexin-2; AltName: Full=Calpactin I heavy chain; AltName: Full=Calpactin-1 heavy chain; AltName: Full=Chromobindin-8; AltName: Full=Lipocortin II; AltName:	enzyme regulator activity; metal ion binding; protein binding	extracellular; cytoplasm; endosome; membrane	development; cell organization and biogenesis; regulation of biological process; transport; coagulation; response to stimulus

ANXA4_BOVIN	Annexin A4	RecName: Full=Annexin A4; AltName: Full=35-beta calcimedin; AltName: Full=Annexin IV; AltName: Full=Annexin-4; AltName: Full=Carbohydrate-binding protein p33/p41; AltName: Full=Chromobindin-4; AltName: Full=Endonexin I; AltName:	metal ion binding	na	na
ANXA5_BOVIN	Annexin A5	RecName: Full=Annexin A5; AltName: Full=Anchorin CII; AltName: Full=Annexin V; AltName: Full=Annexin-5; AltName: Full=Calphobindin I; Short=CBP-I; AltName: Full=Endonexin II; AltName: Full=Lipocortin V; AltName: Full=Placental anticoagulant protein 4; AltName: Full=Placental	metal ion binding	na	coagulation; response to stimulus; regulation of biological process
ANXA7_BOVIN	Annexin A7	RecName: Full=Annexin A7; AltName: Full=Annexin VII; AltName: Full=Annexin-7;	metal ion binding; protein binding	nucleus; cytoplasm; endoplasmic reticulum; membrane; cytosol	cellular homeostasis; cell proliferation; cell organization and biogenesis; regulation of biological process; response to metabolic process; regulation of biological process; cell proliferation; response to stimulus; transport; cell communication; cell organization and biogenesis; regulation of biological process; response to stimulus; transport; metabolic process; cell organization and biogenesis; defense response
APOA1_BOVIN	Apolipoprotein A-I	AltName: Full=Synexin; - OS=Bos RecName: Full=Apolipoprotein A-I; Short=Apo-AI; Short=ApoA-I; AltName: Full=Apolipoprotein A1; Contains: RecName: Full=Truncated apolipoprotein A-I;	transporter activity; protein binding; enzyme regulator activity	extracellular; cytoplasm	biological process; cell proliferation; response to stimulus; transport; cell communication; cell organization and biogenesis; regulation of biological process; response to stimulus; transport; metabolic process; cell organization and biogenesis; defense response
APOA2_BOVIN	Apolipoprotein A-II	Flag=Precursor; - OS=Bos taurus RecName: Full=Apolipoprotein A-II; Short=Apo-AII; Short=ApoA-II; AltName: Full=Antimicrobial peptide BAMP-1; AltName: Full=Apolipoprotein A2; Contains: RecName: Full=Apolipoprotein A-	transporter activity; protein binding; enzyme regulator activity	extracellular	regulation of biological process; response to stimulus; transport; metabolic process; cell organization and biogenesis; defense response

APOE_BOVIN	Apolipoprotein E	RecName: Full=Apolipoprotein E; Short=Apo-E; Flags: Precursor; - OS=Bos taurus (Bovine).	transporter activity; antioxidant activity; catalytic activity; protein binding; metal ion binding; enzyme regulator activity	extracellular	cell proliferation; regulation of biological process; response to stimulus; metabolic process; transport; cellular homeostasis; cell communication; coagulation; cell organization and biogenesis; cell death; development; metabolic process; transport; cellular component movement; regulation of biological process; metabolic process; transport
ATPB_BOVIN	ATP synthase subunit beta	RecName: Full=ATP synthase subunit beta, mitochondrial; EC=3.6.3.14; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; protein binding; catalytic activity; transporter activity	cytoplasm; mitochondrion; membrane; cell surface; organelle lumen	regulation of biological process; metabolic process; transport
ABCG2_BOVIN	ATP-binding cassette sub-family G member 2	RecName: Full=ATP-binding cassette sub-family G member 2; AltName: CD antigen=CD338; - SubName: Full=Basigin; SubName: Full=Basigin isoform 2; SubName: Full=RPE7 protein; SubName: Full=Uncharacterized protein; - SubName: Full=Beta-2-	nucleotide binding; catalytic activity; protein binding	membrane	
Q3ZBX0_BOVIN	Basigin	microglobulin; Flags: Fragment; - OS=Bos taurus (Bovine).	protein binding	cytoplasm; membrane	na
Q6VUQ8_BOVIN	Beta-2-microglobulin	RecName: Full=Beta-casein; Contains: RecName: Full=Casoparan; Contains: RecName: Full=Antioxidant nentide; Contains: RecName: RecName: Full=Butyrophilin subfamily 1 member A1; Short=BT; Flags: Precursor; - OS=Bos taurus RecName: Full=Calcineurin B	enzyme regulator activity; transporter activity; protein binding; antioxidant activity; catalytic activity	extracellular; cell surface; membrane	regulation of biological process; response to stimulus; cell differentiation; development; transport; metabolic process; regulation of biological process
CASB_BOVIN	Beta-casein	homologous protein 1; AltName: Full=Calcineurin B-like protein; AltName: Full=Calcium-binding protein CHP; AltName: Full=Calcium-binding protein p22;	antioxidant activity; protein binding	extracellular	
BT1A1_BOVIN	Butyrophilin subfamily 1 member A1		protein binding	membrane	na
CHP1_BOVIN	Calcineurin B homologous protein 1		enzyme regulator activity; transporter activity; metal ion binding; protein binding	cytoplasm; Golgi; membrane; nucleus; endoplasmic reticulum; cytoskeleton	cell organization and biogenesis; metabolic process; regulation of biological process; transport; cellular homeostasis; cell communication; response to stimulus

A5D7J6_BOVIN	CALR protein	SubName: Full=CALR protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	RNA binding; protein binding; metal ion binding	extracellular; cytoplasm; endoplasmic reticulum; organelle lumen; cytosol; cell surface; membrane	metabolic process; regulation of biological process; cell organization and biogenesis; transport; cell proliferation; cell communication; response to stimulus; reproduction; cell differentiation; development; defense response; response to stimulus
B9TUC9_BOVIN	Cathelicidin 7	SubName: Full=Cathelicidin 7; - OS=Bos taurus (Bovine).	na	extracellular	defense response; response to stimulus
CTHL1_BOVIN	Cathelicidin-1	RecName: Full=Cathelicidin-1; AltName: Full=Bactenecin-1; Short=Bac1; AltName: Full=Cyclic dodecapeptide; Flags: Precursor: -	na	extracellular	defense response; response to stimulus
A6QNW7_BOVIN	CD5L protein	SubName: Full=CD5L protein; - OS=Bos taurus (Bovine). RecName: Full=CD81 antigen; AltName: CD_antigen=CD81; - OS=Bos taurus (Bovine).	receptor activity	membrane	na
CD81_BOVIN	CD81 antigen	AltName: CD_antigen=CD81; - OS=Bos taurus (Bovine).	na	membrane	cell communication; metabolic process; regulation of biological process; response to stimulus; cellular component movement; cell organization and biogenesis; reproduction; cell proliferation; regulation of biological process; cell communication:
G8JKX6_BOVIN	CD9 antigen	SubName: Full=CD9 antigen; Flags: Fragment; - OS=Bos taurus (Bovine).	na	cell surface; membrane	cell communication; regulation of biological process; response to stimulus; development; cell differentiation: cell division: cell regulation of biological process; metabolic process; transport; cellular homeostasis; response to stimulus; defense response; cell communication: cell metabolic process
B6VAP7_BOVIN	CDC42 protein	SubName: Full=CDC42 protein; - OS=Bos taurus (Bovine).	nucleotide binding	cytoplasm; cytoskeleton; membrane	cell death
B3KSL2_HUMAN	cDNA FLJ36533 fis	SubName: Full=cDNA FLJ36533 fis, clone TRACH2004428, highly similar to Lactotransferrin (EC 3.4.21.-); Flags: Fragment; - OS=Homo sapiens (Human). RecName: Full=cGMP-dependent protein kinase; EC=2.7.11.12; -	DNA binding; catalytic activity; protein binding; metal ion binding; enzyme regulator activity	extracellular; nucleus; cytoplasm; organelle lumen	cell death
D5HSX1_BOVIN	cGMP-dependent protein kinase	SubName: Full=CIDEA protein; - OS=Bos taurus (Bovine). RecName: Full=Clathrin heavy chain 1; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	membrane	transport
A4FUX1_BOVIN	CIDEA protein		na	na	
CLHC1_BOVIN	Clathrin heavy chain 1		structural molecule activity; protein binding	cytoplasm; mitochondrion; membrane; Golgi	

CLUS_BOVIN	Clusterin	RecName: Full=Clusterin; AltName: Full=Glycoprotein III; Short=GpIII; Contains: RecName: Full=Clusterin beta chain; Contains: RecName: Full=Clusterin alpha chain; Flags:	catalytic activity; protein binding	extracellular; nucleus; cytoplasm; mitochondrion; endoplasmic reticulum; cytosol; membrane	cell death; metabolic process; regulation of biological process; cell organization and biogenesis; response to stimulus; cell communication; cell division; cell differentiation; cellular component movement; development; metabolic process; cell organization and biogenesis; response to metabolic process; regulation of biological process; defense response; response to stimulus; transport; cell communication
COF1_BOVIN	Cofilin-1	RecName: Full=Cofilin-1; AltName: Full=Cofilin, non-muscle isoform; - OS=Bos taurus (Bovine).	protein binding	nucleus; cytoplasm; cytoskeleton; membrane; organelle lumen	
CO3_BOVIN	Complement C3	RecName: Full=Complement C3; Contains: RecName: Full=Complement C3 beta chain; Contains: RecName: Full=Complement C3 alpha chain; Contains: RecName: Full=C3a anaphylatoxin; Contains: RecName: Full=Complement C3b alpha' chain; Contains: RecName: Full=Complement C3c alpha' chain fragment 1; Contains: RecName: Full=Complement C3dg fragment; Contains: RecName: Full=Complement C3g fragment;	enzyme regulator activity; protein binding	extracellular	
A5D9D2_BOVIN	Complement component 4 binding protein, alpha chain	SubName: Full=Complement component 4 binding protein, alpha chain; - OS=Bos taurus	na	extracellular; cytoplasm; vacuole	metabolic process; regulation of biological process; response to stimulus; reproduction; defense
F6K7I9_BOVIN	Complement regulatory protein variant 3	SubName: Full=Complement regulatory protein variant 3; - OS=Bos taurus (Bovine).	na	cytoplasm; membrane	metabolic process; regulation of biological process; response to stimulus; reproduction; defense
B8Y9T0_BOVIN	Cumulus cell-specific fibronectin 1 transcript variant	SubName: Full=Cumulus cell-specific fibronectin 1 transcript variant; SubName: Full=Uncharacterized protein: - RecName: Full=Cytoplasmic aconitate hydratase; Short=Aconitase; EC=4.2.1.3; AltName: Full=Citrate hydro-lyase; AltName: Full=Iron-responsive	protein binding; enzyme regulator activity	extracellular; membrane	development; defense response; response to stimulus; cell organization and biogenesis; regulation of biological process; metabolic process; response to stimulus
ACOC_BOVIN	Cytoplasmic aconitate hydratase		RNA binding; catalytic activity; metal ion binding	cytoplasm	

Q2KIS4_BOVIN	Dehydrogenase/reductase (SDR family) member 1	SubName: Full=Dehydrogenase/reductase (SDR family) member 1; SubName: Full=Uncharacterized protein: -	nucleotide binding; catalytic activity	cytoplasm; mitochondrion; membrane; endoplasmic reticulum	metabolic process
DCD_HUMAN	Dermcidin	RecName: Full=Dermcidin; EC=3.4.-.; AltName: Full=Preproteolysin; Contains: RecName: Full=Survival-promoting peptide; Contains: RecName: Full=DCD-1. Flags:	catalytic activity	extracellular	metabolic process; defense response; response to stimulus
ENPP3_BOVIN	Ectonucleotide pyrophosphatase	RecName: Full=Ectonucleotide pyrophosphatase/phosphodiesterase family member 3; Short=E-NPP 3; AltName: Full=Phosphodiesterase I beta; Short=PD-Ibeta; AltName: Full=Phosphodiesterase I/nucleotide pyrophosphatase 3; AltName: CD_antigen=CD203c; Includes: RecName: Full=Alkaline phosphatase 1. Flags:	catalytic activity; receptor activity; metal ion binding	extracellular; membrane	response to stimulus; metabolic process
EHD1_BOVIN	EH domain-containing protein 1	RecName: Full=EH domain-containing protein 1; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; metal ion binding; protein binding	cytoplasm; endosome; membrane	metabolic process; transport; cell differentiation; cell organization and biogenesis; development; regulation of metabolic process
A6QPP7_BOVIN	ELA2 protein	SubName: Full=ELA2 protein; SubName: Full=Uncharacterized protein: - OS=Bos taurus (Bovine). RecName: Full=Elongation factor 1-alpha 1; Short=EF-1-alpha-1;	catalytic activity	na	
EF1A1_BOVIN	Elongation factor 1-alpha 1	AltName: Full=Elongation factor Tu; Short=EF-Tu; AltName: Full=Eukaryotic elongation factor 1	nucleotide binding; RNA binding; catalytic activity	cytoplasm	metabolic process
EF2_BOVIN	Elongation factor 2	RecName: Full=Elongation factor 2; Short=EF-2; - OS=Bos taurus RecName: Full=Endoplasmin; AltName: Full=94 kDa glucose-regulated protein; Short=GRP-94;	nucleotide binding; RNA binding; catalytic	cytoplasm	metabolic process
ENPL_BOVIN	Endoplasmin	AltName: Full=Heat shock protein 90 kDa beta member 1; Flags:	nucleotide binding; RNA binding; protein binding	cytoplasm; endoplasmic reticulum; organelle lumen; membrane; cytosol	response to stimulus; metabolic process; cell organization and biogenesis; cell death; regulation of biological process

LACRT_HUMAN	Extracellular glycoprotein lacritin	RecName: Full=Extracellular glycoprotein lacritin; Flags: Precursor; - OS=Homo sapiens (Human).	protein binding	extracellular; cytoplasm	cell proliferation; regulation of biological process; cell communication; response to stimulus: metabolic process:
EZRI_BOVIN	Ezrin	RecName: Full=Ezrin; AltName: Full=Cytovillin; AltName: Full=Villin-2; AltName: Full=p81; - OS=Bos	protein binding	nucleus; organelle lumen; cytoplasm; cytosol; cytoskeleton; membrane	cell organization and biogenesis; regulation of biological process
FABPH_BOSMU	Fatty acid-binding protein	RecName: Full=Fatty acid-binding protein, heart; AltName: Full=Fatty acid-binding protein 3; AltName: Full=Heart-type fatty acid-binding protein; Short=H-FABP; - OS=Bos	transporter activity	cytoplasm	transport
Q3SZZ9_BOVIN	FGG protein	SubName: Full=FGG protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	extracellular	cell communication; regulation of biological process; response to stimulus; coagulation; cell organization and biogenesis
A5PKG9_BOVIN	FGR protein	SubName: Full=FGR protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; protein binding; catalytic activity	cytoskeleton; membrane	metabolic process; cell communication; regulation of biological process; response to stimulus; cell organization and biogenesis
A5PJE3_BOVIN	Fibrinogen alpha chain	SubName: Full=Fibrinogen alpha chain; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	extracellular; cell surface; membrane; cytoplasm	cell communication; regulation of biological process; response to stimulus; coagulation; cell organization and biogenesis
F1MAV0_BOVIN	Fibrinogen beta chain	SubName: Full=Fibrinogen beta chain; - OS=Bos taurus (Bovine).	protein binding	extracellular; cytoplasm; cell surface; membrane	cell communication; regulation of biological process; response to stimulus; coagulation; cell organization and biogenesis
A6QLL8_BOVIN	Fructose-bisphosphate aldolase	RecName: Full=Fructose-bisphosphate aldolase; EC=4.1.2.13; - OS=Bos taurus	catalytic activity; protein binding	cytoskeleton; extracellular	metabolic process; cell organization and biogenesis; regulation of biological process; metabolic process; cell
GNAI1_BOVIN	Full=Guanine nucleotide-binding protein G(i) subunit alpha-1	RecName: Full=Guanine nucleotide-binding protein G(i) subunit alpha-1; AltName: Full=Adenylate cyclase-inhibiting G alpha protein; - RecName: Full=Gelsolin; AltName: Full=Actin-depolymerizing factor; Short=ADF; AltName: Full=Brevin; Contains: RecName: Full=Gelsolin,	nucleotide binding; catalytic activity; signal transducer activity; protein binding; metal	nucleus; cytoplasm; cytoskeleton; membrane	communication; regulation of biological process; response to stimulus; cell division
GELS_BOVIN	Gelsolin		protein binding; metal ion binding	cytoplasm; cytoskeleton	cell organization and biogenesis; regulation of biological process

Q0VCH9_BOVIN	GLI pathogenesis-related 2	SubName: Full=GLI pathogenesis-related 2; SubName: Full=Uncharacterized protein; - RecName: Full=Glyceraldehyde-3-phosphate dehydrogenase; Short=GAPDH; EC=1.2.1.12; AltName: Full=Peptidyl-cysteine S-	na	extracellular	na
G3P_BOVIN	Glyceraldehyde-3-phosphate dehydrogenase	SubName: Full=Glycerol-3-phosphate acyltransferase 1, mitochondrial; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; protein binding	nucleus; cytoplasm; cytosol; cytoskeleton; membrane; extracellular	cell organization and biogenesis; metabolic process; regulation of biological process; cell death; defense response; response to metabolic process; response to stimulus; regulation of biological process; cell proliferation; transport: defense response: na
F1MDT6_BOVIN	Glycerol-3-phosphate acyltransferase 1	RecName: Full=Glycosylation-dependent cell adhesion molecule 1; Short=GlyCAM-1; AltName: Full=28 kDa milk glycoprotein PP3; AltName: Full=Lactophorin; AltName: Full=Protense-nentone	catalytic activity	cytoplasm; mitochondrion; membrane	cell communication; regulation of biological process; response to stimulus; metabolic process; cell proliferation; cell division reproduction; development; cell proliferation; regulation of biological process; response to stimulus; metabolic process; cell communication; regulation of biological process; response to transport; cell communication; regulation of biological process; response to stimulus
GLCM1_BOVIN	Glycosylation-dependent cell adhesion molecule 1	SubName: Full=GNAI2 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	extracellular; membrane	transport; cell communication; regulation of biological process; response to stimulus; metabolic process; cell communication; regulation of biological process; response to stimulus
A7MBH9_BOVIN	GNAI2 protein	SubName: Full=Granulin; - OS=Bos taurus (Bovine).	nucleotide binding; protein binding; catalytic activity; signal transducer activity	cytoplasm; cytoskeleton; membrane	communication; regulation of biological process; response to transport; cell communication; regulation of biological process; response to stimulus
Q2HJ16_BOVIN	Granulin	RecName: Full=GTP-binding protein Rheb; AltName: Full=Ras homolog enriched in brain; Flags: RecName: Full=GTP-binding protein SAR1a; - OS=Bos taurus (Bovine).	na	cytoplasm; extracellular	response to stimulus
RHEB_BOVIN	GTP-binding protein Rheb	RecName: Full=GTP-binding protein SAR1b; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; metal ion binding	membrane	communication; regulation of biological process; response to transport; cell communication; regulation of biological process; response to stimulus
SAR1A_BOVIN	GTP-binding protein SAR1a	SubName: Full=Guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 3; SubName: SubName: Full=Guanine nucleotide-binding protein; Flags: Fragment; - OS=Sus scrofa (Pig).	nucleotide binding	cytoplasm; endoplasmic reticulum; Golgi	communication; regulation of biological process; response to stimulus; cell division metabolic process; cell communication; regulation of biological process; response to
SAR1B_BOVIN	GTP-binding protein SAR1b		nucleotide binding; signal transducer activity; metal ion nucleotide binding;	cytoplasm; endoplasmic reticulum; membrane; Golgi	
Q3ZCA7_BOVIN	Guanine nucleotide binding protein (G protein), alpha inhibiting activity		catalytic activity; signal transducer activity; protein binding	cytoplasm; Golgi; cytoskeleton; membrane	
A5A755_PIG	Guanine nucleotide-binding protein		nucleotide binding; protein binding; catalytic activity; signal	na	

GBG12_BOVIN	Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-12	RecName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-12; AltName: Full=Gamma-S1; Flags: Precursor; -	signal transducer activity	membrane	cell communication; regulation of biological process; response to stimulus
GBB1_BOVIN	Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1	RecName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1; AltName: Full=Transducin beta chain 1; -	catalytic activity; signal transducer activity; protein binding	membrane	metabolic process; cell communication; regulation of biological process; response to stimulus; cell proliferation;
GBB2_BOVIN	Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-2	RecName: Full=Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-2; AltName: Full=G protein subunit beta-2; AltName: Full=Transducin beta chain 2; -	catalytic activity; signal transducer activity; protein binding	cytoplasm; membrane	metabolic process; cell communication; regulation of biological process; response to stimulus
GNAS2_BOVIN	Guanine nucleotide-binding protein G(s) subunit alpha isoforms short	RecName: Full=Guanine nucleotide-binding protein G(s) subunit alpha isoforms short; AltName: Full=Adenylate cyclase-stimulating	nucleotide binding; catalytic activity; signal transducer activity; protein binding; metal nucleotide binding; protein binding;	extracellular; membrane; cytoplasm	development; metabolic process; regulation of biological process; cell communication; response to stimulus; cell development; metabolic process; cell communication; regulation of biological process; response to stimulus; cell differentiation
GNA11_BOVIN	Guanine nucleotide-binding protein subunit alpha-11	RecName: Full=Guanine nucleotide-binding protein subunit alpha-11; Short=G alpha-11; Short=G-protein subunit alpha-11; AltName: Full=G-protein subunit G12 alpha; -	metal ion binding; catalytic activity; signal transducer activity; metal ion binding; catalytic activity;	membrane	response to stimulus; cell development; metabolic process; cell communication; regulation of biological process; response to stimulus; cell differentiation
G3X6K8_BOVIN	Haptoglobin beta chain	SubName: Full=Haptoglobin beta chain; - OS=Bos taurus (Bovine). RecName: Full=Heat shock cognate 71 kDa protein; AltName: Full=Heat shock 70 kDa protein 8; -	antioxidant activity; nucleotide binding; protein binding; catalytic activity	extracellular	metabolic process; defense response; response to stimulus
HSP7C_BOVIN	Heat shock cognate 71 kDa protein	RecName: Full=Heat shock cognate 71 kDa protein; AltName: Full=Heat shock 70 kDa protein 8; -	nucleotide binding; protein binding; catalytic activity	nucleus; spliceosomal complex; organelle lumen; cytoplasm; cytosol; cell	cell organization and biogenesis; metabolic process; regulation of biological process; response to stimulus
HSPB1_BOVIN	Heat shock protein beta-1	RecName: Full=Heat shock protein beta-1; Short=HspB1; AltName: Full=Heat shock 27 kDa protein; RecName: Full=Heat shock protein HSP 90-alpha; - OS=Bos taurus (Bovine).	na	nucleus; cytoplasm; cytoskeleton	response to stimulus
HS90A_BOVIN	Heat shock protein HSP 90-alpha	RecName: Full=Heat shock protein HSP 90-alpha; - OS=Bos taurus (Bovine).	nucleotide binding; protein binding; catalytic activity;	extracellular; cytoplasm	metabolic process; response to stimulus; cell organization and biogenesis; transport; regulation
HEBP1_BOVIN	Heme-binding protein 1	RecName: Full=Heme-binding protein 1; - OS=Bos taurus	na	cytoplasm	na
Q2KII3_BOVIN	Hepatitis A virus cellular receptor 1 N-terminal domain containing protein	SubName: Full=Hepatitis A virus cellular receptor 1 N-terminal domain containing protein; SubName: Full=Uncharacterized	protein binding	na	na

G5BSE8_HETGA	Histone H2A	RecName: Full=Histone H2A; - OS=Heterocephalus glaber (Naked	DNA binding; protein	chromosome; nucleus;	cell organization and biogenesis;
HORN_HUMAN	Hornerin	RecName: Full=Hornerin; - OS=Homo sapiens (Human).	binding	membrane	metabolic process
A4FUD2_BOVIN	HSD17B7 protein	SubName: Full=HSD17B7 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity; metal ion binding	cytoskeleton; extracellular	metabolic process;
Q3SYR8_BOVIN	Immunoglobulin J chain	SubName: Full=Immunoglobulin J chain; SubName: Full=Uncharacterized protein; - SubName: Full=Immunoglobulin light chain, lambda gene cluster; -	nucleotide binding; catalytic activity	cytoplasm; endoplasmic reticulum	development; cell metabolic process
Q1RMN8_BOVIN	Immunoglobulin light chain, lambda gene	RecName: Full=Isocitrate dehydrogenase [NADP] cytoplasmic; Short=IDH; EC=1.1.1.42; AltName: Full=Cytosolic NADP-isocitrate dehydrogenase; AltName: RecName: Full=Kappa-casein; Contains: RecName: Full=Casoxin-C; Contains: RecName: Full=Casoxin-6; Contains: RecName: Full=Casoxin-A; Contains: RecName: Full=Casoxin-RecName: Full=Lactadherin; AltName: Full=BP47; AltName: Full=Components 15/16; AltName: Full=MFGM; AltName: Full=MGP57/53; AltName: Full=Milk fat globule-EGF factor 8; Short=MFG-E8; AltName: Full=DAC-	protein binding	na	na
IDHC_SHEEP	Isocitrate dehydrogenase [NADP] cytoplasmic	RecName: Full=Isocitrate dehydrogenase [NADP] cytoplasmic; Short=IDH; EC=1.1.1.42; AltName: Full=Cytosolic NADP-isocitrate dehydrogenase; AltName: RecName: Full=Kappa-casein; Contains: RecName: Full=Casoxin-C; Contains: RecName: Full=Casoxin-6; Contains: RecName: Full=Casoxin-A; Contains: RecName: Full=Casoxin-RecName: Full=Lactadherin; AltName: Full=BP47; AltName: Full=Components 15/16; AltName: Full=MFGM; AltName: Full=MGP57/53; AltName: Full=Milk fat globule-EGF factor 8; Short=MFG-E8; AltName: Full=DAC-	metal ion binding; catalytic activity; nucleotide binding	cytoplasm	metabolic process
CASK_BOVIN	Kappa-casein	RecName: Full=Kappa-casein; Contains: RecName: Full=Casoxin-C; Contains: RecName: Full=Casoxin-6; Contains: RecName: Full=Casoxin-A; Contains: RecName: Full=Casoxin-RecName: Full=Lactadherin; AltName: Full=BP47; AltName: Full=Components 15/16; AltName: Full=MFGM; AltName: Full=MGP57/53; AltName: Full=Milk fat globule-EGF factor 8; Short=MFG-E8; AltName: Full=DAC-	protein binding	extracellular	development; reproduction; transport
MFGM_BOVIN	Lactadherin	RecName: Full=Lactadherin; AltName: Full=BP47; AltName: Full=Components 15/16; AltName: Full=MFGM; AltName: Full=MGP57/53; AltName: Full=Milk fat globule-EGF factor 8; Short=MFG-E8; AltName: Full=DAC-	protein binding	extracellular; membrane	development; reproduction
C7FE01_BOVIN	Lactoferrin	SubName: Full=Lactoferrin; Flags: Fragment; - OS=Bos taurus (Bovine).	metal ion binding; catalytic activity	extracellular; membrane; cytoplasm	regulation of biological process; metabolic process; transport; cellular homeostasis; defense response: response to stimulus:
PERL_BOVIN	Lactoperoxidase	RecName: Full=Lactoperoxidase; Short=LPO; EC=1.11.1.7; Flags: Precursor; - OS=Bos taurus	antioxidant activity; catalytic activity; metal ion binding	extracellular; cytoplasm	response to stimulus; defense response; metabolic process

ERG7_BOVIN	Lanosterol synthase	RecName: Full=Lanosterol synthase; EC=5.4.99.7; AltName: Full=2,3-epoxysqualene--lanosterol cyclase; AltName: Full=Oxidosqualene--lanosterol	catalytic activity	cytoplasm; endoplasmic reticulum; membrane	metabolic process
LRC8C_BOVIN	Leucine-rich repeat-containing protein 8C	RecName: Full=Leucine-rich repeat-containing protein 8C; - OS=Bos	protein binding	cytoplasm; endoplasmic reticulum; membrane	na
CD47_BOVIN	Leukocyte surface antigen CD47	RecName: Full=Leukocyte surface antigen CD47; AltName: Full=Integrin-associated protein; Short=IAP; AltName: RecName: Full=Lipopolysaccharide-binding protein; Short=LBP; Flags: Precursor; - OS=Bos taurus	protein binding	membrane	na
LBP_BOVIN	Lipopolysaccharide-binding protein	RecName: Full=Lipoprotein lipase; Short=LPL; EC=3.1.1.34; Flags: Precursor; - OS=Bos taurus	na	extracellular	transport; defense response; response to stimulus
LIPL_BOVIN	Lipoprotein lipase	SubName: Full=Lysozyme C; - OS=Pan troglodytes (Chimpanzee).	catalytic activity; protein binding	extracellular; membrane; cell surface	metabolic process; cell differentiation; regulation of biological process; cell metabolic process
H2R791_PANTR	Lysozyme C	SubName: Full=Major allergen beta-lactoglobulin; - OS=Bos	catalytic activity	na	metabolic process
B5B0D4_BOVIN	Major allergen beta-lactoglobulin	SubName: Full=Mannose 6 phosphate receptor binding protein 1; SubName: Full=Mannose-6-phosphate receptor binding protein 1: RecName: Full=Methyltransferase-like protein 9; Flags: Precursor; -	na	extracellular	transport
Q3SX32_BOVIN	Mannose 6 phosphate receptor binding protein 1	SubName: Full=Milk fat globule EGF factor 8 protein; Flags: Fragment; - OS=Capra hircus	na	cytoplasm	na
METL9_BOVIN	Methyltransferase-like protein 9	RecName: Full=Monocyte differentiation antigen CD14; AltName: Full=Myeloid cell-specific	catalytic activity	na	metabolic process
G5CC03_CAPHI	Milk fat globule EGF factor 8 protein	SubName: Full=MPO protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	na	na
A8DBT6_BOVIN	Monocyte differentiation antigen CD14		protein binding	membrane	defense response; response to stimulus
A6QPT4_BOVIN	MPO protein		antioxidant activity; catalytic activity	extracellular; cytoplasm	response to stimulus; cell organization and biogenesis; regulation of biological process;

MUC1_BOVIN	Mucin-1	RecName: Full=Mucin-1; Short=MUC-1; AltName: CD_antigen=CD227; Contains: RecName: Full=Mucin-1 subunit alpha; Short=MUC1-NT; Short=MUC1-alpha; Contains: RecName: Full=Mucin-1 subunit	na	nucleus; cytoplasm; membrane; cell surface	na
G5E6S0_BOVIN	Mucin-15	SubName: Full=Mucin-15; - OS=Bos taurus (Bovine).	na	extracellular; membrane	na
F2FB38_BOVIN	Mucin-16	SubName: Full=Mucin-16; - OS=Bos taurus (Bovine).	na	membrane	na
Q8MKB7_BOVIN	Na+/glucose cotransporter	SubName: Full=Na+/glucose cotransporter; - OS=Bos taurus RecName: Full=NADH-cytochrome b5 reductase 3; Short=B5R;	transporter activity	membrane	transport
NB5R3_BOVIN	NADH-cytochrome b5 reductase 3	Short=Cytochrome b5 reductase; EC=1.6.2.2; AltName: Full=Diaphorase-1; Contains: RecName: Full=NADH-cytochrome b5 reductase 3 membrane-bound	catalytic activity	cytoplasm; mitochondrion; membrane; endoplasmic reticulum	metabolic process
A5D7S0_BOVIN	NAPA protein	SubName: Full=NAPA protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	membrane; cytoplasm	transport; development; cell communication; cell organization and biogenesis; regulation of biological process;
Q3SZQ1_BOVIN	Nicastrin	SubName: Full=Nicastrin; - OS=Bos taurus (Bovine).	na	cytoplasm; endoplasmic reticulum; Golgi;	metabolic process; regulation of biological process
A6H7J6_BOVIN	P4HB protein	SubName: Full=P4HB protein; SubName: Full=Prolyl 4- hydroxylase, beta subunit; SubName: Full=Uncharacterized RecName: Full=Patatin-like	catalytic activity; metal ion binding	cytoplasm; endoplasmic reticulum; organelle lumen; membrane; cell surface	metabolic process; cellular homeostasis; regulation of biological process
PLPL2_BOVIN	Patatin-like phospholipase domain- containing protein 2	phospholipase domain-containing protein 2; EC=3.1.1.3; AltName: Full=Adipose triglyceride lipase; -	catalytic activity	cytoplasm; membrane	metabolic process; regulation of biological process
GIPC2_BOVIN	PDZ domain-containing protein GIPC2	RecName: Full=PDZ domain- containing protein GIPC2; - OS=Bos	protein binding	cytoplasm	na

PGRP1_BOVIN	Peptidoglycan recognition protein 1	RecName: Full=Peptidoglycan recognition protein 1; AltName: Full=Oligosaccharide-binding protein; Short=OBP; AltName: Full=Peptidoglycan recognition	metal ion binding; catalytic activity; receptor activity; signal transducer activity	extracellular	metabolic process; response to stimulus; regulation of biological process; cell differentiation; development; defense response
PPIA_BOVIN	Peptidyl-prolyl cis-trans isomerase A	RecName: Full=Peptidyl-prolyl cis-trans isomerase A; Short=PPIase A; EC=5.2.1.8; AltName: Full=Cyclophilin A; AltName: Full=Cyclosporin A-binding	catalytic activity	extracellular; nucleus; cytoplasm; cytosol	metabolic process; regulation of biological process
F1N1N6_BOVIN	Perilipin-2	SubName: Full=Perilipin-2; - OS=Bos taurus (Bovine).	na	membrane	na
PRDX1_BOVIN	Peroxiredoxin-1	RecName: Full=Peroxiredoxin-1; EC=1.11.1.15; - OS=Bos taurus (Bovine).	antioxidant activity; catalytic activity; protein binding	nucleus; cytoplasm; mitochondrion	response to stimulus; cell proliferation; metabolic process; cell communication; regulation of biological process; defense transport
CD36_BOVIN	Platelet glycoprotein 4	RecName: Full=Platelet glycoprotein 4; AltName: Full=Glycoprotein IIb; Short=GPIIb; AltName: Full=PAS IV; AltName: Full=PAS-4; AltName: Full=Platelet glycoprotein IV	na	membrane	
PIGR_BOVIN	Polymeric immunoglobulin receptor	RecName: Full=Polymeric immunoglobulin receptor; Short=PIgR; Short=Poly-Ig receptor: Contains: RecName: SubName: Full=PP1201 protein; SubName: Full=Responsive to centrifugal force and shear; SubName: Full=Transmembrane BAX inhibitor motif containing 1; SubName: Full=Uncharacterized	protein binding	extracellular; membrane	na
Q6QRN7_BOVIN	PP1201 protein	RecName: Full=PP1201 protein; SubName: Full=Responsive to centrifugal force and shear; SubName: Full=Transmembrane BAX inhibitor motif containing 1; SubName: Full=Uncharacterized	na	cytoplasm; membrane; vacuole; endosome	na
E1BHJ0_BOVIN	Profilin	RecName: Full=Profilin; - OS=Bos	protein binding	cytoskeleton	cell organization and biogenesis
PGFS_BOVIN	Prostamide/prostaglandin F synthase	RecName: Full=Prostamide/prostaglandin F synthase; Short=Prostamide/PGF synthase: Short=Prostamide/PGF	nucleotide binding; catalytic activity	cytoplasm; cytosol	metabolic process

E1BLI9_BOVIN	Protein S100-A9	SubName: Full=Protein S100-A9; - OS=Bos taurus (Bovine).	metal ion binding; antioxidant activity; catalytic activity	extracellular; cytoplasm; cytoskeleton; membrane	cellular component movement; defense response; response to stimulus; metabolic process; cell death; regulation of biological na
A5D7Q2_BOVIN	Putative uncharacterized protein	SubName: Full=Putative uncharacterized protein; - OS=Bos	protein binding	membrane	
D2H304_AILME	Putative uncharacterized protein	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda	nucleotide binding; catalytic activity	nucleus; cytoplasm; endosome	transport; cell communication; regulation of biological process; response to stimulus; metabolic process; regulation of biological process; transport; cell communication; response to stimulus; cell proliferation; cellular component movement; cell death; cell organization and cell proliferation; metabolic process
D2I2S4_AILME	Putative uncharacterized protein	SubName: Full=Putative uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	nucleotide binding; catalytic activity; protein binding; transporter activity	cytoplasm; Golgi; membrane	
PDXK_BOVIN	Pyridoxal kinase	RecName: Full=Pyridoxal kinase; EC=2.7.1.35; AltName: Full=Pyridoxine kinase; - OS=Bos	nucleotide binding; metal ion binding; catalytic activity; protein	nucleus; cytoplasm; cytosol	
A5D984_BOVIN	Pyruvate kinase	RecName: Full=Pyruvate kinase; EC=2.7.1.40; - OS=Bos taurus RecName: Full=Rab GDP dissociation inhibitor beta; Short=Rab GDI beta; AltName: Full=Guanosine diphosphate dissociation inhibitor 2; Short=GDI-	metal ion binding; catalytic activity	cytoplasm; mitochondrion	metabolic process
GDIB_BOVIN	Rab GDP dissociation inhibitor beta		enzyme regulator activity	cytoplasm; Golgi; cell surface; membrane	cell communication; regulation of biological process; response to stimulus; transport; metabolic process
Q1JPH2_BOVIN	Ras related v-ral simian leukemia viral oncogene homolog A	SubName: Full=Ras related v-ral simian leukemia viral oncogene homolog A; Flags: Fragment; - OS=Bos taurus (Bovine). RecName: Full=Ras-related C3 botulinum toxin substrate 1; AltName: Full=p21-Rac1; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; protein binding	membrane; cell surface; cytoplasm	cell division; metabolic process; cell communication; regulation of biological process; response to stimulus; transport; cell metabolic process; regulation of biological process; cell differentiation; cell organization and biogenesis; development; transport; response to stimulus; cell communication; cellular cell communication; regulation of biological process; response to stimulus; transport
RAC1_BOVIN	Ras-related C3 botulinum toxin substrate 1		nucleotide binding; catalytic activity; protein binding	membrane; cytoplasm	
I6L590_PONAB	Ras-related protein Rab-10	SubName: Full=Ras-related protein Rab-10; - OS=Pongo abelii (Sumatran orangutan) (Pongo	nucleotide binding	nucleus; cytoplasm	

RB11A_BOVIN	Ras-related protein Rab-11A	RecName: Full=Ras-related protein Rab-11A; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	cytoplasm; endosome; membrane	metabolic process; transport; cell communication; regulation of biological process; response to stimulus; cell differentiation; cell organization and biogenesis; metabolic process; transport; cell communication; regulation of biological process; response to stimulus; cell organization and biogenesis; cell
RAB13_BOVIN	Ras-related protein Rab-13	RecName: Full=Ras-related protein Rab-13; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	nucleus; cytoplasm; endosome; Golgi; membrane	differentiation; development; development; transport; cell communication; regulation of biological process; response to transport; cell communication; regulation of biological process; response to stimulus; cell proliferation; cell organization
RAB18_BOVIN	Ras-related protein Rab-18	RecName: Full=Ras-related protein Rab-18; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding	nucleus; cytoplasm; membrane	metabolic process; cell communication; regulation of biological process; response to transport; cell communication; regulation of biological process; response to stimulus; cell
RAB25_BOVIN	Ras-related protein Rab-25	RecName: Full=Ras-related protein Rab-25; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding	nucleus; cytoplasm; membrane	metabolic process; cell communication; regulation of biological process; response to transport; cell organization and biogenesis; cell communication; regulation of biological process; response to stimulus; cell
F1LP82_RAT	Ras-related protein Rab-2A	SubName: Full=Ras-related protein Rab-2A; - OS=Rattus norvegicus (Rat).	nucleotide binding; catalytic activity	nucleus; cytoplasm; Golgi	metabolic process; cell communication; regulation of biological process; response to transport; cell organization and biogenesis; cell communication; regulation of biological process; response to stimulus; cell communication; regulation of biological process; response to stimulus; cell
RAB5C_BOVIN	Ras-related protein Rab-5C	RecName: Full=Ras-related protein Rab-5C; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	nucleus; cytoplasm; endosome; membrane	communication; regulation of biological process; response to transport; cell communication; regulation of biological process; response to stimulus; cell communication; regulation of biological process; response to stimulus; cell
RAB6B_BOVIN	Ras-related protein Rab-6B	RecName: Full=Ras-related protein Rab-6B; - OS=Bos taurus (Bovine).	nucleotide binding; transporter activity	cytoplasm; Golgi; membrane; nucleus	communication; regulation of biological process; response to stimulus; cell communication; regulation of biological process; response to stimulus; cell
RAP1A_BOVIN	Ras-related protein Rap-1A	RecName: Full=Ras-related protein Rap-1A; AltName: Full=GTP-binding protein smg p21A; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; transporter activity; protein binding; enzyme regulator activity	cytoplasm; endosome; membrane	communication; regulation of biological process; response to stimulus; development; cell differentiation; cell organization
RAP2C_BOVIN	Ras-related protein Rap-2c	RecName: Full=Ras-related protein Rap-2c; Flags: Precursor; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; transporter activity	cytoplasm; endosome; cytosol; membrane	metabolic process; cell communication; regulation of biological process; response to stimulus; transport; cellular

Q2TBH2_BOVIN	Related RAS viral (R-ras) oncogene homolog	SubName: Full=Related RAS viral (R-ras) oncogene homolog; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine). RecName: Full=Rho GDP-	nucleotide binding; catalytic activity	membrane	metabolic process; cell communication; regulation of biological process; response to stimulus; cellular component
GDIR1_BOVIN	Rho GDP-dissociation inhibitor 1	RecName: Full=Rho GDP-dissociation inhibitor 1; Short=Rho GDI 1; AltName: Full=Rho-GDI RecName: Full=Rho-related GTP-binding protein RhoC; Flags: Precursor; - OS=Bos taurus (Bovine).	enzyme regulator activity	membrane; cytoplasm	cell communication; regulation of biological process; response to stimulus; metabolic process
RHOC_BOVIN	Rho-related GTP-binding protein RhoC	RecName: Full=Rho-related GTP-binding protein RhoF; Flags: Precursor; - OS=Bos taurus (Bovine). RecName: Full=Saccharopine dehydrogenase-like	nucleotide binding; signal transducer activity	nucleus; membrane	cell division; cell communication; regulation of biological process; response to stimulus; cell organization and biogenesis; regulation of biological process; response
RHOF_BOVIN	Rho-related GTP-binding protein RhoF	RecName: Full=Rho-related GTP-binding protein RhoF; Flags: Precursor; - OS=Bos taurus (Bovine). RecName: Full=Saccharopine dehydrogenase-like	nucleotide binding	cytoplasm; cytoskeleton; membrane	cell communication; regulation of biological process; response
SCPDL_BOVIN	Saccharopine dehydrogenase-like oxidoreductase	RecName: Full=Saccharopine dehydrogenase-like oxidoreductase; EC=1.-.-.-; -	nucleotide binding; catalytic activity	na	metabolic process
A6QR35_BOVIN	SCAMP2 protein	SubName: Full=SCAMP2 protein; SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine). RecName: Full=Selenium-binding protein 1; AltName: Full=56 kDa selenium-binding protein; Short=SBP56: Short=SP56: -	na	nucleus; cytoplasm; Golgi; membrane; endosome	transport
SBP1_BOVIN	Selenium-binding protein 1	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine). RecName: Full=Serum albumin; AltName: Full=BSA; AltName: Allergen=Bos d 6; Flags: Precursor; -	protein binding	nucleus; organelle lumen; cytoplasm; cytosol; membrane	transport
A6QPZ4_BOVIN	SERPINB4 protein	RecName: Full=Serum amyloid A protein; - OS=Bos taurus (Bovine). SubName: Full=Short-chain dehydrogenase/reductase 3; - OS=Bos taurus (Bovine).	enzyme regulator activity	extracellular	metabolic process; regulation of biological process
ALBU_BOVIN	Serum albumin	RecName: Full=Serum amyloid A protein; - OS=Bos taurus (Bovine). SubName: Full=Short-chain dehydrogenase/reductase 3; - OS=Bos taurus (Bovine).	DNA binding; metal ion binding; protein binding	extracellular; cytoplasm	transport; cell communication; response to stimulus; cell death; regulation of biological process
F1MMW8_BOVIN	Serum amyloid A protein	RecName: Full=Serum amyloid A protein; - OS=Bos taurus (Bovine). SubName: Full=Short-chain dehydrogenase/reductase 3; - OS=Bos taurus (Bovine).	na	extracellular	defense response; response to stimulus
F1N334_BOVIN	Short-chain dehydrogenase	SubName: Full=Short-chain dehydrogenase/reductase 3; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	membrane	metabolic process

NPT2B_BOVIN	Sodium-dependent phosphate transport protein 2B	RecName: Full=Sodium-dependent phosphate transport protein 2B; Short=Sodium-phosphate transport protein 2B; AltName: Full=Na(+)-dependent phosphate cotransporter 2B; AltName: Full=Sodium/phosphate cotransporter 2B; Short=Na(+)/Pi	transporter activity; metal ion binding	membrane	transport
Q0V8K9_BOVIN	Solute carrier family 29 (Nucleoside transporters), member 1	RecName: Full=Solute carrier family 29 (Nucleoside transporters), member 1; Flags: RecName: Full=Solute carrier family 29 (Nucleoside transporters), member 1; Flags: RecName: Full=Solute carrier family 29 (Nucleoside transporters), member 1; Flags:	transporter activity	membrane	transport
NSDHL_BOVIN	Sterol-4-alpha-carboxylate 3-dehydrogenase	RecName: Full=Sterol-4-alpha-carboxylate 3-dehydrogenase, decarboxylating; EC=1.1.1.170; -	nucleotide binding; catalytic activity	cytoplasm; endoplasmic reticulum; membrane	development; metabolic process; cell communication; regulation of biological process;
A8E4P3_BOVIN	STOM protein	SubName: Full=STOM protein; - OS=Bos taurus (Bovine).	na	membrane	na
A6QLH3_BOVIN	STX3 protein	SubName: Full=STX3 protein; - OS=Bos taurus (Bovine).	protein binding	membrane; cytoplasm; vacuole	transport
YKT6_BOVIN	Synaptobrevin homolog YKT6	RecName: Full=Synaptobrevin homolog YKT6; EC=2.3.1.-; Flags: Precursor; - OS=Bos taurus	protein binding; catalytic activity	cytoplasm; Golgi; membrane; mitochondrion;	transport
Q2T9M8_BOVIN	Synaptosomal-associated protein	RecName: Full=Synaptosomal-associated protein; - OS=Bos	protein binding	nucleus; cytoplasm; Golgi; vacuole	na
SNP29_BOVIN	Synaptosomal-associated protein 29	RecName: Full=Synaptosomal-associated protein 29; Short=SNAP-29; AltName: Full=Soluble 29 kDa NSF attachment protein; AltName: Full=Vesicle-membrane fusion	protein binding	nucleus; cytoplasm; membrane	cell communication; cell organization and biogenesis; metabolic process; response to stimulus; transport
Q2NL10_BOVIN	Syntaxin binding protein 2	SubName: Full=Syntaxin binding protein 2; - OS=Bos taurus	protein binding	cytoplasm; cytosol; membrane; vacuole	transport; response to stimulus
TLR2_BOVIN	Toll-like receptor 2	RecName: Full=Toll-like receptor 2; AltName: CD_antigen=CD282; Flags: Precursor; - OS=Bos taurus	receptor activity; signal transducer activity; protein binding	membrane	cell communication; defense response; regulation of biological process; response to
SSRD_BOVIN	Translocon-associated protein subunit delta	RecName: Full=Translocon-associated protein subunit delta; Short=TRAP-delta; AltName: Full=Signal sequence receptor subunit delta; Short=SSR-delta;	na	cytoplasm; endoplasmic reticulum; membrane	na
TRYP_PIG	Trypsin	RecName: Full=Trypsin; EC=3.4.21.4; Flags: Precursor; -	catalytic activity; metal ion binding	extracellular	metabolic process

F6QRH3_BOVIN	Tumor protein p63-regulated gene 1-like protein	SubName: Full=Tumor protein p63-regulated gene 1-like protein; Flags: Fragment; - OS=Bos taurus	na	membrane	na
D4QGC1_BOVIN	Tyrosine-protein kinase	SubName: Full=Tyrosine-protein kinase Lyn; - OS=Bos taurus RecName: Full=Ubiquitin-40S	nucleotide binding; catalytic activity; protein	membrane	metabolic process
RS27A_BOVIN	Ubiquitin-40S ribosomal protein S27a	ribosomal protein S27a; AltName: Full=Ubiquitin carboxyl extension protein 80; Contains: RecName: Full=Ubiquitin; Contains: SubName: Full=Uncharacterized protein; SubName: Full=YES1 protein; - OS=Bos taurus (Bovine).	structural molecule activity; protein binding; metal ion binding	nucleus; cytoplasm; ribosome; cytosol	metabolic process
A7MB57_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; SubName: Full=YES1 protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; protein binding	cytoplasm; Golgi; membrane	metabolic process; transport
D2HYT6_AILME	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca (Giant panda).	nucleotide binding; catalytic activity	nucleus; cytoplasm; membrane	metabolic process; cell communication; regulation of biological process; response to stimulus: cell organization and metabolic process; cell organization and biogenesis; regulation of biological process; transport; response to stimulus; cellular homeostasis; cell death; regulation of biological process; transport
D2I225_AILME	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Ailuropoda melanoleuca	catalytic activity; protein binding	cytoplasm; endoplasmic reticulum; Golgi; membrane	regulation of biological process; transport; response to stimulus; cellular homeostasis; cell death; regulation of biological process; transport
E1B6Z6_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	transporter activity; metal ion binding	extracellular; cytoplasm	regulation of biological process; transport; response to stimulus; cellular homeostasis; cell death; regulation of biological process; transport
E1BCI3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	transporter activity	membrane	transport
E1BJL8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	na	na	na
E1BJV0_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity; metal ion binding; protein binding; nucleotide	cytoplasm; endoplasmic reticulum; endosome; membrane	metabolic process; transport; cell organization and biogenesis
E1BNX1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	na	cell communication; regulation of biological process; response to stimulus; transport
E1BP91_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity; metal ion binding	na	metabolic process
E1BQ28_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	transporter activity	membrane	transport
F1MD73_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	receptor activity	extracellular; cytoplasm; membrane	na

F1MGG1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	nucleotide binding; catalytic activity;	membrane	transport
F1MGR1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	transporter activity	membrane	transport
F1MJQ1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity	nucleus; cytoplasm; vacuole; endosome; Golgi; membrane	metabolic process; transport; cell communication; regulation of biological process; response to stimulus; cell organization and biogenesis; cellular
F1MLR4_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	receptor activity; signal transducer activity; protein binding	membrane; extracellular	cell communication; regulation of biological process; response to stimulus
F1MLW8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	na	na
F1MNI4_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; protein binding	nucleus; cytoplasm; endosome	cell organization and biogenesis; cell communication; regulation of biological process; response
F1MPE1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	enzyme regulator activity	extracellular; membrane	metabolic process; regulation of biological process
F1MR22_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	na	na
F1MSI2_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	transporter activity; protein binding	extracellular; membrane	transport; cell communication; regulation of biological process; response to stimulus; cell
F1MUP9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; metal ion binding; catalytic activity	na	cell organization and biogenesis; regulation of biological process; metabolic process
F1MYU3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	catalytic activity; nucleotide binding	nucleus; cytoplasm	cell communication; regulation of biological process; response to stimulus; transport
F1MZ96_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	na	na
F1N272_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; transporter activity;	membrane	metabolic process; transport
F1N2D9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	nucleotide binding; catalytic activity; protein binding; metal ion	na	metabolic process
F1N726_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	na	extracellular; membrane	response to stimulus; transport

F6Q480_CALJA	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Callithrix jacchus (White-tufted-ear marmoset).	structural molecule activity	cytoskeleton; membrane	na
F7A679_MACMU	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Macaca mulatta (Rhesus	structural molecule activity	cytoskeleton	na
F7E526_MACMU	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Macaca mulatta	structural molecule activity	cytoskeleton	na
G1QMQ0_NOMLE	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-	nucleotide binding; catalytic activity; signal transducer activity;	membrane	metabolic process; cell communication; regulation of biological process; response to
G1S7P4_NOMLE	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Nomascus leucogenys (Northern white-	catalytic activity; motor activity; structural molecule activity	cytoskeleton; membrane	na
G3MWT1_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	na	na
G3MZ88_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	protein binding	cytoplasm; endoplasmic reticulum	metabolic process
G3N0Q8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity	na	metabolic process
G3N0S9_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	na	na	na
G3N0V0_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	protein binding	na	na
G3N2D8_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Bos taurus (Bovine).	catalytic activity	na	regulation of biological process; metabolic process; defense response; response to stimulus
G3QDX0_GORGO	Uncharacterized protein	SubName: Full=Uncharacterized protein; - OS=Gorilla gorilla gorilla	structural molecule activity	cytoplasm; cytoskeleton	cell differentiation; development; response to
G3QK09_GORGO	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Gorilla gorilla gorilla (Lowland	catalytic activity; motor activity; structural molecule activity	cytoskeleton; membrane	na
G3SAA4_GORGO	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Gorilla gorilla gorilla (Lowland	protein binding	na	na
G3T808_LOXAF	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Loxodonta africana (African elephant).	catalytic activity; metal ion binding; protein binding; nucleotide binding	membrane	metabolic process; regulation of biological process; cell proliferation; cell death; development; reproduction; transport; cell differentiation;

G5E513_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	protein binding	na	na
G5E554_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	catalytic activity	na	metabolic process
G5E5T3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	nucleotide binding; catalytic activity;	membrane	metabolic process; transport
G5E5T5_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	protein binding	membrane	na
G5E604_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos	protein binding	na	na
G5E6P3_BOVIN	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Bos taurus (Bovine).	nucleotide binding; protein binding; catalytic activity; signal transducer activity	na	development; metabolic process; cell communication; regulation of biological process; response to stimulus; cell organization and biogenesis; cell differentiation; coagulation; cell death
HOWTJ3_OTOGA	Uncharacterized protein	SubName: Full=Uncharacterized protein; Flags: Fragment; - OS=Otolemur garnettii (Small-	na	membrane	
VIME_BOVIN	Vimentin	RecName: Full=Vimentin; - OS=Bos taurus (Bovine).	structural molecule activity; protein binding	cytoplasm; cytosol; cytoskeleton; membrane; extracellular	cell organization and biogenesis; development; metabolic process; regulation of biological process; cell differentiation
F1MUT3_BOVIN	Xanthine dehydrogenase	SubName: Full=Xanthine dehydrogenase; - OS=Bos taurus (Bovine).	catalytic activity; metal ion binding; protein binding; nucleotide binding	extracellular; cytoplasm	metabolic process; regulation of biological process; cell proliferation; cell death; development; reproduction; transport; cell differentiation;

The accession entry - the unique entry name that is assigned for an identified protein according to the Uniprot database. Molecular function, cellular component and biological process are obtained by using the 'annotation' node in Proteome Discoverer which utilizes the ProteinCenter software (Thermo Scientific ProteinCenter) consisting of data from >20 public databases (Uniprot, NCBI, IPI etc.).