RESEARCH ARTICLE

Efficient estimation of load-free left ventricular geometry and passive myocardial properties using principal component analysis.

Zhinuo J. Wang¹ | Vicky Y. Wang¹ | Thiranjia P. Babarenda Gamage¹ | Vijayaraghavan Rajagopal² | J. Jane Cao³ | Poul M.F. Nielsen^{1,4} | Chris P. Bradley¹ | Alistair A. Young^{1,5} | Martyn P. Nash^{1,4}

¹Auckland Bioengineering Institute, University of Auckland, Auckland, New Zealand

²Department of Biomedical Engineering, University of Melbourne, Victoria, Australia

³Heart Center, St Francis Hospital, New York, United States

⁴Department of Engineering Science, University of Auckland, Auckland, New Zealand

⁵Department of Anatomy and Medical Imaging, University of Auckland, Auckland, New Zealand

Correspondence

*Martyn P. Nash Email: martyn.nash@auckland.ac.nz

Present Address

Level 6 Reception, 70 Symonds Street, Grafton, Auckland, New Zealand

Abstract

Models of cardiac mechanics require a well-defined reference geometry from which deformations, and hence myocardial strain and stress can be calculated. In the *in vivo* beating heart, the load-free (LF) geometry generally cannot be measured directly, since, in many cases, there is no stage at which the lumen pressures and contractile state are all zero. Therefore, there is a need for an efficient method to estimate the load-free (LF) geometry, which is essential for an accurate mechanical simulation of LV mechanics, and for estimations of passive and contractile constitutive parameters of the heart muscle.

In this paper, we present a novel method for estimating both the LF geometry and the passive stiffness of the myocardium. A linear combination of principal components from a population of diastolic displacements is used to construct the LF geometry. For each estimate of the LF geometry and tissue stiffness, LV inflation is simulated, and the model predictions are compared with surface data at multiple stages during passive diastolic filling.

The feasibility of this method was demonstrated using synthetically deformation data that were generated using LV models derived from clinical MRI data, and the identifiability of the LF geometry and passive stiffness parameters were analysed using Hessian metrics. Applications of this method to clinical data would improve the accuracy of constitutive parameter estimation and allow a better simulation of LV wall strains and stresses.

KEYWORDS:

load-free geometry, left ventricular mechanics, principal component analysis, myocardial tissue stiffness

1 | INTRODUCTION

Estimation of the mechanical properties of the left ventricular (LV) myocardial tissue is important for understanding the underlying tissue-specific mechanisms of heart disease and has the potential to guide more personalised diagnosis and treatment of heart failure patients. In order to reliably estimate myocardial mechanical properties, simulations of LV mechanics requires a personalised reference geometry for which the states of deformation and stress are fully characterised (they are mostly often taken to be identical to the *in vivo* heart the stress-free geometry generally cannot be measured directly since

⁰Abbreviations: DS, diastasis; ED, end-diastolic; PCA, principal component analysis

at no stage are the blood pressure, residual stresses and contractile force all zero in many cases. Diastasis (DS) is often assumed to be the quiescent state during which the myocytes are neither stretched nor contracted and the load is considered negligible. However, this assumption is not appropriate when analysing hypertensive patients since the DS geometry in these subjects can be very different from the load-free geometry (Figure 1), and the use of an incorrect load-free geometry can affect the estimation of intrinsic myocardial mechanical properties. The estimation of a well-defined reference state is therefore essential for an accurate mechanical simulation of LV mechanics. To this end, we investigated an improved method for estimating the load-free (LF) state of the heart.

FIGURE 1 Diastolic pressure volume relationship of the left ventricle. The green model shows the load-free geometry. It is overlaid with inflated geometries, in translucent maroon, at diastasis and end-diastole. Multiple diastolic geometric data are measured and an estimation of the load-free geometry should be consistent with each.

Several methods have previously been used to identify the LF geometry. Some studies use measured geometries from various time points in the cardiac cycle as the load-free (LF) geometry. These time points include early diastole¹, end diastole (ED)², and end systole (ES)³. Similarly, the method of Xi (2013)⁴ combined estimation of the residual active tension with estimation of the LF geometry. The algorithm trialled each frame prior to ED as the LF frame, and selected the frame that resulted in a physiologically relevant residual active tension transient (i.e. one that was monotonically decreasing). This method assumed that the patient's LV passes through the LF geometry during diastole. This is not necessarily valid since some studies show that the heart is continually loaded *in vivo*^{5,6}.

The method presented in Krishnamurthy (2013)^{7,8} unloaded the LV from an ED geometry for a given set of passive constitutive parameters using the following iterative process: the ED geometry was taken as the initial estimate of the LF geometry. This was then inflated by the ED pressure, and the deformation gradient tensor between the predicted and measured ED LV geometries was applied in an inverse sense to obtain a new estimate of the LF geometry. This process was repeated until the predicted ED geometry matched the measured ED geometry to within the measurement accuracy. The method then used the Klotz curve⁹ to provide an empirical relation for the LF LV geometry (with a volume of V_0) as a function of ED pressure (P_{ED} , in mmHg) and ED volume (V_{ED} , in mL). The passive constitutive parameters were tuned so that the predicted ED geometry had a volume that was

consistent with the ED volume predicted by the Klotz curve. The method is heavily reliant on the LF-ED relationship from the Klotz empirical measurements to ensure the identifiability of the LF geometry and material stiffness. This relationship cannot be guaranteed to apply on an individual basis. Furthermore, only volume information was used to estimate the LF geometry. This meant that the method did not seek to match regional deformation of the myocardial wall at ED. Since the Klotz relationship relates only the LF and ED geometries, the method cannot take advantage of additional data from multiple diastolic frames, and is heavily reliant on the accuracy of the ED geometry. Using multiple frames is advantageous as it provides additional information to characterize the nonlinear mechanical properties of the myocardium.

The method of Rajagopal (2007)¹⁰ performs the unloading simulation by using the same finite elasticity equations as used for the loading simulation, except that the unknown field was set to be the LF geometry instead of the deformed geometry. This method provides an efficient method of unloading the LV geometry for a given material stiffness. However, it does not provide a method for estimating both the LF geometry and the stiffness, and is limited to matching just a single deformed geometry.

Therefore, there is a need for a new method to characterise the LF geometry and tissue properties on a patient-specific basis, which is not dependent only on a single deformed geometry and that is not reliant on a population-mean pressure-volume relationship. In this study, we propose a novel method for estimating the LV LF geometry and passive constitutive parameters using principal component analysis (PCA). We include LV deformations at multiple time points during diastolic filling in order to better characterise the nonlinear passive mechanical behaviour of the myocardium. Sections 2.1 and 2.2 will describe the clinical dataset that was used to test the feasibility of this approach. The methods used to model LV passive mechanics are briefly summarised in Section 2.3. Section 2.4 introduces the fundamentals of the PCA method described by two specific methods of constructing the PCA based on the available data. The optimisation process and the identifiability of the LF geometry and passive stiffness parameters using Hessian metrics are then described in Section 2.5. The results of applying the proposed method to the synthetic data are then presented in Section 3 to show the feasibility of the method and the identifiability characteristics of the parameters.

2 | METHODS

The feasibility of the PCA method was investigated in this study, and the steps taken are detailed in this section. We began by generating a series of synthetic deformation data, which has been derived from measurements of diastolic heart deformations obtained from MR images, and preliminary estimates of the passive constitutive parameters. These synthetic deformation data were then used to test two methods of constructing the PCA, and to quantify the accuracy of the LF geometry estimation for each method. Parameter identifiability was then evaluated and the degree of correlation between the LF geometry and passive constitutive parameter was measured using Hessian metrics.

2.1 | Clinical dataset

The clinical dataset used in this study were acquired at the St. Francis Hospital, New York, from 28 patients. The study was approved by the St Francis Hospital Internal Review Board (reference number 07-014). The left ventricular geometry and pressure characteristics of these patients ranged from that of normal to heart failure phenotypes. Catheter pressure data and cine magnetic resonance images (MRI) were acquired within 5 hours of each other for each patient with temporal resolutions of 250 Hz. This study only focused on the diastolic filling stage of the cardiac cycle from DS to ED. On average across all patients, a total of three to six MRI frames were acquired during this diastolic period, and the images were aligned temporally with the pressure data on a per-patient basis **by applying temporal scaling to the pressure waveform between DS and ED to match the timing of these two cardiac events in the images**¹¹. The cine MR images were segmented using guide-point modelling in the Cardiac Image Modeller¹² which resulted in the generation of finite element models of the LV at all imaging frames (Figure 1).

2.2 | Synthetic deformation data generation

To test the methods developed in this study, **we required a set of synthetic ground-truth LF geometries and inflated surface data points at various diastolic stages, where the corresponding diastolic pressures were not normalised by the DS pressures. Since LF geometries were unavailable from *in vivo* clinical data, we used the clinical DS geometries as our synthetic LF geometries. These geometries ranged from control to heart failure patients, with LV masses ranging from 74 g to 332 g and cavity volumes**

ranging from 37 mL to 360 mL. The inflated surface data points were generated by loading the synthetic LF geometries using patient-specific absolute pressures that were measured by catheterisation. Since the DS pressures used were non-zero, the synthetic DS geometries were significantly different to the synthetic LF geometries. Inflation was simulated at multiple intermediate stages between, and including, DS and ED. The average ($\pm$ standard deviation) DS pressure was $1.5 \text{ kPa} \pm 0.9 \text{ kPa}$ and the average ED pressure was $2.6 \text{ kPa} \pm 1.0 \text{ kPa}$ in the dataset. The passive constitutive parameters used in these inflations were taken from previously estimated patient-specific values to ensure that a range of healthy and diseased myocardial passive properties were represented.¹¹ Thus, the generated synthetic dataset contained a wide range of LV sizes, LV pressures (DS pressure from 0.5 kPa to 3.6 kPa, ED pressure from 1.0 kPa to 5.2 kPa), and myocardial stiffnesses (from 0.6 kPa to 15.0 kPa), which were valuable for testing the ability of the proposed method to handle both normal and diseased deformations.

2.3 | Left ventricular mechanics modelling methods

The geometry of the LV was modelled using the finite element method with tricubic Hermite interpolation (16 elements and 960 geometric degrees of freedom of nodal positions and derivatives). The myocardium was modelled as a transversely isotropic material using the Guccione constitutive equation¹³ as shown in Equation 1.

$$\Psi = c_1(e^Q - 1) \quad (1)$$

$$\text{where } Q = 2b_1(E_{ff} + E_{cc} + E_{rr}) + b_2E_{ff}^2 + b_3(E_{cc}^2 + E_{rr}^2 + 2E_{cr}^2) + 2b_4(E_{fc}^2 + E_{fr}^2)$$

where the parameters that control the nonlinearity and anisotropy of the mechanical behaviour ($b_{1\sim4}$) were set to previously estimated values¹⁴, and only the stiffness parameter c_1 was estimated for each patient in the present study. Due to the lack of microstructural imaging in the clinical dataset, the myofibre orientations from the Auckland Dog Heart model¹⁵ were used to represent the microstructure for all patients in this study.

2.4 | Principal component analysis construction

Principal component analysis (PCA) is a statistical method that extracts the dominant patterns in a data matrix in terms of a complementary set of scores and principal components, or modes¹⁶. The first mode accounts for the largest variance in the data matrix, and each subsequent mode is orthogonal to all of the other modes. The PCA components are evaluated by an eigen-analysis of the covariance matrix constructed from the data matrix¹⁷. To construct the data matrix, the cubic Hermite models of the left ventricle were firstly converted to Bézier spline models to ensure that the degrees of freedom all carried the same units of millimetres. The Bézier models have the same number of degrees of freedom as the model based on the Hermite cubic shape functions, and there is a straightforward and invertible conversion from the cubic Hermite parameters ($\mathbf{x}_h$) to the Bézier control points ($\mathbf{x}_b$) (see Equation 2). For the present study, the data matrix consisted of the deformation between two geometric states for each of the 28 cases in the study. The specific models used to evaluate the deformations will be described in Sections 2.4.1 and 2.4.2. Deformation data of nodal displacements were used instead of the geometric parameters of a model so as to reduce the effect of variation in model size from the PCA, and provide greater explanatory power to the first mode of variation.

$$\begin{bmatrix} x_{b1} \\ x_{b2} \\ x_{b3} \\ x_{b4} \\ x_{b5} \\ x_{b6} \\ x_{b7} \\ x_{b8} \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 1 & \frac{1}{3} & 0 & 0 & 0 & 0 & 0 & 0 \\ 1 & 0 & \frac{1}{3} & 0 & 0 & 0 & 0 & 0 \\ 1 & \frac{1}{3} & \frac{1}{3} & \frac{1}{9} & 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & \frac{1}{3} & 0 & 0 & 0 \\ 1 & \frac{1}{3} & 0 & 0 & \frac{1}{3} & \frac{1}{9} & 0 & 0 \\ 1 & 0 & \frac{1}{3} & 0 & \frac{1}{3} & 0 & \frac{1}{9} & 0 \\ 1 & \frac{1}{3} & \frac{1}{3} & \frac{1}{9} & \frac{1}{3} & \frac{1}{9} & \frac{1}{9} & \frac{1}{27} \end{bmatrix} \begin{bmatrix} x_h \\ \frac{\partial x_h}{\partial \xi_1} \\ \frac{\partial^2 x_h}{\partial \xi_1^2} \\ \frac{\partial^2 x_h}{\partial \xi_1 \partial \xi_2} \\ \frac{\partial x_h}{\partial \xi_3} \\ \frac{\partial^2 x_h}{\partial \xi_1 \partial \xi_3} \\ \frac{\partial^2 x_h}{\partial \xi_2 \partial \xi_3} \\ \frac{\partial^3 x_h}{\partial \xi_1 \partial \xi_2 \partial \xi_3} \end{bmatrix} \quad (2)$$

The deformation between the two Bézier models were evaluated as Euclidean displacements between each pair of Bézier control points and concatenated into a single column vector $\mathbf{d}$ of dimension, $M = 960$. These vectors were collated into a data

matrix $\mathbf{D}$ (Equation 3) that has as many rows as there are degrees of freedom in each displacement vector ($M = 960$) and as many columns as there are studies ($N = 28$).

$$\mathbf{D} = \begin{bmatrix} d_{11} & d_{12} & \cdots & d_{1N} \\ d_{21} & d_{22} & \cdots & d_{2N} \\ \vdots & \vdots & \ddots & \vdots \\ d_{M1} & d_{M2} & \cdots & d_{MN} \end{bmatrix} \quad (3)$$

The mean displacement vector $\bar{\mathbf{d}}$ (a column vector of length M) is evaluated by Equation 4 where $\mathbf{d}_n$ is the displacement (column) vector from the n^{th} subject.

$$\bar{\mathbf{d}} = \frac{1}{N} \sum_{n=1}^N \mathbf{d}_n \quad (4)$$

The covariance matrix $\mathbf{C}$ (of dimension M times M) was evaluated as shown in Equation 5.

$$\mathbf{B} = \mathbf{D} - \bar{\mathbf{d}}\mathbf{h}^T = \begin{bmatrix} | & | & & | \\ (d_1 - \bar{\mathbf{d}}) & (d_2 - \bar{\mathbf{d}}) & \cdots & (d_N - \bar{\mathbf{d}}) \\ | & | & & | \end{bmatrix} \quad (5)$$

$$\mathbf{C} = \frac{1}{N-1} \mathbf{B}\mathbf{B}^T$$

where $\mathbf{B}$ (dimensions M by N) is the mean-centred data matrix, and $\mathbf{h}$ is a column vector of all ones and of dimension N .

The principal components of the data are evaluated as the eigenvectors of the covariance matrix $\mathbf{C}$, and the variances explained by each of the principal components are the corresponding eigenvalues. Eigen-analysis on the covariance matrix results in Equation 6

$$\mathbf{C} = \mathbf{P}^* \mathbf{\Lambda} \mathbf{P}^{*T} \quad (6)$$

where the columns of the $\mathbf{P}^*$ matrix are the principal components $\mathbf{p}_i$, and $\mathbf{\Lambda}$ is a diagonal matrix whose diagonal values λ_i are the corresponding variances.

In practice, when the data matrix is non-square ($M \neq N$), the rank of the covariance matrix can only be as large as the smallest dimension (N in this case), which means that the covariance matrix is rank deficient. The rank of the covariance matrix is further reduced by one because the $\mathbf{B}$ matrix is mean-centred. Thus there can only be as many non-zero eigenvalues λ_i , and meaningful principal components $\mathbf{p}_i$, as the number of observations minus one ($N - 1$).

Due to the rank deficiency of $\mathbf{C}$, it is more computationally efficient to evaluate a singular value decomposition (SVD) of the $\mathbf{B}$ matrix instead of the eigen-analysis of $\mathbf{C}$ ^{18,19} (see Equation 7).

$$\mathbf{B} = \mathbf{U} \mathbf{\Sigma} \mathbf{V} \quad (7)$$

The diagonal values of $\mathbf{\Sigma}$ (dimensions N by N) are the standard deviations (σ_i) along the principal components of the mean-centred data matrix $\mathbf{B}$ in descending order, and are related to the variances by $\sigma_i = \sqrt{\lambda_i}$. The corresponding columns of the left singular matrix $\mathbf{V}$ (dimensions M by N) are equal to the principal components $\mathbf{p}_i$.

The proportion of variance explained by each principal component can be found by dividing each variance by the sum of the variances. The PCA function in the Python *scikit-learn* package (v0.18)²⁰ uses the SVD method to evaluate the $\mathbf{P}$ matrix, whose columns are $\mathbf{p}_i$, and the $\sqrt{\mathbf{\Sigma}}$ matrices.

Using this PCA analysis, the weights $\mathbf{w}$ of any displacement vector $\mathbf{d}$ can be evaluated using Equation 8.

$$\mathbf{w} = \mathbf{P}^T (\mathbf{d} - \bar{\mathbf{d}}) \quad (8)$$

Conversely, any displacement vector $\mathbf{d}'$ can be approximated using a weighted linear combination of the first k principal components and the mean displacement vector $\bar{\mathbf{d}}$ (see Equation 9).

$$\mathbf{d}' = \bar{\mathbf{d}} + \sum_{i=1}^k w_i \mathbf{p}_i \quad (9)$$

For ease of interpretation, the weight value is normalised using the standard deviation σ_i of the corresponding mode i (see Equation 10).

$$\hat{w}_i = w_i / \sigma_i \quad (10)$$

Two methods of constructing the data matrix $\mathbf{D}$ were investigated for PCA analysis. The *exact-PCA* was constructed based on displacement vectors between the synthetic LF and DS geometries, and was able to exactly represent the ground-truth LF geometries. The *unload-PCA* was constructed based on displacement vectors between a range of predicted unloaded geometries and the DS geometries, and was used as an alternative to approximating the true LF geometries. The construction of each PCA is detailed below. The percentage of variation described by the first three principal components of each PCA is given along with the approximation errors of the constructed LF geometries.

2.4.1 | Exact-PCA

The displacements between the synthetic LF and DS geometries ($\mathbf{d}^{LF} = \mathbf{x}^{DS} - \mathbf{x}^{LF}$), see Figure 3a) were used to construct the data matrix $\mathbf{D}^{LF}$ in Equation 11. **Note here that the synthetic true LF geometries are in fact the DS geometries from the clinical data, and the synthetic DS geometries are the inflated synthetic LF geometries.**

$$\mathbf{D}^{LF} = \begin{bmatrix} d_{11}^{LF} & d_{12}^{LF} & \cdots & d_{1N}^{LF} \\ d_{21}^{LF} & d_{22}^{LF} & \cdots & d_{2N}^{LF} \\ \vdots & \vdots & \ddots & \vdots \\ d_{M1}^{LF} & d_{M2}^{LF} & \cdots & d_{MN}^{LF} \end{bmatrix} \quad (11)$$

where $M = 960$, $N = 28$. The mean displacement was evaluated by $\bar{\mathbf{d}}^{LF} = \frac{1}{N} \sum_{n=1}^N \mathbf{d}_n^{LF}$. The principal components $\mathbf{P}^{LF}$ (or modes) of this data matrix were evaluated using SVD. The first mode ($\mathbf{p}_1^{LF}$) accounted for a variance of 108.1 mm² (standard deviation of 32.9 mm), which is equivalent to 83.0 % of the total variance in the data. The second ($\mathbf{p}_2^{LF}$) and third ($\mathbf{p}_3^{LF}$) modes accounted for 5.9 % and 3.2 %, respectively.

For each case n , the weights $\mathbf{w}_n^{LF}$ of the LF to DS displacement vector $\mathbf{d}_n^{LF}$ were evaluated using Equation 12.

$$\mathbf{w}_n^{LF} = \mathbf{P}^{LFT} (\mathbf{d}_n^{LF} - \bar{\mathbf{d}}^{LF}) \quad (12)$$

The mean $\pm$ standard deviation of the projected first weights w_1^{LF} across the 28 cases was 0.0 mm $\pm$ 32.9 mm (normalised first weights $\hat{w}_1^{LF} = 0 \pm 1$). Using this projected set of weights, the LF geometry $\tilde{\mathbf{x}}^{LF}$ was reconstructed using:

$$\tilde{\mathbf{x}}^{LF} = \mathbf{x}^{DS} - (\bar{\mathbf{d}}^{LF} + \sum_{i=1}^{N-1} w_i^{LF} \mathbf{p}_i^{LF}) \quad (13)$$

The first three modes of the exact-PCA are illustrated for a representative case in Figure 2 where LF geometries $\tilde{\mathbf{x}}^{LF}$ were reconstructed using the mean and plus and minus two standard deviations of each mode. The PCA modes indirectly controlled the geometric features of the resulting LF geometry via the $\mathbf{d}^{LF} = \bar{\mathbf{d}}^{LF} + \sum_{i=1}^{N-1} w_i^{LF} \mathbf{p}_i^{LF}$ vector (Equation 13). It is clear from the illustration in Figure 2 that the first mode controlled the global size of the LF geometry, the second mode controlled its long-axis tilt, while the geometric effect of the third mode was negligible.

The mean $\pm$ standard deviation of the error ϵ^{LF} between the reconstructed LF geometry ($\tilde{\mathbf{x}}^{LF}$) and the true LF geometry (see Equation 14) was $(8.3 \pm 4.4) \times 10^{-14}$ mm.

$$\epsilon^{LF} = \|\tilde{\mathbf{x}}^{LF} - \mathbf{x}^{LF}\| \quad (14)$$

This verified that the exact-PCA is able to reconstruct the true LF geometries to within machine precision. This result was expected since the true LF geometries were included in the data matrix for analysis. While this provided verification of our methods and implementation, it was not practical, because, in general, we do not know the LF geometries a-priori, therefore we cannot construct this PCA in practice. This motivated us to explore alternatives as described below.

2.4.2 | Unload-PCA

An alternative PCA was constructed, dubbed the unload-PCA, which was based on the displacements, $\mathbf{d}^{UL}$, between a series of unloaded geometries and their DS geometries. These unloaded geometries were evaluated by simulating the unloading of

FIGURE 2 First three modes of the exact-PCA showing lateral cross-sectional view of one particular true LF geometry (gold) plus and minus two standard deviations of the mode (green and magenta, respectively). The first mode of variation controls the general size of the LF geometry, where an increase in the weight (green) results in a larger noda displacement from the DS geometry, and therefore a smaller LF geometry. The second mode controls the posterior-anterior tilt of the geometry, with positive change (green) causing a tilt of the long-axis towards the posterior end (right-hand side). The third mode controls the septal-lateral tilt, with positive change (green) causing a tilt of the long-axis towards lateral end (out of page). The effects of the second and third modes are much weaker than the first.

each DS geometry while prescribing a series of different passive stiffnesses: $c_1 = 1$ kPa, 3 kPa, 5 kPa, 10 kPa. These stiffness values were selected so that the evaluated $\mathbf{d}^{UL}$ would span the range of the likely displacements between the true LF and DS geometries $\mathbf{d}^{LF}$. A reasonable range for these stiffness values was selected based on previously estimated results for both heart failure and normal subjects in¹¹. The unloading simulations were performed using a previously described method¹⁰, which treated the reference geometry as the unknown field instead of the deformed geometry. The different methods of constructing of displacement vectors for the exact-PCA and the unload-PCA are illustrated in Figure 3.

The evaluation of the displacement vectors, $\mathbf{d}^{UL}$, for the unload-PCA is detailed in Equation 15, and the evaluation of the data matrix is detailed in Equation 16.

$$\begin{aligned}
 \mathbf{d}^{UL1} &= \mathbf{x}^{DS} - \mathbf{x}^{UL1} \\
 \mathbf{d}^{UL3} &= \mathbf{x}^{DS} - \mathbf{x}^{UL3} \\
 \mathbf{d}^{UL5} &= \mathbf{x}^{DS} - \mathbf{x}^{UL5} \\
 \mathbf{d}^{UL10} &= \mathbf{x}^{DS} - \mathbf{x}^{UL10}
 \end{aligned} \tag{15}$$

$$\mathbf{D}^{UL} = \begin{bmatrix} d_{11}^{UL1} & d_{11}^{UL3} & d_{11}^{UL5} & d_{11}^{UL10} & d_{12}^{UL1} & d_{12}^{UL3} & d_{12}^{UL5} & d_{12}^{UL10} & \dots & d_{1N}^{UL1} & d_{1N}^{UL3} & d_{1N}^{UL5} & d_{1N}^{UL10} \\ d_{21}^{UL1} & d_{21}^{UL3} & d_{21}^{UL5} & d_{21}^{UL10} & d_{22}^{UL1} & d_{22}^{UL3} & d_{22}^{UL5} & d_{22}^{UL10} & \dots & d_{2N}^{UL1} & d_{2N}^{UL3} & d_{2N}^{UL5} & d_{2N}^{UL10} \\ \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \ddots & \vdots & \vdots & \vdots & \vdots \\ d_{M1}^{UL1} & d_{M1}^{UL3} & d_{M1}^{UL5} & d_{M1}^{UL10} & d_{M2}^{UL1} & d_{M2}^{UL3} & d_{M2}^{UL5} & d_{M2}^{UL10} & \dots & d_{MN}^{UL1} & d_{MN}^{UL3} & d_{MN}^{UL5} & d_{MN}^{UL10} \end{bmatrix} \tag{16}$$

The dimensions of the data matrix were $M = 960$ by $4N = 112$. The mean displacement $\bar{\mathbf{d}}^{UL}$ was evaluated by:

$$\bar{\mathbf{d}}^{UL} = \frac{1}{4N} \sum_{n=1}^N (\mathbf{d}_n^{UL1} + \mathbf{d}_n^{UL3} + \mathbf{d}_n^{UL5} + \mathbf{d}_n^{UL10}) \tag{17}$$

FIGURE 3 Two methods of constructing the principal components analysis (PCA) based on model displacement data. For each of the subjects, the displacements were measured between a) the true load-free (LF) geometry and the diastasis (DS) geometry or b) between the unloaded LF geometries using four different stiffness values and the DS geometry. **Note that the synthetic true LF geometry indicated are in fact the DS geometries from clinical data, and the synthetic DS geometries are the inflated LF geometries.** The PCA constructed based on the first type of displacement data is able to exactly represent the true LF geometry LF^{true} (gold), while the PCA constructed based on the second type was designed to span the possible displacements that would contain the true LF geometry LF^{true} (gold).

The principal components $\mathbf{P}^{UL}$ (or modes) of this data matrix were evaluated using SVD as before. The first mode $\mathbf{p}_1^{UL}$ accounted for a variance of 2906.9 mm² (standard deviation of 53.9 mm), which is equivalent to 92.0 % of the variation. The second $\mathbf{p}_2^{UL}$ and third $\mathbf{p}_3^{UL}$ modes accounted for 2.9 % and 1.8 % of the variation, respectively.

For each case n , the weights w_n^{UL} of the LF to DS displacement vector $\mathbf{d}_n^{LF}$ were evaluated using Equation 18.

$$\mathbf{w}^{UL} = \mathbf{P}^{ULT} (\mathbf{d}^{LF} - \bar{\mathbf{d}}^{UL}) \quad (18)$$

The mean $\pm$ standard deviation of the projected first weights was 0.9 mm $\pm$ 32.7 mm (normalised first weights $\hat{w}_1^{UL} = 0.02 \pm 0.61$). Using this projected set of weights, the LF geometry $\tilde{\mathbf{x}}^{LF}$ was reconstructed using:

$$\tilde{\mathbf{x}}^{LF} = \mathbf{x}^{DS} - (\bar{\mathbf{d}}^{UL} + \sum_{i=1}^{4N-1} w_i^{UL} \mathbf{p}_i^{UL}) \quad (19)$$

The first three modes of the unload-PCA are illustrated for a representative case in Figure 4, where the LF geometries $\tilde{\mathbf{x}}^{LF}$ were reconstructed using the mean and plus and minus two standard deviations of each mode (Equation 19). Similar to the exact-PCA method, the first mode of the unload-PCA controlled the global volume of the ventricle, while the geometric effects of the second and third modes were negligible.

The mean $\pm$ standard deviation of the geometric error ϵ^{LF} between this reconstructed LF geometry and the true LF geometry was 0.04 mm $\pm$ 0.02 mm (see Equation 14). This is a very small error when compared with the average apex-to-base length of the load-free LV model in the synthetic data, which was 93 mm $\pm$ 13 mm.

FIGURE 4 First three modes of the unload-PCA showing the lateral cross-sectional view of best representation of the LF geometry (gold) plus and minus two standard deviations of the mode (green and magenta, respectively). Similarly to the exact-PCA, the first mode of variation controls the general size of the LF geometry, where an increase in the weight (green) results in a smaller LF geometry. The second mode controls the posterior-anterior tilt of the geometry, with positive change (green) causing a tilt of the long-axis towards the posterior end (right-hand side). The third mode controls the septal-lateral tilt, with positive change (green) causing a tilt of the long-axis towards septal end (out of page). The effects of the second and third modes are much weaker than the first.

2.5 | Estimation of the load-free geometry and constitutive parameter

The general framework for estimating LF geometry and stiffness simultaneously is illustrated by the flowchart in Figure 5. A PCA was performed prior to the parameter estimation stage using a synthetic population of model displacements as the data matrix (using either the exact- or unload-PCA method). The modes of deformation were generated along with a population mean. An initial estimate of the weights was generated by projecting an initial estimate of model displacement onto the modes of deformation using Equation 8.

The parameter estimation process was as follows: The initial estimate of the weights was used to reconstruct a LF geometry (using either Equation 13 or Equation 19). Pressure and basal displacement boundary conditions were applied to this LF geometry with an initial estimate of the stiffness parameter (c_1), and a series of inflated model predictions were simulated. The objective function Φ was constructed using the sum of the mean squared error of the Euclidean distance from the surface data (a_k) to its projected location (a_{kproj}) the surface of the model predictions for each of the diastolic frames (between and including DS and ED) (Equation 20). The closest point projection was used to evaluate the Euclidean distances. There were in total 2600 surface data points available per frame, which covered both the epicardial and endocardial surfaces, and the number of diastolic frames ranged from 2 to 11 for the 28 cases analysed.

$$\Phi = \sum_{DSframe}^{EDframe} \frac{1}{2600} \sum_k^{2600} (a_k - a_{kproj})^2 \quad (20)$$

The BOBYQA optimiser²¹ implemented in the NLOpt Python package (v2.4.2) was used to estimate the weights and the constitutive parameters simultaneously.

The model inflations were simulated using the finite element method implemented in the OpenCMISS software package²² (www.opencmiss.org) with Python (v2.7.12) bindings. A validation of the mechanics simulation solver in OpenCMISS can be found in²³.

FIGURE 5 Estimation of the weight parameter (which can be used to reconstruct the load-free geometry in green) and the stiffness parameter is performed by optimising the surface data projection errors (red) between the synthetic surface data (black dots) and the inflated model predictions (brown). Subject-specific endocardial left ventricular pressure (LVP) data were used in the parameter estimation process.

2.5.1 | Parameter identifiability quantification

The identifiabilities, or determinabilities, of the weights and stiffness were quantified using a Hessian matrix. The Hessian matrix $\mathbf{H}$ is a square matrix of the second-order partial derivatives of the scalar objective function field Φ with respect to the optimisation parameters θ evaluated at the optimum (see Equation 21). The order of the Hessian matrix is equal to the number of optimisation parameters, k .

$$H_{ij} = \frac{\partial^2 \Phi}{\partial \theta_i \partial \theta_j} \quad i, j = 1, \dots, k \quad (21)$$

In the vicinity of the optimal parameters, a confidence region of the optimal parameters can be quantified by an ϵ -indifference region, which assumes the shape of a hyper-ellipsoid in the parameter space²⁴. Perturbations of the parameters within the ϵ -indifference region would result in a change in the objective function that is less than 2ϵ . Based on this definition of the ϵ -indifference region, three design criteria are commonly used to evaluate the identifiability of the estimated parameters.

The D-optimality criterion is related to the size of the indifference region, which is evaluated using $\det(\mathbf{H})$. The hypervolume of the indifference region is inversely proportional to $\det(\mathbf{H})$, and so the larger the D-optimality criterion value, the tighter the confidence range around the optimal parameters, and the better the identifiability of the parameters.

The eccentricity of the indifference region is the ratio of the largest to the smallest eigenvalues of this region, and is a measure of the disparity between the least- and best-determined linear combination of parameters. This eigenvalue ratio is the condition number of $\mathbf{H}$ ($\text{cond}(\mathbf{H})$) and a value close to one indicates that the objective function is equally sensitive to all the parameters.

The M-optimality criterion relates to the interaction of the parameter estimates. An index of the combined interaction between parameters is the determinant of the scaled Hessian matrix $\tilde{\mathbf{H}}$ (see Equation 22 where the repeated indices do not imply summation), which must be a positive number less than or equal to one^{25,24}. A $\det(\tilde{\mathbf{H}})$ value close to one indicates low interaction between parameters²⁵ where changes in one parameter may have minimal effects on the others.

$$\tilde{H}_{ij} = \frac{H_{ij}}{\sqrt{H_{ii}H_{jj}}} \text{ no summation on } i,j \quad (22)$$

These metrics are used to quantify the identifiability, sensitivity, and correlative effects of the parameters later on. It should be noted that while these Hessian metrics provide important information about the convexity of the objective function in the neighbourhood of the optimal solution, it does not provide information on the existence of any local minima elsewhere in the space that may be accessible from different initial guesses of the parameters. For explorations of these non-local regions, a parameter sweep (such as the one presented in Figure 6) may be more informative.

3 | RESULTS

We present here the results of the analysis using the exact-PCA and the unload-PCA as applied to synthetic data. For each type of PCA, the results of estimating only the weight parameter (and consequently the LF geometry) are presented first, followed by the results of simultaneous estimation of both the weight and the stiffness parameters.

3.1 | Exact-PCA results

The weight for the first mode of deformation, $\hat{w}_1$, was estimated for each case while keeping all other weights at their projected values (as defined by Equation 12). The initial estimate for the first weight was perturbed by 10 mm from its ground-truth value. The optimal $\hat{w}_1$ parameter was estimated for each case by minimising the objective function as described in Section 2.5.

The error between the optimal first weights $\hat{w}_1$ and the ground-truth values are listed in Table 1a along with the root-mean-squared (RMS) difference between the optimal LF geometry and the ground-truth LF geometry. The small errors in the reconstruction of the LF geometry (of the order of 10^{-14} mm) were associated with small model prediction errors, reflected by the objective function.

Imposing the correct weights for all but the first mode facilitates the identification of the first weight by biasing the parameter towards the exact value. To address and quantify this bias, another optimisation was conducted where all but the first weight were fixed at zero, and the first weight was again estimated using a similar optimisation procedure. This optimisation was to test the additional error that would be introduced by neglecting all but the first weight. This would be relevant for when the method is applied to clinical data in the future, where we would not have access to the remaining projected weights since the true LF geometries would be unknown. The results of this optimisation are listed in Table 1b. The objective function was larger than for the approach with all weights considered (Table 1a). The error in the estimated LF geometry was also large. This showed that setting the weights for all other modes to zero may not a viable approach, and better approximations for these other weights were needed, or that more than one mode of deformation should be considered in the estimation process.

In the next part of the study, the first weight was estimated together with the constitutive parameter, while keeping all other weights at their ground-truth projected values (see Equation 12). The results of this optimisation are presented in Table 2a. The framework was able to estimate the stiffness with a small error of $(-0.5 \pm 1.7) \times 10^{-10}$ kPa, and it was able to estimate the LF geometry with a small error of $(1.7 \pm 2.7) \times 10^{-9}$ mm. This showed that it was possible to estimate both the stiffness and the LF geometry simultaneously and reliably using the most ideal PCA method.

While the optimisation framework was able to identify the stiffness and LF geometry with good accuracy, the optimisation had very high eccentricity (see Table 2b), which indicates that the sensitivity of the objective function was much greater with respect to the constitutive parameter than to the first weight of DS-LF displacement. This is illustrated by the two-dimensional parameter sweep shown in Figure 6. The low M-optimality parameter indicates high correlation between the first weight and the stiffness parameter. The low D-optimality parameter indicates that the region of indifference in the parameter space was large, which meant that the identifiability of the parameters was low. Despite this, the LF geometries and stiffness values were estimated with good accuracy for this idealised case.

TABLE 1 Exact-PCA estimation of load-free (LF) geometry: a) estimating the first weight while keeping all other weights at their projected values and b) estimating only the first weight while setting all other weights to zero. Normalised optimal weight error is presented along with the optimal objective function Φ_{opt} and the root-mean-squared geometric error ϵ^{LF} between the optimal and the ground-truth LF geometries (as calculated in Equation 14). Mean $\pm$ standard deviation values are given (N=28).

(a)		
Optimal $\hat{w}_1$ error	Obj. function (mm ²)	Optimal LF error (mm)
$(1.0 \pm 9.1) \times 10^{-11}$	$(2.4 \pm 0.5) \times 10^{-20}$	$(9.1 \pm 5.4) \times 10^{-14}$
(b)		
Optimal $\hat{w}_1$ error	Obj. function (mm ²)	Optimal LF error (mm)
0.01 ± 0.07	5.6 ± 5.3	13.6 ± 6.3

TABLE 2 Exact-PCA: estimating the first geometric weight and constitutive parameter (c1) while keeping all other geometric weights at their optimal values. Normalised optimal weight error is presented along with the error in c1 estimation and the optimal objective function Φ_{opt} and the root-mean-squared geometric error ϵ^{LF} between the optimal and the ground-truth load-free geometries. Mean $\pm$ standard deviation values are given (N=28). a) Results of optimisation. b) Identifiability indices.

(a)			
Optimal $\hat{w}_1$ error	Optimal c1 error (kPa)	Obj. function (mm ²)	Optimised LF error (mm)
$(0.1 \pm 1.5) \times 10^{-10}$	$(-0.5 \pm 1.7) \times 10^{-10}$	$(4.1 \pm 5.9) \times 10^{-20}$	$(1.7 \pm 2.7) \times 10^{-9}$
(b)			
D-optimality	M-optimality	Eccentricity	
0.2 ± 0.2	0.05 ± 0.03	28293 ± 37649	

3.2 | Unload-PCA results

The first weight of the unload-PCA was then estimated while keeping all other weights at their optimal values (as evaluated using the correct stiffness values). The optimal objective function and LF error (see Table 3a) were very small.

TABLE 3 Unload-PCA estimation of LF geometry: a) estimating the first weight while keeping all other weights at optimal values and b) estimating only the first weight while setting all other weights to zero. Normalised optimal weight error is presented along with the optimal objective function Φ_{opt} and the root-mean-squared geometric error ϵ^{LF} between the optimal and the ground-truth load-free geometries. Mean $\pm$ standard deviation values are given (N=28). indices.

(a)		
Optimal $\hat{w}_1$ error	Obj. function (mm ²)	Optimal LF error (mm)
$(0.6 \pm 3.9) \times 10^{-3}$	0.1 ± 0.07	1.2 ± 0.4
(b)		
Optimal $\hat{w}_1$ error	Obj. function (mm ²)	Optimal LF error (mm)
0.02 ± 0.06	6.4 ± 6.4	14.2 ± 6.9

FIGURE 6 Exact-PCA: Parameter sweep in 2D view showing the high eccentricity of the parameter space for estimation of the first weight and the stiffness. The minimum is marked with a red asterisk.

Next, the stiffness parameter was added to the optimisation framework using the unload-PCA. The first weight parameter was estimated together with the stiffness parameter while keeping all other weights at the projected values (see Equation 18). The results of this optimisation are presented in Table 4a. The optimal stiffness and LF geometries were still acceptably accurate with low errors. The identifiability characteristics (see Table 4b) were similar to those of the previous method in Table 2.

TABLE 4 Using the unload-PCA, and estimating the first weight parameter in $\mathbf{w}^{UL3}$ and c_1 while keeping all other weights at their optimal values. Normalised optimal weight error is presented along with the error in c_1 estimation, the optimal objective function Φ_{opt} and the root-mean-squared geometric error ϵ^{LF} between the optimal and the ground-truth load-free geometries. Mean $\pm$ standard deviation values are given (N=28). a) Results of optimisation. b) Identifiability indices.

(a)			
Optimal $\hat{w}_1$ error	Optimal c_1 error (kPa)	Obj. function (mm ²)	Optimal LF error (mm)
-0.01 ± 0.05	-0.03 ± 0.4	0.1 ± 0.07	1.7 ± 0.8

(b)		
D-optimality	M-optimality	Eccentricity
0.3 ± 0.6	0.05 ± 0.04	15390 ± 14478

When applied in practise, we would not know the optimal values of the weights of the remaining principal components. Therefore, we first tried setting all these other weights to zero, but the parameter estimation produced much larger LF errors and optimal objective function values (see Table 3b). One method of improving the accuracy of estimation when other weights were

unknown was to project a selected d^{UL} vector onto the unload-PCA and initialise the weights of the load-free displacements to those projected values. The d^{UL3} displacement vector was selected for this purpose because of its mid-range stiffness value of 3 kPa, and the weights were calculated using Equation 23.

$$\mathbf{w}^{UL3} = \mathbf{P}^{ULT} (\mathbf{d}^{UL3} - \bar{\mathbf{d}}) \quad (23)$$

By keeping all but the first weight parameter in $\mathbf{w}^{UL3}$ fixed during the optimisation, we ensured that only the global size of the reconstructed LF models were allowed to change. The first weight of the unload-PCA was estimated while setting all other weights as the corresponding values in $\mathbf{w}^{UL3}$. The results of this optimisation are presented in Table 5. The optimal objective function and LF error were substantially smaller than those for the method where all modes other than the first were set to zero (Table 3b). To this point, this method provided the best estimates of the LF geometry.

TABLE 5 Using the unload-PCA, and estimating only the first weight while setting all other weights to the projected values using the unloaded geometry computed using a constitutive parameter of 3 kPa. Normalised optimal weight error is presented along with the error in c1 estimation and the optimal objective function Φ_{opt} and the root-mean-squared geometric error e^{LF} between the optimal and the ground-truth load-free geometries. Mean $\pm$ standard deviation values are given (N=28).

Optimal $\hat{w}_1$ error	Obj. function (mm ²)	Optimal LF error (mm)
0.01 $\pm$ 0.03	1.6 $\pm$ 2.1	6.3 $\pm$ 4.7

The stiffness parameter was then added to the optimisation and was estimated together with the first weight parameter in $\mathbf{w}^{UL3}$. The results of this optimisation are presented in Table 6a. The stiffness error was small. The LF estimation error was of similar magnitude as before the stiffness parameter was added to the estimation process (see Table 5). The identifiability characteristics (Table 6b) are similar to the previous method in Table 2. **The estimated LF geometries closely matched the ground-truth geometry, as is illustrated for a representative case in Figure 7.**

TABLE 6 Using the unload-PCA, and estimating the first weight and c1 while setting all other weights to values approximated using the LF geometry computed using a constitutive parameter of 3 kPa. Normalised optimal weight error is presented along with the error in c1 estimation, the optimal objective function Φ_{opt} and the root-mean-squared geometric error e^{LF} between the optimal and the ground-truth load-free geometries. Mean $\pm$ standard deviation values are given (N=28). a) Results of optimisation. b) Identifiability indices.

(a)			
Optimal $\hat{w}_1$ error	Optimal c1 error (kPa)	Obj. function (mm ²)	Optimal LF error (mm)
-0.2 $\pm$ 0.4	0.03 $\pm$ 1.1	0.5 $\pm$ 1.0	18.6 $\pm$ 16.9

(b)		
D-optimality	M-optimality	Eccentricity
0.05 $\pm$ 0.05	0.03 $\pm$ 0.03	16729 $\pm$ 11495

While the exact-PCA gives the best performance, the unload-PCA is more applicable to clinical data since it allows a range of possible LF geometries to be included in the population data. In the case where only the first weight parameter is estimated, as is done in this study, it is recommended that the rest of the weight parameters not be set to zero, but to be set to a value which is able to represent an mid-range LF geometry (i.e., that is unloaded with a mid-range stiffness). This was demonstrated to improve the LF error significantly (compare Tables 3b and 5) and provides a reasonably accurate estimation of the passive constitutive parameter (Table 6a).

FIGURE 7 Posterior cross-sectional view showing one of the optimised LF geometries from the results shown in Table 6a (translucent blue) overlaid with the true LF geometry (solid gold). The optimal LF error evaluated as the difference between Bézier control points for this case is 18.4 mm.

3.3 | Computational effort

For the exact-PCA method the computational expense was very light for generating the PCA modes (around 6 seconds on a single CPU core) and greater for parameter estimation (taking on average 5 minutes $\pm$ 1 minutes for estimating both displacement weight and stiffness parameter). For the unload-PCA method, the computation cost was greater for the generation of the PCA, which took around 200 minutes (using a single core). The relatively higher computation cost for generating the modes was due to the need to perform 112 unload simulations. The two-parameter estimation process using the unload-PCA took 9 minutes $\pm$ 2 minutes on average.

4 | SUMMARY

In this study, a novel method was developed for estimating the LF geometry and diastolic myocardial stiffness using a PCA-based parameter estimation framework. The feasibility of using a PCA approach to represent and estimate the LF geometry was investigated using a set of synthetic studies based on clinical data from heart failure patients. One of the main issues with this approach is the need to create a set of modes of deformation (using PCA) that adequately span the space required to describe the LF to DS deformation of each case study. Two types of PCA were investigated. The exact-PCA provided the most accurate estimation of the weight parameter (and consequently the LF geometry), but would not be applicable to clinical data, since it would require knowledge of the ground-truth LF geometry. The second method used a series of independently unloaded models to construct the unload-PCA. This method was able to estimate the weight parameter (and consequently the LF geometry) to a reasonable accuracy using only the first weight.

Along with the investigations of the use of the different PCAs, the identifiability of the first weight parameter and the stiffness parameter was investigated. The eccentricity of the parameter space was generally very high because the objective function was much more sensitive to changes in the stiffness parameter than to changes in the first weight parameter. Despite this, the LF geometry and the stiffness parameters were still able to be estimated to a reasonable accuracy using an optimiser that is able to handle very different parameter scales (e.g., the BOBYQA optimiser). The final parameter estimation framework used the unload-PCA, and estimated the first weight simultaneously with the stiffness parameter, while keeping all other weights equal to the weights projected from the displacement of the unloaded geometry, computed using a stiffness parameter of 3 kPa, to DS.

An important advantage of this method is that it allows assimilation of deformation data from multiple diastolic geometries throughout the diastolic phase, instead of limiting the input data to a single diastolic frame. This allows us to maximise the utilisation of available data in the estimation of the LF geometry and the stiffness parameter.

The ability to estimate the true LF geometry in a clinical setting will improve the estimation of stiffness parameters. It also enables better simulations of acute volume loading experiments, which can in turn provide a wider and better set of deformation data for the estimation of passive stiffness parameters. However, estimation of the LF geometry comes at the cost of increasing the uncertainty of material properties and possibly limits the number of material properties that can be identified. This cost is justified in some cases (for example for hypertensive patients), but may not be useful in other cases where the diastasis pressure loading is less significant.

A possible limitation of the feasibility testing is in the use of clinical DS geometry as synthetic LF geometries since the DS geometries are likely to be larger than the true LF geometries. However, due to the lack of *in vivo* LF data, the use of a surrogate in feasibility testing is inevitable, and it was considered preferable to use clinically observed heart geometries rather than generated geometries from some sort of pressure unloading simulation, since that would require additional assumptions regarding myocardial stiffness.

It is worth noting that while the weights of all but the first mode are estimated *a priori*, the amount of nodal displacement variation of the LF geometry represented by these weights account for only 8% of the total variation in nodal displacements in the population. This meant that even though these weights were fixed according to a specific stiffness, the first mode was still able to control a large enough proportion (92%) of the deformation for the estimation of both the LF geometry and the stiffness to be identifiable and useful.

The inclusion of a patient-specific microstructure would improve the specificity of the estimated LF geometry and stiffness, since there is some evidence that fibre orientations have a significant effect on diastolic wall stress and amount of inflation²⁶. The methods presented in this paper could also be extended to find the LF configuration of biventricular geometries. However, there are some foreseeable additional challenges. One would need to enforce a constraint against any non-physical overlap between the right and left ventricular walls during the reconstruction process of estimated LF geometries. Also, large variations in the shape of right ventricle, especially in diseased patients, could hamper the explanatory power of the first PCA mode and introduce additional uncertainties in parameter estimation.

Future studies could investigate the estimation of the subsequent weight parameters after the first one, and evaluate any resulting improvements in the LF geometry estimation. A previous study has shown that the shape of the LV can be described to a reasonable accuracy using only a handful of geometric weights¹⁷. Furthermore, it would also be worth investigating whether changing the number of parameters used in the geometric description of the ventricular geometry could improve the identifiability of the LF geometry and stiffness. It should be noted also that even if a LF configuration is found, there are still residual stresses in the myocardium which are not taken into account in the current study.

Applications of this method to clinical data should start from using the unload-PCA method. In this study, we saw that when setting the non-initial weights to the projected values from an unloaded model using 3 kPa stiffness provides a better LF geometry estimate than setting all non-initial weights to zero. However, this method would be less beneficial for studies where the true stiffness is very different from 3 kPa. In such cases, a series of parameter estimations could be carried out using a range of stiffness values to construct the unload-PCA. The agreement of the estimated parameters using these difference PCAs will need to be quantified, and it is possible that this will result in higher uncertainties in the parameter estimation.

The simultaneous estimation of LF geometry and stiffness parameter is important for a more accurate understanding of LV mechanics. This study provides a computationally inexpensive method for doing this, and it paves the way for improving clinical parameter estimations and better personalisation of treatment strategies.

5 | ACKNOWLEDGEMENTS

This work was supported by research funding grants 13/317 and 17/608 from the Health Research Council of New Zealand. The authors would also like to acknowledge the following people from the St Francis Hospital for help with acquiring the clinical data used in this paper: William Schapiro, Joshua Cheng, Lynette Duncanson, Michael Passick, Maurice Botero.

References

1. Moisejko Dimitri, McGarvey Jeremy R, Dorsey Shauna M, et al. Estimating passive mechanical properties in a myocardial infarction using MRI and finite element simulations. *Biomechanics and Modeling in Mechanobiology*. 2015;14(3):633–647.

2. Costa Kevin D, Takayama Yasuo, McCulloch Andrew D, Covell James W. Laminar fiber architecture and three-dimensional systolic mechanics in canine ventricular myocardium. *American Journal of Physiology-Heart and Circulatory Physiology*. 1999;276(2):H595–H607.
3. Asner Liya, Hadjicharalambous Myrianthi, Chabiniok Radomir, et al. Estimation of passive and active properties in the human heart using 3D tagged MRI. *Biomechanics and Modeling in Mechanobiology*. 2016;15(5):1121–1139.
4. Xi Jiahe, Lamata Pablo, Niederer Steven, et al. The estimation of patient-specific cardiac diastolic functions from clinical measurements. *Medical Image Analysis*. 2013;17(2):133–146.
5. Alastrue V, Martinez MA, Doblare M. Modelling adaptative volumetric finite growth in patient-specific residually stressed arteries. *Journal of Biomechanics*. 2008;41(8):1773–1781.
6. De Putter S, Wolters BJB, Rutten MCM, Breeuwer M, Gerritsen FA, Vosse FN. Patient-specific initial wall stress in abdominal aortic aneurysms with a backward incremental method. *Journal of Biomechanics*. 2007;40(5):1081–1090.
7. Krishnamurthy Adarsh, Villongco Christopher T, Chuang Joyce, et al. Patient-specific models of cardiac biomechanics. *Journal of Computation Physics*. 2013;244:4–21.
8. Aguado-Sierra Jazmin, Krishnamurthy Adarsh, Villongco Christopher, et al. Patient-specific modeling of dyssynchronous heart failure: a case study. *Progress in Biophysics and Molecular Biology*. 2011;107(1):147–155.
9. Klotz Stefan, Hay Ilan, Dickstein Marc L, et al. Single-beat estimation of end-diastolic pressure-volume relationship: a novel method with potential for noninvasive application. *American Journal of Physiology - Heart and Circulatory Physiology*. 2006;291(1):H403–H412.
10. Rajagopal Vijayaraghavan, Chung Jae-Hoon, Bullivant David, Nielsen Poul MF, Nash Martyn P. Determining the finite elasticity reference state from a loaded configuration. *International Journal for Numerical Methods in Engineering*. 2007;72(12):1434–1451.
11. Wang Zhinuo J, Wang Vicky Y, Bradley Chris P, Nash Martyn P, Young Alistair A, Cao J Jane. Left Ventricular Diastolic Myocardial Stiffness and End-Diastolic Myofibre Stress in Human Heart Failure Using Personalised Biomechanical Analysis. *Journal of cardiovascular translational research*. 2018;11(4):346–356.
12. Li Bo, Liu Yingmin, Occleshaw Christopher J, Cowan Brett R, Young Alistair A. In-line automated tracking for ventricular function with magnetic resonance imaging. *JACC: Cardiovascular Imaging*. 2010;3(8):860–866.
13. Guccione Julius M, McCulloch Andrew D, Waldman LK, others . Passive material properties of intact ventricular myocardium determined from a cylindrical model. *Journal of Biomechanical Engineering*. 1991;113(1):42–55.
14. Wang Zhinuo J, Wang Vicky Y, Huang Sue-Mun, Niestrawska Justyna A, Young Alistair A, Nash Martyn P. Identifying myocardial mechanical properties from MRI using an orthotropic constitutive model. In: :135–144Springer; 2014.
15. Nielsen P M, LeGrice I J, Smaill B H, Hunter P J. Mathematical model of geometry and fibrous structure of the heart. *American Journal of Physiology-Heart and Circulatory Physiology*. 1991;260(4):H1365–H1378.
16. Wold Svante, Esbensen Kim, Geladi Paul. Principal component analysis. *Chemometrics and Intelligent Laboratory Systems*. 1987;2(1-3):37–52.
17. Remme Espen W, Young Alistair A, Augenstein Kevin F, Cowan Brett, Hunter Peter J. Extraction and quantification of left ventricular deformation modes. *IEEE Transactions on Biomedical Engineering*. 2004;51(11):1923–1931.
18. Shlens Jonathon. A tutorial on principal component analysis. *arXiv preprint arXiv:1404.1100*. 2014;.
19. Gruber Marvin HJ. *Matrix algebra for linear models*. John Wiley & Sons; 2013.
20. Tipping Michael E, Bishop Christopher M. Probabilistic principal component analysis. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*. 1999;61(3):611–622.

21. Powell Michael JD. The BOBYQA algorithm for bound constrained optimization without derivatives. *Cambridge NA Report NA2009/06, University of Cambridge, Cambridge*. 2009;;26–46.
22. Bradley Chris, Bowery Andy, Britten Randall, et al. OpenCMISS: a multi-physics & multi-scale computational infrastructure for the VPH/Physiome project. *Progress in biophysics and molecular biology*. 2011;107(1):32–47.
23. Land Sander, Gurev Viatcheslav, Arens Sander, et al. Verification of cardiac mechanics software: benchmark problems and solutions for testing active and passive material behaviour. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*. 2015;471(2184):20150641.
24. Lanir Y, Lichtenstein O, Imanuel O. Optimal design of biaxial tests for structural material characterization of flat tissues. *Transactions - American Society of Mechanical Engineers Journal of Biomechanical Engineering*. 1996;118:41–47.
25. Nathanson Michael H, Saidel Gerald M. Multiple-objective criteria for optimal experimental design: application to ferrokinetics. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*. 1985;248(3):R378–R386.
26. Palit Arnab, Bhudia Sunil K, Arvanitis Theodoros N, et al. Effect of fibre orientation on diastolic mechanics of human ventricle. In: :6523–6526IEEE; 2015.

How to cite this article: Wang, Z.J., Wang, V.Y., Babarenda Gamage, T.P., Rajagopal, V, Cao, J.J., Nielsen P.M.F., Bradley, C.P., Young, A.A., and Nash, M.P. (2019), Efficient estimation of load-free left ventricular geometry and passive myocardial properties using principal component analysis., *IJNMBE*, .

COPYRIGHT TRANSFER AGREEMENT

Date: 10/28/19 Contributor name: J. Jane Cao
 Contributor address: 100 Port Washington Blvd, Roslyn, NY 11576
 Manuscript number (if known): CNM - Mar - 19 - 0094
 Re: Manuscript entitled Efficient estimation of load-free left ventricular geometry and passive myocardial properties using principal component analysis (the "Contribution")
 for publication in International Journal of Numerical Methods in Biomedical Engineering (the "Journal")
 published by _____ ("Wiley-Blackwell").

Dear Contributor(s):

Thank you for submitting your Contribution for publication. In order to expedite the editing and publishing process and enable Wiley-Blackwell to disseminate your Contribution to the fullest extent, we need to have this Copyright Transfer Agreement signed and returned as directed in the Journal's instructions for authors as soon as possible. If the Contribution is not accepted for publication, or if the Contribution is subsequently rejected, this Agreement shall be null and void. **Publication cannot proceed without a signed copy of this Agreement.**

A. COPYRIGHT

1. The Contributor assigns to Wiley-Blackwell, during the full term of copyright and any extensions or renewals, all copyright in and to the Contribution, and all rights therein, including but not limited to the right to publish, republish, transmit, sell, distribute and otherwise use the Contribution in whole or in part in electronic and print editions of the Journal and in derivative works throughout the world, in all languages and in all media of expression now known or later developed, and to license or permit others to do so.

2. Reproduction, posting, transmission or other distribution or use of the final Contribution in whole or in part in any medium by the Contributor as permitted by this Agreement requires a citation to the Journal and an appropriate credit to Wiley-Blackwell as Publisher, and/or the Society if applicable, suitable in form and content as follows: (Title of Article, Author, Journal Title and Volume/Issue, Copyright © [year], copyright owner as specified in the Journal). Links to the final article on Wiley-Blackwell's website are encouraged where appropriate.

B. RETAINED RIGHTS

Notwithstanding the above, the Contributor or, if applicable, the Contributor's Employer, retains all proprietary rights other than copyright, such as patent rights, in any process, procedure or article of manufacture described in the Contribution.

C. PERMITTED USES BY CONTRIBUTOR

1. **Submitted Version.** Wiley-Blackwell licenses back the following rights to the Contributor in the version of the Contribution as originally submitted for publication:

a. After publication of the final article, the right to self-archive on the Contributor's personal intranet page or in the Contributor's institution's/ employer's institutional intranet repository or archive. The Contributor may not update the submission version or replace it with the published Contribution. The version posted must contain a legend as follows: This is the pre-peer reviewed version of the following article: FULL CITE, which has been published in final form at [Link to final article].

b. The right to transmit, print and share copies with colleagues.

2. **Accepted Version.** Reuse of the accepted and peer-reviewed (but not final) version of the Contribution shall be by separate agreement with Wiley-Blackwell. Wiley-Blackwell has agreements with certain funding agencies governing reuse of this version. The details of those relationships, and other offerings allowing open web use are set forth at the following website: <http://www.wiley.com/go/funderstatement>. NIH grantees should check the box at the bottom of this document.

3. **Final Published Version.** Wiley-Blackwell hereby licenses back to the Contributor the following rights with respect to the final published version of the Contribution:

a. Copies for colleagues. The personal right of the Contributor only to send or transmit individual copies of the final published version to colleagues upon their specific request provided no fee is charged, and further-provided that there is no systematic distribution of the Contribution, e.g. posting on a listserve, website or automated delivery. For those Contributors who wish to send high-quality e-prints, purchase reprints, or who wish to distribute copies more broadly than allowed hereunder (e.g. to groups of colleagues or mailing lists), please contact the publishing office.

b. Re-use in other publications. The right to re-use the final Contribution or parts thereof for any publication authored or edited by the Contributor (excluding journal articles) where such re-used material constitutes less than half of the total material in such publication. In such case, any modifications should be accurately noted.

c. Teaching duties. The right to include the Contribution in teaching or training duties at the Contributor's institution/place of employment including in course packs, e-reserves, presentation at professional conferences, in-house training, or distance learning. The Contribution may not be used in seminars outside of normal teaching obligations (e.g. commercial seminars). Electronic posting of the final published version in connection with teaching/training at the Contributor's institution/place of employment is permitted subject to the implementation of reasonable access control mechanisms, such as user name and password. Posting the final published version on the open Internet is not permitted.

d. Oral presentations. The right to make oral presentations based on the Contribution.

4. **Article Abstracts, Figures, Tables, Data Sets, Artwork and Selected Text (up to 250 words).**

a. Contributors may re-use unmodified abstracts for any non-commercial purpose. For on-line uses of the abstracts, Wiley-Blackwell encourages but does not require linking back to the final published versions.

b. Contributors may re-use figures, tables, data sets, artwork, and selected text up to 250 words from their Contributions, provided the following conditions are met:

- Full and accurate credit must be given to the Contribution.
- Modifications to the figures, tables and data must be noted. Otherwise, no changes may be made.
- The reuse may not be made for direct commercial purposes, or for financial consideration to the Contributor.
- Nothing herein shall permit dual publication in violation of journal ethical practices.

D. CONTRIBUTIONS OWNED BY EMPLOYER

1. If the Contribution was written by the Contributor in the course of the Contributor's employment (as a "work-made-for-hire" in the course of employment), the Contribution is owned by the company/employer which must sign this Agreement (in addition to the Contributor's signature) in the space provided below. In such case, the company/employer hereby assigns to Wiley-Blackwell, during the full term of copyright, all copyright in and to the Contribution for the full term of copyright throughout the world as specified in paragraph A above.
2. In addition to the rights specified as retained in paragraph B above and the rights granted back to the Contributor pursuant to paragraph C above, Wiley-Blackwell hereby grants back, without charge, to such company/employer, its subsidiaries and divisions, the right to make copies of and distribute the final published Contribution internally in print format or electronically on the Company's internal network. Copies so used may not be resold or distributed externally. However the company/employer may include information and text from the Contribution as part of an information package included with software or other products offered for sale or license or included in patent applications. Posting of the final published Contribution by the institution on a public access website may only be done with Wiley-Blackwell's written permission, and payment of any applicable fee(s). Also, upon payment of Wiley-Blackwell's reprint fee, the institution may distribute print copies of the published Contribution externally.

E. GOVERNMENT CONTRACTS

In the case of a Contribution prepared under U.S. Government contract or grant, the U.S. Government may reproduce, without charge, all or portions of the Contribution and may authorize others to do so, for official U.S. Govern-

ment purposes only, if the U.S. Government contract or grant so requires. (U.S. Government, U.K. Government, and other government employees: see notes at end.)

F. COPYRIGHT NOTICE

The Contributor and the company/employer agree that any and all copies of the final published version of the Contribution or any part thereof distributed or posted by them in print or electronic format as permitted herein will include the notice of copyright as stipulated in the Journal and a full citation to the Journal as published by Wiley-Blackwell.

G. CONTRIBUTOR'S REPRESENTATIONS

The Contributor represents that the Contribution is the Contributor's original work, all individuals identified as Contributors actually contributed to the Contribution, and all individuals who contributed are included. If the Contribution was prepared jointly, the Contributor agrees to inform the co-Contributors of the terms of this Agreement and to obtain their signature to this Agreement or their written permission to sign on their behalf. The Contribution is submitted only to this Journal and has not been published before. (If excerpts from copyrighted works owned by third parties are included, the Contributor will obtain written permission from the copyright owners for all uses as set forth in Wiley-Blackwell's permissions form or in the Journal's Instructions for Contributors, and show credit to the sources in the Contribution.) The Contributor also warrants that the Contribution contains no libelous or unlawful statements, does not infringe upon the rights (including without limitation the copyright, patent or trademark rights) or the privacy of others, or contain material or instructions that might cause harm or injury.

CHECK ONE BOX:

☒ Contributor-owned work

ATTACH ADDITIONAL SIGNATURE PAGES AS NECESSARY

Contributor's signature

Date

Type or print name and title

Co-contributor's signature

Date

Type or print name and title

J. Jane Cao

☐ Company/Institution-owned work (made-for-hire in the course of employment)

Company or Institution (Employer-for-Hire)

Date

Authorized signature of Employer

Date

☐ U.S. Government work

Note to U.S. Government Employees
A contribution prepared by a U.S. federal government employee as part of the employee's official duties, or which is an official U.S. Government publication, is called a "U.S. Government work," and is in the public domain in the United States. In such case, the employee may cross out Paragraph A.1 but must sign (in the Contributor's signature line) and return this Agreement. If the Contribution was not prepared as part of the employee's duties or is not an official U.S. Government publication, it is not a U.S. Government work.

☐ U.K. Government work (Crown Copyright)

Note to U.K. Government Employees
The rights in a Contribution prepared by an employee of a U.K. government department, agency or other Crown body as part of his/her official duties, or which is an official government publication, belong to the Crown. U.K. government authors should submit a signed declaration form together with this Agreement. The form can be obtained via <http://www.opsi.gov.uk/advice/crown-copyright/copyright-guidance/publication-of-articles-written-by-ministers-and-civil-servants.htm>

☐ Other Government work

Note to Non-U.S., Non-U.K. Government Employees
If your status as a government employee legally prevents you from signing this Agreement, please contact the editorial office.

☐ NIH Grantees

Note to NIH Grantees
Pursuant to NIH mandate, Wiley-Blackwell will post the accepted version of Contributions authored by NIH grant-holders to PubMed Central upon acceptance. This accepted version will be made publicly available 12 months after publication. For further information, see www.wiley.com/go/nihmandate.

COPYRIGHT TRANSFER AGREEMENT

28/10/2019 Contributor name: Vijayaraghavan Rajagopal

Contributor address: C/O- Department of Biomedical Engineering, University of Melbourne, VIC 3010

Manuscript number (if known): CNM-MAR-19-0094

Re: Manuscript entitled Efficient estimation of load-free left ventricular geometry and passive myocardial properties using principal component analysis

(the "Contribution")

for publication in International Journal for Numerical Methods in Biomedical Engineering

(the "Journal")

published by Wiley-Blackwell

("Wiley-Blackwell").

Dear Contributor(s):

Thank you for submitting your Contribution for publication. In order to expedite the editing and publishing process and enable Wiley-Blackwell to disseminate your Contribution to the fullest extent, we need to have this Copyright Transfer Agreement signed and returned as directed in the Journal's instructions for authors as soon as possible. If the Contribution is not accepted for publication, or if the Contribution is subsequently rejected, this Agreement shall be null and void. **Publication cannot proceed without a signed copy of this Agreement.**

A. COPYRIGHT

1. The Contributor assigns to Wiley-Blackwell, during the full term of copyright and any extensions or renewals, all copyright in and to the Contribution, and all rights therein, including but not limited to the right to publish, republish, transmit, sell, distribute and otherwise use the Contribution in whole or in part in electronic and print editions of the Journal and in derivative works throughout the world, in all languages and in all media of expression now known or later developed, and to license or permit others to do so.

2. Reproduction, posting, transmission or other distribution or use of the final Contribution in whole or in part in any medium by the Contributor as permitted by this Agreement requires a citation to the Journal and an appropriate credit to Wiley-Blackwell as Publisher, and/or the Society if applicable, suitable in form and content as follows: (Title of Article, Author, Journal Title and Volume/Issue, Copyright © [year], copyright owner as specified in the Journal). Links to the final article on Wiley-Blackwell's website are encouraged where appropriate.

B. RETAINED RIGHTS

Notwithstanding the above, the Contributor or, if applicable, the Contributor's Employer, retains all proprietary rights other than copyright, such as patent rights, in any process, procedure or article of manufacture described in the Contribution.

C. PERMITTED USES BY CONTRIBUTOR

1. Submitted Version. Wiley-Blackwell licenses back the following rights to the Contributor in the version of the Contribution as originally submitted for publication:

a. After publication of the final article, the right to self-archive on the Contributor's personal intranet page or in the Contributor's institution's/ employer's institutional intranet repository or archive. The Contributor may not update the submission version or replace it with the published Contribution. The version posted must contain a legend as follows: This is the pre-peer reviewed version of the following article: FULL CITE, which has been published in final form at [Link to final article].

b. The right to transmit, print and share copies with colleagues.

2. Accepted Version. Reuse of the accepted and peer-reviewed (but not final) version of the Contribution shall be by separate agreement with Wiley-Blackwell. Wiley-Blackwell has agreements with certain funding agencies governing reuse of this version. The details of those relationships, and other offerings allowing open web use are set forth at the following website: <http://www.wiley.com/go/funderstatement>. NIH grantees should check the box at the bottom of this document.

3. Final Published Version. Wiley-Blackwell hereby licenses back to the Contributor the following rights with respect to the final published version of the Contribution:

a. **Copies for colleagues.** The personal right of the Contributor only to send or transmit individual copies of the final published version to colleagues upon their specific request provided no fee is charged, and further-provided that there is no systematic distribution of the Contribution, e.g. posting on a listserve, website or automated delivery. For those Contributors who wish to send high-quality e-prints, purchase reprints, or who wish to distribute copies more broadly than allowed hereunder (e.g. to groups of colleagues or mailing lists), please contact the publishing office.

b. Re-use in other publications. The right to re-use the final Contribution or parts thereof for any publication authored or edited by the Contributor (excluding journal articles) where such re-used material constitutes less than half of the total material in such publication. In such case, any modifications should be accurately noted.

c. Teaching duties. The right to include the Contribution in teaching or training duties at the Contributor's institution/place of employment including in course packs, e-reserves, presentation at professional conferences, in-house training, or distance learning. The Contribution may not be used in seminars outside of normal teaching obligations (e.g. commercial seminars). Electronic posting of the final published version in connection with teaching/training at the Contributor's institution/place of employment is permitted subject to the implementation of reasonable access control mechanisms, such as user name and password. Posting the final published version on the open Internet is not permitted.

d. Oral presentations. The right to make oral presentations based on the Contribution.

4. Article Abstracts, Figures, Tables, Data Sets, Artwork and Selected Text (up to 250 words).

a. Contributors may re-use unmodified abstracts for any non-commercial purpose. For on-line uses of the abstracts, Wiley-Blackwell encourages but does not require linking back to the final published versions.

b. Contributors may re-use figures, tables, data sets, artwork, and selected text up to 250 words from their Contributions, provided the following conditions are met:

- (i) Full and accurate credit must be given to the Contributor.
- (ii) Modifications to the figures, tables and data must be noted. Otherwise, no changes may be made.
- (iii) The reuse may not be made for direct commercial purposes, or for financial consideration to the Contributor.
- (iv) Nothing herein shall permit dual publication in violation of journal ethical practices.

D. CONTRIBUTIONS OWNED BY EMPLOYER

1. If the Contribution was written by the Contributor in the course of the Contributor's employment (as a "work-made-for-hire" in the course of employment), the Contribution is owned by the company/employer which must sign this Agreement (in addition to the Contributor's signature) in the space provided below. In such case, the company/employer hereby assigns to Wiley-Blackwell, during the full term of copyright, all copyright in and to the Contribution for the full term of copyright throughout the world as specified in paragraph A above.

2. In addition to the rights specified as retained in paragraph B above and the rights granted back to the Contributor pursuant to paragraph C above, Wiley-Blackwell hereby grants back, without charge, to such company/employer, its subsidiaries and divisions, the right to make copies of and distribute the final published Contribution internally in print format or electronically on the Company's internal network. Copies so used may not be resold or distributed externally. However the company/employer may include information and text from the Contribution as part of an information package included with software or other products offered for sale or license or included in patent applications. Posting of the final published Contribution by the institution on a public access website may only be done with Wiley-Blackwell's written permission, and payment of any applicable fee(s). Also, upon payment of Wiley-Blackwell's reprint fee, the institution may distribute print copies of the published Contribution externally.

E. GOVERNMENT CONTRACTS

In the case of a Contribution prepared under U.S. Government contract or grant, the U.S. Government may reproduce, without charge, all or portions of the Contribution and may authorize others to do so, for official U.S. Govern-

ment purposes only, if the U.S. Government contract or grant so requires. (U.S. Government, U.K. Government, and other government employees: see notes at end.)

F. COPYRIGHT NOTICE

The Contributor and the company/employer agree that any and all copies of the final published version of the Contribution or any part thereof distributed or posted by them in print or electronic format as permitted herein will include the notice of copyright as stipulated in the Journal and a full citation to the Journal as published by Wiley-Blackwell.

G. CONTRIBUTOR'S REPRESENTATIONS

The Contributor represents that the Contribution is the Contributor's original work, all individuals identified as Contributors actually contributed to the Contribution, and all individuals who contributed are included. If the Contribution was prepared jointly, the Contributor agrees to inform the co-Contributors of the terms of this Agreement and to obtain their signature to this Agreement or their written permission to sign on their behalf. The Contribution is submitted only to this Journal and has not been published before. (If excerpts from copyrighted works owned by third parties are included, the Contributor will obtain written permission from the copyright owners for all uses as set forth in Wiley-Blackwell's permissions form or in the Journal's Instructions for Contributors, and show credit to the sources in the Contribution.) The Contributor also warrants that the Contribution contains no libelous or unlawful statements, does not infringe upon the rights (including without limitation the copyright, patent or trademark rights) or the privacy of others, or contain material or instructions that might cause harm or injury.

CHECK ONE BOX:

☒ Contributor-owned work

ATTACH ADDITIONAL SIGNATURE
PAGES AS NECESSARY

Contributor's signature

Date

28/10/2019

VIJAYARAGHAVAN RAJAGOPAL

Type or print name and title

Co-contributor's signature

Date

Type or print name and title

☐ Company/Institution-owned work
(made-for-hire in the
course of employment)

Company or Institution (Employer-for-Hire)

Date

Authorized signature of Employer

Date

☐ U.S. Government work

Note to U.S. Government Employees

A contribution prepared by a U.S. federal government employee as part of the employee's official duties, or which is an official U.S. Government publication, is called a "U.S. Government work," and is in the public domain in the United States. In such case, the employee may cross out Paragraph A.1 but must sign (in the Contributor's signature line) and return this Agreement. If the Contribution was not prepared as part of the employee's duties or is not an official U.S. Government publication, it is not a U.S. Government work.

☐ U.K. Government work
(Crown Copyright)

Note to U.K. Government Employees

The rights in a Contribution prepared by an employee of a U.K. government department, agency or other Crown body as part of his/her official duties, or which is an official government publication, belong to the Crown. U.K. government authors should submit a signed declaration form together with this Agreement. The form can be obtained via <http://www.opsi.gov.uk/advice/crown-copyright/copyright-guidance/publication-of-articles-written-by-ministers-and-civil-servants.htm>

☐ Other Government work

Note to Non-U.S., Non-U.K. Government Employees

If your status as a government employee legally prevents you from signing this Agreement, please contact the editorial office.

☐ NIH Grantees

Note to NIH Grantees

Pursuant to NIH mandate, Wiley-Blackwell will post the accepted version of Contributions authored by NIH grant-holders to PubMed Central upon acceptance. This accepted version will be made publicly available 12 months after publication. For further information, see www.wiley.com/go/nihamandate.

COPYRIGHT TRANSFER AGREEMENT

Date: 26 Oct 2019 Contributor name: Zhinuo Wang
Contributor address: Department of Computer Science, Parks Road, Oxford, OX1 3QD, United Kingdom
Manuscript number (if known): CNM-Mar-19-0094
Re: Manuscript entitled Efficient estimation of load-free left ventricular geometry and passive myocardial properties using principal component analysis (the "Contribution")
for publication in International Journal of Numerical Methods in Biomedical Engineering (the "Journal")
published by Wiley-Blackwell ("Wiley-Blackwell").

Dear Contributor(s):

Thank you for submitting your Contribution for publication. In order to expedite the editing and publishing process and enable Wiley-Blackwell to disseminate your Contribution to the fullest extent, we need to have this Copyright Transfer Agreement signed and returned as directed in the Journal's instructions for authors as soon as possible. If the Contribution is not accepted for publication, or if the Contribution is subsequently rejected, this Agreement shall be null and void. **Publication cannot proceed without a signed copy of this Agreement.**

A. COPYRIGHT

1. The Contributor assigns to Wiley-Blackwell, during the full term of copyright and any extensions or renewals, all copyright in and to the Contribution, and all rights therein, including but not limited to the right to publish, republish, transmit, sell, distribute and otherwise use the Contribution in whole or in part in electronic and print editions of the Journal and in derivative works throughout the world, in all languages and in all media of expression now known or later developed, and to license or permit others to do so.

2. Reproduction, posting, transmission or other distribution or use of the final Contribution in whole or in part in any medium by the Contributor as permitted by this Agreement requires a citation to the Journal and an appropriate credit to Wiley-Blackwell as Publisher, and/or the Society if applicable, suitable in form and content as follows: (Title of Article, Author, Journal Title and Volume/Issue, Copyright © [year], copyright owner as specified in the Journal). Links to the final article on Wiley-Blackwell's website are encouraged where appropriate.

B. RETAINED RIGHTS

Notwithstanding the above, the Contributor or, if applicable, the Contributor's Employer, retains all proprietary rights other than copyright, such as patent rights, in any process, procedure or article of manufacture described in the Contribution.

C. PERMITTED USES BY CONTRIBUTOR

1. **Submitted Version.** Wiley-Blackwell licenses back the following rights to the Contributor in the version of the Contribution as originally submitted for publication:

a. After publication of the final article, the right to self-archive on the Contributor's personal intranet page or in the Contributor's institution's/ employer's institutional intranet repository or archive. The Contributor may not update the submission version or replace it with the published Contribution. The version posted must contain a legend as follows: This is the pre-peer reviewed version of the following article: FULL CITE, which has been published in final form at [Link to final article].

b. The right to transmit, print and share copies with colleagues.

2. **Accepted Version.** Reuse of the accepted and peer-reviewed (but not final) version of the Contribution shall be by separate agreement with Wiley-Blackwell. Wiley-Blackwell has agreements with certain funding agencies governing reuse of this version. The details of those relationships, and other offerings allowing open web use are set forth at the following website: <http://www.wiley.com/go/funderstatement>. NIH grantees should check the box at the bottom of this document.

3. **Final Published Version.** Wiley-Blackwell hereby licenses back to the Contributor the following rights with respect to the final published version of the Contribution:

a. Copies for colleagues. The personal right of the Contributor only to send or transmit individual copies of the final published version to colleagues upon their specific request provided no fee is charged, and further-provided that there is no systematic distribution of the Contribution, e.g. posting on a listserve, website or automated delivery. For those Contributors who wish to send high-quality e-prints, purchase reprints, or who wish to distribute copies more broadly than allowed hereunder (e.g. to groups of colleagues or mailing lists), please contact the publishing office.

b. Re-use in other publications. The right to re-use the final Contribution or parts thereof for any publication authored or edited by the Contributor (excluding journal articles) where such re-used material constitutes less than half of the total material in such publication. In such case, any modifications should be accurately noted.

c. Teaching duties. The right to include the Contribution in teaching or training duties at the Contributor's institution/place of employment including in course packs, e-reserves, presentation at professional conferences, in-house training, or distance learning. The Contribution may not be used in seminars outside of normal teaching obligations (e.g. commercial seminars). Electronic posting of the final published version in connection with teaching/training at the Contributor's institution/place of employment is permitted subject to the implementation of reasonable access control mechanisms, such as user name and password. Posting the final published version on the open Internet is not permitted.

d. Oral presentations. The right to make oral presentations based on the Contribution.

4. **Article Abstracts, Figures, Tables, Data Sets, Artwork and Selected Text (up to 250 words).**

a. Contributors may re-use unmodified abstracts for any non-commercial purpose. For on-line uses of the abstracts, Wiley-Blackwell encourages but does not require linking back to the final published versions.

b. Contributors may re-use figures, tables, data sets, artwork, and selected text up to 250 words from their Contributions, provided the following conditions are met:

- (i) Full and accurate credit must be given to the Contribution.
- (ii) Modifications to the figures, tables and data must be noted. Otherwise, no changes may be made.
- (iii) The reuse may not be made for direct commercial purposes, or for financial consideration to the Contributor.
- (iv) Nothing herein shall permit dual publication in violation of journal ethical practices.

D. CONTRIBUTIONS OWNED BY EMPLOYER

1. If the Contribution was written by the Contributor in the course of the Contributor's employment (as a "work-made-for-hire" in the course of employment), the Contribution is owned by the company/employer which must sign this Agreement (in addition to the Contributor's signature) in the space provided below. In such case, the company/employer hereby assigns to Wiley-Blackwell, during the full term of copyright, all copyright in and to the Contribution for the full term of copyright throughout the world as specified in paragraph A above.

2. In addition to the rights specified as retained in paragraph B above and the rights granted back to the Contributor pursuant to paragraph C above, Wiley-Blackwell hereby grants back, without charge, to such company/employer, its subsidiaries and divisions, the right to make copies of and distribute the final published Contribution internally in print format or electronically on the Company's internal network. Copies so used may not be resold or distributed externally. However the company/employer may include information and text from the Contribution as part of an information package included with software or other products offered for sale or license or included in patent applications. Posting of the final published Contribution by the institution on a public access website may only be done with Wiley-Blackwell's written permission, and payment of any applicable fee(s). Also, upon payment of Wiley-Blackwell's reprint fee, the institution may distribute print copies of the published Contribution externally.

E. GOVERNMENT CONTRACTS

In the case of a Contribution prepared under U.S. Government contract or grant, the U.S. Government may reproduce, without charge, all or portions of the Contribution and may authorize others to do so, for official U.S. Govern-

ment purposes only, if the U.S. Government contract or grant so requires. (U.S. Government, U.K. Government, and other government employees: see notes at end.)

F. COPYRIGHT NOTICE

The Contributor and the company/employer agree that any and all copies of the final published version of the Contribution or any part thereof distributed or posted by them in print or electronic format as permitted herein will include the notice of copyright as stipulated in the Journal and a full citation to the Journal as published by Wiley-Blackwell.

G. CONTRIBUTOR'S REPRESENTATIONS

The Contributor represents that the Contribution is the Contributor's original work, all individuals identified as Contributors actually contributed to the Contribution, and all individuals who contributed are included. If the Contribution was prepared jointly, the Contributor agrees to inform the co-Contributors of the terms of this Agreement and to obtain their signature to this Agreement or their written permission to sign on their behalf. The Contribution is submitted only to this Journal and has not been published before. (If excerpts from copyrighted works owned by third parties are included, the Contributor will obtain written permission from the copyright owners for all uses as set forth in Wiley-Blackwell's permissions form or in the Journal's Instructions for Contributors, and show credit to the sources in the Contribution.) The Contributor also warrants that the Contribution contains no libelous or unlawful statements, does not infringe upon the rights (including without limitation the copyright, patent or trademark rights) or the privacy of others, or contain material or instructions that might cause harm or injury.

CHECK ONE BOX:

Contributor-owned work

ATTACH ADDITIONAL SIGNATURE
PAGES AS NECESSARY

Contributor's signature

Date 26 Oct 2019

Type or print name and title

Zhinuo Jenny Wang

Co-contributor's signature

Date

Type or print name and title

Company/Institution-owned work
(made-for-hire in the
course of employment)

Company or Institution (Employer-for-Hire)

Date

Authorized signature of Employer

Date

U.S. Government work

Note to U.S. Government Employees

A contribution prepared by a U.S. federal government employee as part of the employee's official duties, or which is an official U.S. Government publication, is called a "U.S. Government work," and is in the public domain in the United States. In such case, the employee may cross out Paragraph A.1 but must sign (in the Contributor's signature line) and return this Agreement. If the Contribution was not prepared as part of the employee's duties or is not an official U.S. Government publication, it is not a U.S. Government work.

U.K. Government work
(Crown Copyright)

Note to U.K. Government Employees

The rights in a Contribution prepared by an employee of a U.K. government department, agency or other Crown body as part of his/her official duties, or which is an official government publication, belong to the Crown. U.K. government authors should submit a signed declaration form together with this Agreement. The form can be obtained via <http://www.opsi.gov.uk/advice/crown-copyright/copyright-guidance/publication-of-articles-written-by-ministers-and-civil-servants.htm>

Other Government work

Note to Non-U.S., Non-U.K. Government Employees

If your status as a government employee legally prevents you from signing this Agreement, please contact the editorial office.

NIH Grantees

Note to NIH Grantees

Pursuant to NIH mandate, Wiley-Blackwell will post the accepted version of Contributions authored by NIH grant-holders to PubMed Central upon acceptance. This accepted version will be made publicly available 12 months after publication. For further information, see www.wiley.com/go/nihmandate.

COPYRIGHT TRANSFER AGREEMENT

Date: 28 Oct 2019 Contributor name: Martyn Nash

Contributor address: Auckland Bioengineering Institute, University of Auckland, New Zealand

Manuscript number (if known): CNM-Mar-19-0094

Re: Manuscript entitled Efficient estimation of load-free left ventricular geometry and passive myocardial properties using principal component analysis

(the "Contribution")

for publication in IJNMBE (the "Journal")

published by Wiley-Blackwell ("Wiley-Blackwell").

Dear Contributor(s):

Thank you for submitting your Contribution for publication. In order to expedite the editing and publishing process and enable Wiley-Blackwell to disseminate your Contribution to the fullest extent, we need to have this Copyright Transfer Agreement signed and returned as directed in the Journal's instructions for authors as soon as possible. If the Contribution is not accepted for publication, or if the Contribution is subsequently rejected, this Agreement shall be null and void. **Publication cannot proceed without a signed copy of this Agreement.**

A. COPYRIGHT

1. The Contributor assigns to Wiley-Blackwell, during the full term of copyright and any extensions or renewals, all copyright in and to the Contribution, and all rights therein, including but not limited to the right to publish, republish, transmit, sell, distribute and otherwise use the Contribution in whole or in part in electronic and print editions of the Journal and in derivative works throughout the world, in all languages and in all media of expression now known or later developed, and to license or permit others to do so.

2. Reproduction, posting, transmission or other distribution or use of the final Contribution in whole or in part in any medium by the Contributor as permitted by this Agreement requires a citation to the Journal and an appropriate credit to Wiley-Blackwell as Publisher, and/or the Society if applicable, suitable in form and content as follows: (Title of Article, Author, Journal Title and Volume/Issue, Copyright © [year], copyright owner as specified in the Journal). Links to the final article on Wiley-Blackwell's website are encouraged where appropriate.

B. RETAINED RIGHTS

Notwithstanding the above, the Contributor or, if applicable, the Contributor's Employer, retains all proprietary rights other than copyright, such as patent rights, in any process, procedure or article of manufacture described in the Contribution.

C. PERMITTED USES BY CONTRIBUTOR

1. **Submitted Version.** Wiley-Blackwell licenses back the following rights to the Contributor in the version of the Contribution as originally submitted for publication:

a. After publication of the final article, the right to self-archive on the Contributor's personal intranet page or in the Contributor's institution's/ employer's institutional intranet repository or archive. The Contributor may not update the submission version or replace it with the published Contribution. The version posted must contain a legend as follows: This is the pre-peer reviewed version of the following article: FULL CITE, which has been published in final form at [Link to final article].

b. The right to transmit, print and share copies with colleagues.

2. **Accepted Version.** Reuse of the accepted and peer-reviewed (but not final) version of the Contribution shall be by separate agreement with Wiley-Blackwell. Wiley-Blackwell has agreements with certain funding agencies governing reuse of this version. The details of those relationships, and other offerings allowing open web use are set forth at the following website: <http://www.wiley.com/go/funderstatement>. NIH grantees should check the box at the bottom of this document.

3. **Final Published Version.** Wiley-Blackwell hereby licenses back to the Contributor the following rights with respect to the final published version of the Contribution:

a. Copies for colleagues. The personal right of the Contributor only to send or transmit individual copies of the final published version to colleagues upon their specific request provided no fee is charged, and further-provided that there is no systematic distribution of the Contribution, e.g. posting on a listserve, website or automated delivery. For those Contributors who wish to send high-quality e-prints, purchase reprints, or who wish to distribute copies more broadly than allowed hereunder (e.g. to groups of colleagues or mailing lists), please contact the publishing office.

b. Re-use in other publications. The right to re-use the final Contribution or parts thereof for any publication authored or edited by the Contributor (excluding journal articles) where such re-used material constitutes less than half of the total material in such publication. In such case, any modifications should be accurately noted.

c. Teaching duties. The right to include the Contribution in teaching or training duties at the Contributor's institution/place of employment including in course packs, e-reserves, presentation at professional conferences, in-house training, or distance learning. The Contribution may not be used in seminars outside of normal teaching obligations (e.g. commercial seminars). Electronic posting of the final published version in connection with teaching/training at the Contributor's institution/place of employment is permitted subject to the implementation of reasonable access control mechanisms, such as user name and password. Posting the final published version on the open Internet is not permitted.

d. Oral presentations. The right to make oral presentations based on the Contribution.

4. **Article Abstracts, Figures, Tables, Data Sets, Artwork and Selected Text (up to 250 words).**

a. Contributors may re-use unmodified abstracts for any non-commercial purpose. For on-line uses of the abstracts, Wiley-Blackwell encourages but does not require linking back to the final published versions.

b. Contributors may re-use figures, tables, data sets, artwork, and selected text up to 250 words from their Contributions, provided the following conditions are met:

- Full and accurate credit must be given to the Contribution.
- Modifications to the figures, tables and data must be noted. Otherwise, no changes may be made.
- The reuse may not be made for direct commercial purposes, or for financial consideration to the Contributor.
- Nothing herein shall permit dual publication in violation of journal ethical practices.

D. CONTRIBUTIONS OWNED BY EMPLOYER

1. If the Contribution was written by the Contributor in the course of the Contributor's employment (as a "work-made-for-hire" in the course of employment), the Contribution is owned by the company/employer which must sign this Agreement (in addition to the Contributor's signature) in the space provided below. In such case, the company/employer hereby assigns to Wiley-Blackwell, during the full term of copyright, all copyright in and to the Contribution for the full term of copyright throughout the world as specified in paragraph A above.

2. In addition to the rights specified as retained in paragraph B above and the rights granted back to the Contributor pursuant to paragraph C above, Wiley-Blackwell hereby grants back, without charge, to such company/employer, its subsidiaries and divisions, the right to make copies of and distribute the final published Contribution internally in print format or electronically on the Company's internal network. Copies so used may not be resold or distributed externally. However the company/employer may include information and text from the Contribution as part of an information package included with software or other products offered for sale or license or included in patent applications. Posting of the final published Contribution by the institution on a public access website may only be done with Wiley-Blackwell's written permission, and payment of any applicable fee(s). Also, upon payment of Wiley-Blackwell's reprint fee, the institution may distribute print copies of the published Contribution externally.

E. GOVERNMENT CONTRACTS

In the case of a Contribution prepared under U.S. Government contract or grant, the U.S. Government may reproduce, without charge, all or portions of the Contribution and may authorize others to do so, for official U.S. Govern-

ment purposes only, if the U.S. Government contract or grant so requires. (U.S. Government, U.K. Government, and other government employees: see notes at end.)

F. COPYRIGHT NOTICE

The Contributor and the company/employer agree that any and all copies of the final published version of the Contribution or any part thereof distributed or posted by them in print or electronic format as permitted herein will include the notice of copyright as stipulated in the Journal and a full citation to the Journal as published by Wiley-Blackwell.

G. CONTRIBUTOR'S REPRESENTATIONS

The Contributor represents that the Contribution is the Contributor's original work, all individuals identified as Contributors actually contributed to the Contribution, and all individuals who contributed are included. If the Contribution was prepared jointly, the Contributor agrees to inform the co-Contributors of the terms of this Agreement and to obtain their signature to this Agreement or their written permission to sign on their behalf. The Contribution is submitted only to this Journal and has not been published before. (If excerpts from copyrighted works owned by third parties are included, the Contributor will obtain written permission from the copyright owners for all uses as set forth in Wiley-Blackwell's permissions form or in the Journal's instructions for Contributors, and show credit to the sources in the Contribution.) The Contributor also warrants that the Contribution contains no libelous or unlawful statements, does not infringe upon the rights (including without limitation the copyright, patent or trademark rights) or the privacy of others, or contain material or instructions that might cause harm or injury.

CHECK ONE BOX:

☒ Contributor-owned work

ATTACH ADDITIONAL SIGNATURE
PAGES AS NECESSARY

Contributor's signature

Date 28 Oct 2019

Type or print name and title

Prof. Martyn Nash, PhD

Co-contributor's signature

Date

Type or print name and title

☐ Company/Institution-owned work
(made-for-hire in the
course of employment)

Company or Institution (Employer-for-Hire)

Date

Authorized signature of Employer

Date

☐ U.S. Government work

Note to U.S. Government Employees

A contribution prepared by a U.S. federal government employee as part of the employee's official duties, or which is an official U.S. Government publication, is called a "U.S. Government work," and is in the public domain in the United States. In such case, the employee may cross out Paragraph A.1 but must sign (in the Contributor's signature line) and return this Agreement. If the Contribution was not prepared as part of the employee's duties or is not an official U.S. Government publication, it is not a U.S. Government work.

☐ U.K. Government work
(Crown Copyright)

Note to U.K. Government Employees

The rights in a Contribution prepared by an employee of a U.K. government department, agency or other Crown body as part of his/her official duties, or which is an official government publication, belong to the Crown. U.K. government authors should submit a signed declaration form together with this Agreement. The form can be obtained via <http://www.opsi.gov.uk/advice/crown-copyright/copyright-guidance/publication-of-articles-written-by-ministers-and-civil-servants.htm>

☐ Other Government work

Note to Non-U.S., Non-U.K. Government Employees

If your status as a government employee legally prevents you from signing this Agreement, please contact the editorial office.

☐ NIH Grantees

Note to NIH Grantees

Pursuant to NIH mandate, Wiley-Blackwell will post the accepted version of Contributions authored by NIH grant-holders to PubMed Central upon acceptance. This accepted version will be made publicly available 12 months after publication. For further information, see www.wiley.com/go/nihmmandate.

We present a novel method for efficient estimation of the passive myocardial stiffness and load-free (LF) geometry of the left ventricle (LV) of the heart using multiple LV configurations and associated lumen pressures during inflation. A linear combination of principal components of diastolic LV deformations is used to construct the LF geometry. The feasibility of this method was demonstrated using synthetically generated deformation data for LV models derived from clinical cardiac MRI and haemodynamic measurements from 28 patients.

Novelty file:

- This paper presents the first use of a weighted linear combination of principal components of left ventricular (LV) diastolic deformations to represent the load-free (LF) geometry of the LV.
- This representation enables efficient simultaneous estimation of the LF geometry and myocardial stiffness by incorporating LV geometric and haemodynamic data at multiple stages during inflation.
- The feasibility of the method was demonstrated using synthetically generated deformation data for LV models derived from clinical cardiac MRI and haemodynamic measurements from 28 patients.
- Identifiability of the LF LV geometries and stiffness parameters were quantified using Hessian metrics.

CNM_3313_test.tiff