Changing attitudes: The impact of Experts by Experience in Mental Health Nursing Education.

Authors:

Professor Brenda Happell

RN, RPN, BA (Hons), Dip Ed, BEd, MEd, PhD

School of Nursing and Midwifery

University of Newcastle

University Drive

Callaghan

New South Wales, 2308

Australia

Brenda.happell@newcastle.com

0408 513250

Dr Chris Platania-Phung

BA (Hons), PhD

Conjoint Senior Lecturer

School of Nursing and Midwifery

University of Newcastle

University Drive

Callaghan

New South Wales, 2308

Australia

0401 008 447

Chris.platania-phung@canberra.edu.au

Dr Brett Scholz

This is the author manuscript accepted for publication and has undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the [Version of Record](#). Please cite this article as [doi: 10.1111/inm.12551](https://doi.org/10.1111/inm.12551)

This article is protected by copyright. All rights reserved

BHSc i (Ho ns), PhD
Re se a rc h Fe ll o w
ANU Me di c a l Sc h o o l,
Co l l e g e o f He a l t h a n d Me di c i n e ,
The Au s t r a l i a n Na t i o n a l Un i v e r s i t y,
Wo d e n
Ca n b e r r a ,
Au s t r a l i a
Brett.Scholz@anu.edu.au

Ms Julia Bo c king
BPhil (Ho ns), BSo c & Co mm St ud (Co mmu n i t y De v e l o p m e n t), Ce rt IV Me n t a l
He a l t h (No n - c l i n i c a l)
Co n s u m e r a c a d e m i c
Synergy, Nursing and Midwifery Re se a rc h Ce n t r e
Un i v e r s i t y o f Ca n b e r r a , Fa c u l t y o f He a l t h , a n d
ACTh e a l t h
Bu i l d i n g 6, Le v e l 3
Ca n b e r r a Ho s p i t a l
PO Bo x 11 WODEN 2606
Au s t r a l i a
Julia.Bocking@canberra.edu.au

Dr Aine Ho r g a n ,
PhD, MSc , BNS, PG Ce rt T&L, RPN,
Se n i o r Le c t u r e r ,
Sc h o o l o f Nu r s i n g a n d Mi d w i f e r y ,
Un i v e r s i t y Co l l e g e Co r k ,
Co r k ,
Ire l a n d
aine.horgan@ucc.ie

ORCID: 0000-0001-6377-4140

Ms Fionnuala Manning

Expert by Experience lecturer,
School of Nursing and Midwifery,
University College Cork,
Cork,
Ireland

fionnualamanning@hotmail.com

Mr Rory Duddy,
B. Soc. Sc. (Hons),
Area Lead for Mental Health Engagement,
Southern Area Health Service Executive,
Expert by Experience lecturer,
School of Nursing and Midwifery,
University College Cork,
Cork,
Ireland,
Rory.Duddy@hse.ie

Elisabeth Hals,
MA,
Assistant Professor, Expert by Experience
Faculty of Health and Social Sciences,
Inland Norway University of Applied Sciences,
Hedmark,
Norway
elisabeth.hals@inn.no

Anild Graneud,
PhD,
Professor
Faculty of Health and Social Sciences,
Inland Norway University of Applied Sciences,
Hedmark,
Norway
anild.graneud@inn.no

Dr Mari Lahti
MNSc, PhD,
Post-Doctoral Researcher
Turku University of Applied Sciences, Turku, Finland
Faculty of Medicine, Department of Nursing
Science, Turku University, Turku, Finland
Mari.Lahti@turkuamk.fi

Mr Jarmo Pullo
Expert by Experience Lecturer
Turku University of Applied Sciences, Turku, Finland
Faculty of Medicine, Department of Nursing
Science, Turku University, Turku, Finland
jarmo.pullo@icloud.com

Anna Liina Vätula
BA,
Expert by Experience.
Turku University of Applied Sciences, Turku, Finland
Faculty of Medicine, Department of Nursing
Science, Turku University, Turku, Finland
Alva.vatula@hotmail.com

Johanna Koski

RN

Research Assistant

Turku University of Applied Sciences, Turku, Finland

Faculty of Medicine, Department of Nursing

Science, Turku University,

Turku,

Finland

johanna.koski1@edu.turkuamk.fi

Komelis Jan van der Vaart

BN, MSc i

Professor

Institute for Nursing Studies,

University of Applied Sciences Utrecht,

Utrecht,

The Netherlands

komelisjan.vandervaat@hu.nl

Jerry Alon

Expert by Experience Lecturer

Institute for Nursing Studies,

University of Applied Sciences Utrecht,

Utrecht,

The Netherlands

jerry.alon@hu.nl

Martha Griffin,

H. Dip in Community and Youth Work

Expert by Experience Lecturer in Mental Health,

School of Nursing & Human Sciences, Dublin City
University.

Dublin

Ireland

Martha.griffin@dcu.ie

Sio bhan Russell

BSc RPN, PhD

Lecturer, Programme Chair for BSc Mental Health
Nursing

School of Nursing & Human Sciences, Dublin City
University.

Dublin

Ireland

sio bhan.russell@dcu.ie

Dr Liam Mac Gabhann

BSc, MSc, DrNursSci

Head of School

School of Nursing & Human Sciences,
Dublin City University.

Dublin

Ireland

Liam.MacGabbann@dcu.ie

Einar Björnsson

Department of Nursing,
University of Iceland,

Reykjavik,

Iceland

einar@hugafli.is

Páll Björning

Associate Professor

PhD

Department of Nursing,

University of Iceland,

Reykjavík,

Iceland

pb@hi.is

Acknowledgements

The authors acknowledge and thank:

- Erasmus + for the funding which made this innovative project possible.
- the students who generously gave of their time to complete the questionnaires
- Ms Nathasha Munasinge for her assistance

with coordinating data collection from
participating countries and for data entry
for the Australian component

- staff who assisted with the distribution and
collection of questionnaires and with data
entry

Article type : Original Article

TITLE

Changing attitudes: The impact of Expert by Experience involvement in Mental Health Nursing Education: An international survey study

ABSTRACT

Reform to nursing education is essential to ensure future generations of nurses are strongly positioned to value, know and deliver strengths-based, recovery-oriented mental health practice. A promising pathway to effectively drive reform is the co-production of curricula by nursing academics and people with lived experience of recovery from mental distress referred to as Experts by Experience. The Co-production in Mental Health Nursing Education project (COMMUNE) is an international collaboration for development and implementation of consumer co-produced curricula. This study evaluated the inclusion of Expert by Experience-led mental health nursing education on nursing students' attitudes to people labelled with mental illness, mental health nursing and consumer participation. A repeated self-report measures design was implemented in Australia, Ireland, and Finland to ascertain level of generalisability of consumer involvement within undergraduate nursing programs. Data were collected from nursing students (N= 194) immediately before and after the education module, using three self-report instruments on

attitudes (Mental Health Nurse Education Survey, Consumer Participation Questionnaire, and Opening Minds Survey). Data were analysed using descriptive and inferential statistics. Eighty-nine per cent of the 27 points of change reflected more favourable and accepting attitudinal change. Of these, 41% were significant at Bonferroni adjusted alpha of .0025. There was a statistically significant increase in preparedness for practice in the mental health field in each of the three countries. The most pronounced change is related to the social and systemic inclusion of people with a diagnostic label and recovery-oriented care more broadly.

Key words: mental health nursing; nursing education; mental health; consumer participation, service user participation; co-production.

Introduction

There is increasing recognition of the value of first-hand experiential knowledge in more positively effecting health services and health education and producing better quality and more relevant research (Stratford *et al.*, 2016, Weise *et al.*, 2018, National Health and Medical Research Council, 2016, Commonwealth of Australia, 2017, Department of Health and Children, 2006, Health Service Executive, 2017, Ministry of Social Affairs and Health, 2016). This goal is reflected in diverse initiatives to strengthen the presence and contribution of people with first-hand experience of recovery from mental illness and mental health service use (Michalak *et al.*, 2016, Veseth *et al.*, 2017, Rose, 2017) in consultation, decision-making and shaping of health services and research. The Coproduced Mental Health Nursing Education (COMMUNE) project opted to use the term 'Experts by Experience' (EBE) to describe the team members who brought this specific expertise to the team,

as opposed to knowledge gleaned from professional or academic endeavours.

Background

Service user participation in mental health services is often limited by tokenism, a powerful resister to meaningful change (Paul & Holt, 2017). More substantive and meaningful participation is emerging, with a movement towards co-production (INVOLVE, 2017, Vaeggemose *et al.*, 2018, Department of Health and Children, 2006). Co-production, in this context, is characterised by consumers and health professionals in practice or educational settings, collaborating in partnership on projects featuring equitable power relations between, and relationships founded on, trust and mutuality (Gill, 2018). Co-productive modalities of work are increasingly promoted in research (Chambers *et al.*, 2017), mental health service delivery (Roper *et al.*, 2018, Lwembe *et al.*, 2017), and education (Manning *et al.*, 2017).

Contemporary policy and clinical standards places significant demands on those entering the nursing workforce to be familiar with, value and use recovery-focused mental health nursing practice (Happell *et al.*, 2017). For instance, despite much discourse on recovery, mental health nursing in practice often remains "impersonal, custody and containment focused" (Cutcliffe *et al.*, 2013, p. A4) as the newer philosophy is at odds with expectations of risk management. At the same time, negative attitudes and stigma towards people with mental illness prevail at a population level (Angermeyer & Dietrich, 2006, Schomerus *et al.*, 2012, Roskar *et al.*, 2017).

In addressing educational and workforce demands, EBE-driven mental health curricula may be particularly effective, as EBEs are best placed to inform and lead engaged discussion on symptoms and treatments for

'mental illness' and enablers of recovery (Byrne *et al.*, 2013b, Happell *et al.*, 2017, Poreddi *et al.*, 2016). An increase in lived experience perspectives in nursing education is evident in some countries (McCann *et al.*, 2009, Happell *et al.*, 2015, Felton *et al.*, 2018), however this involvement is often ad hoc, minimal and often restricted to the telling of story (Happell & Bennetts, 2016). In contrast, the COMMUNE approach facilitates students' ability to develop more critical analysis of preconceptions of people with a clinical label of mental illness (Happell *et al.*, 2014b). However, of perhaps greater significance, is the gradual emergence of EBEs having roles within nursing education which extends to the development, implementation and evaluation of curricula (Horgan *et al.*, 2018). The preliminary body of quantitative and qualitative studies available suggest that nursing education delivered and designed by EBE may be a catalyst for positive changes in nursing students' attitudes and beliefs in relation to people with mental diagnoses (Byrne *et al.*, 2013b, Schneebeli *et al.*, 2010), including their active participation in mental health services and education (Byrne *et al.*, 2014).

The need for more attention to EBE involvement in the education of nurses raises questions about movements in this direction on a global scale, especially given the high priority of mental health internationally (World Health Organization, 2017). Occurrence of EBE or mental health consumer-(co)led roles in education, research and health professional practice is quite uneven internationally (Byrne *et al.*, 2018). For instance, it has been suggested that developing economies (such as in South-East Asia and South America) have fewer lived experience roles than OECD countries such as Australia and New Zealand (Byrne *et al.*, 2018), Western Europe (Rose, 2015, Rose *et al.*, 2016, Staley *et al.*, 2013), and the USA and Canada (Cronise *et al.*, 2016).

There is a growing body of evidence that EBEs in nursing education create a positive impact. , This, coupled with the apparent underutilisation of this approach, indicates it is timely to consider co-produced nursing

education as a *principle*; as a means of promoting more effective learning of person-centred and recovery-based mental health nursing. Research is needed on (1) actual implementation of co-produced curricula and its delivery, and (2) the extent to which the principle may be demonstrated across undergraduate settings in different countries to evaluate the broad applicability of such an educational principle.

This paper reports on findings from an innovative international project which co-produced a mental health nursing module for undergraduate nursing students. COMMUNE involved co-leadership of both the project itself and the curriculum development process. The unique partnership comprised Experts by Experience by EBE and mental health nurse academics in Australia and Western Europe (Horgan et al., 2018).

Universities across six countries, (Australia, Ireland, Finland, Norway, the Netherlands and Iceland), came together to develop the module learning outcomes based on the themed data from service user focus groups held at each site. The innovative methodology used a consensus process to capture these themes into learning outcomes. At the implementation stage, one or more EBE collaborated with nurse academics to deliver the new curricula in the classroom. The COMMUNE module required students to critically reflect on their thoughts and feelings towards people labelled with mental illness, diagnostic categories and recovery concepts; and engage in dialogue with an EBE educator throughout this process (Horgan et al., 2018). All project phases followed the principles of co-production as much as possible, from starting with conception and grant funding application to design and implementation. Now at the latter stages, COMMUNE members conducted pre-post studies of student nurse attitude change to ascertain the level of impact of EBE teaching. It was hypothesised that the education would have broad-based positive influence on student attitudes, i.e. about

mental illness as a construct, systemic involvement of lived experience in health education, and the value of high quality nursing practice.

Aim

To evaluate the impact of EBE co-produced nursing education, and explore as an internationally applicable principle for positively impacting student attitudes towards people with mental illness, consumer participation and recovery-oriented nursing care.

Methods

Design

The research approach involved repeated-measures, employing self-report instruments targeting an array of attitudes about people with a label of mental illness, service user participation in services and education, and the value of mental health nursing practice across each of the research sites.

Participants and setting

The study was undertaken in six countries; Iceland, Netherlands, Norway, Finland, Ireland and Australia, however due to the poor return rate at some universities, insufficient post-test questionnaires were available for data analysis and were excluded from the presentation of findings. This paper reports findings from four research sites; Australia, Finland and Ireland (two Universities). All settings offered the co-produced EBE module yet their context slightly differed. A background to the uniqueness of each context will now be outlined; such as course length, timing of module in the degree, scope of nursing degree and type of university.

Australia

Students completing their three-year undergraduate nursing program are legally entitled to practice across a range of healthcare settings. Graduates do not have specialist skills in mental health nursing. The COMMUNE module was part of a final unit prior to registration.

Ireland

Ireland was represented by two universities. The samples were considered sufficiently similar in structure, content and philosophy for the results to be combined to comprise a single study. In Ireland, students complete a four-year degree specialist mental health nursing program, leading to registration with the Nursing and Midwifery Board of Ireland (NMBI) as a mental health nurse.

Finland

Similar to Australia, nursing studies are generic and include core and professional studies and practical training. Nurse education covers all specialist fields over a three and a half year period. Successful students graduate with Bachelor of Health Care in Nursing and are registered as general nurses.

Ethical considerations

All studies were approved by the university-based research ethics committees at each site. Nursing students were invited verbally to participate

by a member of the team and provided an information sheet on the project, detailing the research purposes, nature of participation and measures to ensure confidentiality. Participants were informed that participation in the research was voluntary and only members of the COMMUNE project would have access to the data. No names would be used in any reporting to preserve student confidentiality.

As a result of different research ethics policies at each university, there were some differences in anonymity protection processes across the sites. . In Australia and Finland, student names were recorded for purposes only of matching surveys at both time points. Participant names were not recorded for the Irish Universities. These students were allocated unique numerical identifiers, for matching of pre and post surveys.

Data collection

Hard copy versions of the self-report measures were administered in person in a group format (e.g. during classes) before commencement of the mental health module. Soon after completion of a module, the same measures were applied for a second time. In terms of attrition, there were 88.1% retained from baseline in Ireland, 59.8% retained from baseline in Australia, and 94.2% retained from baseline in Finland.

Data collection instruments

Three self-report measures were selected to provide a comprehensive, multi-domain measurement of nursing students' attitudes that may benefit from co-produced education.

The Mental Health Nurse Education Survey, MHNES (Happell & Hayman-White, 2009) reports attitudes and beliefs towards people diagnosed with

mental illness and towards mental health care. Participants are asked to respond via a seven-point scale ranging from “strongly disagree” on the left, to “strongly agree” on the right. For attitudes towards people with a mental illness diagnosis the scale was:

- *Negative stereotypes*, such as the notion that people with mental illness are dangerous (e.g. ‘People with mental illness are more likely to be violent’).

In relation to mental health care such as mental health nursing, the scales utilised were:

- *Valuable contribution*, referring to the extent to which mental health services and nursing make a positive difference to consumers (e.g. ‘Psychiatric/mental health nursing can assist people with a mental illness in their recovery’)
- *Preparedness for mental health field*, such as perceived understanding of mental health nurse roles (e.g. ‘I feel confident in my ability to care for people experiencing a mental health problem’).

Brief student demographic information (gender, age) was collated via the final section of the Mental Health Nurse Education Survey.

The Health Care version of the Opening Minds Scale (OMS) (Modgill *et al.*, 2014) measures beliefs and attitudes towards oneself and others regarding mental illness. This measure has been successfully applied the evaluation of Canadian anti-stigma programs targeting health care practitioners, including nurses (Kassam *et al.*, 2012). Statements are rated on a scale from 1 to 5 on level of (dis)agreement. The three scales considered for change analysis were:

- *Social distancing* (e.g. 'If a colleague with whom I work with told me they had a managed mental illness, I would be as willing to work with him/her'; reverse scored). Modgill et al. (2014) describe the *Social Distancing* scale as "measuring a willingness to readily engage persons with mental illness in various activities and relationships" (p. 2).
- *Disclosure/help-seeking* (e.g. 'I would see myself as weak if I had a mental illness and could not fix it myself')
- *Attitudes to Mental Illness* (e.g. 'There is little I can do to help people with a mental illness').

The Consumer Participation Questionnaire, CPQ (Happell et al., 2010) focuses on views on the need and importance of consumer involvement in health care services and in training health care providers. Attitudinal statements are rated on a range of 1 to 7, with 'strongly disagree' and 'strongly agree' at each end point. The scales and example items are presented below:

- *Consumer involvement* (e.g. 'Consumers should have the opportunity for genuine input into the planning of their own treatment').
- *Lack of capacity* (e.g. 'People with mental illness can't handle too much responsibility').
- *Sufficiency of services* (e.g. 'Mental health services work as well as they can and we shouldn't use valuable resources trying to change them').
- *Consumer academic* (e.g. 'A consumer academic should be a member of staff in all mental health/psychiatric nursing courses').
- *Consumer as staff* (e.g. 'Consumers should be involved in the process for the hiring of all new staff of mental health services').

Analytic approach

The main analysis involved descriptive statistics (means, standard deviation) and within-subjects (dependent measures) t-tests to evaluate whether attitudinal changes were statistically significant. These statistics were conducted in version 25 of the SPSS (IBM, 2017, Chicago, IL, USA). Given several tests were to take place, Bonferroni adjusted alpha was applied to manage the likelihood of Type I errors. As described in Section 3.2, the number of tests was calculated after first examining how many scales were retained, based on sound internal reliability, as defined by Cronbach (1951).

Effect sizes were calculated via the psychometrica website (Lenhard & Lendhard, 2016), which uses a formula for Cohen's *d* that takes into account the correlation between pre- and post- scores. Size of effect was based on commonly applied criteria (Cohen, 1992): .1 'small', .3 'medium' and .5 and over 'large'.

Preliminary analyses for establishing the scale scores for evaluation of attitudinal change were underpinned by two measurement theories: classical test theory and the Rasch approach to latent variable models (Hagquist *et al.*, 2009). The aim was to ensure each scale score was unidimensional, to check reliability levels and to ensure variables were the appropriate type for repeated measures t-tests (continuous variables). Accordingly, baseline data for validity and reliability of the three self-report measures (CPQ, MHNES and OMS) were evaluated via either principal component analysis, exploratory or confirmatory factor analysis (depending on the level of previous psychometric knowledge about each instrument) and Rasch modelling. These analyses broadly indicated good construct validity for slightly refined sets of items for the respective scales for all three instruments. Details of these analytic results will be reported elsewhere (please contact authors for findings of these preliminary analyses and rescore protocols for each of the measures). In preparation for t-tests, item responses for each construct were summed and converted to Rasch scores on a scale from 0 to 100. For Rasch

scores and relevant item responses, the percentage of missing data was very low in each sub-sample, ranging from 0% to 5%. For t-tests, cases were excluded listwise.

Results

Sample demographics

In each sample over 83% of the students were female (Australia 84.7%, Ireland 85.1% and Finland 83.1%). The majority of the participants were aged between 18 and 29 (Australia 84.7%, Ireland 86.6% and Finland 83.1%). Most of the remaining participants in Australia and Ireland and all other participants in Finland were aged between 30 and 39.

Reliability analysis and preparation for testing for changes in attitudes

Table 1 presents the internal consistency levels (reliability by Cronbach alpha) for participants for whom both pre and post data was available. Reliabilities ranged from .52 to .70 for the MHNES, between .39 and .79 for the OMS, and .54 to .70 for the CPQ. Given the very low reliability levels for the Disclosure and Attitude scales of the OMS for all three studies, the scores for these were not retained for pre-post analysis. This left 9 t-tests to be conducted for each study. The Bonferroni revision of the cut-off value for one-tailed tests (.025) was made, setting the alpha at .0027.

[Insert Table 1 about here]

Australia

Table 2 presents the means, standard deviations, mean standard errors and t-test results for Australian students. At the pre-course stage, noting the range of scores was from 0 to 100, there were 'high' average levels for attitudes that mental health nursing makes a positive contribution (around 89), for consumer involvement in services and education (around 77) and the importance of consumer academics (around 71). Average Rasch scores are highlighted in bold. Apart from two scales on consumer participation (lack of capacity and consumer academic) mean levels trended in positive directions. Statistically significant change was observed for Social Distancing (less self-reported distancing) and Preparedness for Mental Health field (increased preparedness). Compared to 'baseline' pre-course levels, sense of preparedness went up by 17%.

[Insert Table 2 about here]

Ireland

Table 3 presents descriptive and inferential statistics for students in Ireland. Apart from the view that services are sufficient without consumer involvement, trend-wise, there were positive mean score changes from pre to post (i.e. increases in positive attitudes and decreases in negative attitudes). Statistically significant changes were observed for Negative stereotypes, preparedness for mental health field, and consumer involvement. Percentage changes in the mean for these scales was 20%, 10% and 9% respectively.

[Insert Table 3 about here]

Finland

Table 4 presents the descriptive statistics (e.g. means) and t-test parameters for students in Finland. Examining mean scores, self-reported attitudes went in positive directions for all nine domains. For instance, negative stereotypes dropped by 23%, and this was a statistically significant change. Statistical significance was also found for social distancing, preparedness for mental health field, and some scales of the CPQ (consumer involvement, lack of capacity and consumer as staff).

[Insert Table 4 about here]

Comparison of attitudinal change across countries

Table 5 presents the overall pattern of statistically significant changes by attitude domain for the three countries, accompanied by effect size estimates. Of the 27 assessments of change across the program, eleven cases of statistical significance (40.7%) were observed. The greatest coverage of change across scales tended to be for Finland, where change was noted for more than half of the scales. Student sense of preparedness for the mental health field received high effect sizes in all three countries. Moderate to high magnitude effects were also found across countries for reductions in negative stereotypes and social distancing. In terms of attitudes to consumer participation in services and education, a high effect size was observed for consumer as staff in Ireland, and moderate effect for consumer involvement in Ireland and Finland.

[insert Table 5 about here]

4. Discussion

Given the mental health care needs of populations internationally (World Health Organisation, 2013), there is a clear demand for highly qualified and skilled nursing workforces equipped to provide holistic, recovery-focused and therapeutic mental health nursing practice across a broad range of settings (Delaney, 2016). The findings of this study suggest that Experts by Experience have an important contribution to make in positively influencing nursing students' attitudes to mental illness, consumer participation and mental health nursing. This finding supports similar studies found in the broader nursing and clinical literature. (Schneebeli *et al.*, 2010, Scammell *et al.*, 2016, O'Donnell & Gormley, 2013, Happell *et al.*, 2015, Byrne *et al.*, 2014, Happell *et al.*, 2014a, Arblaster *et al.*, 2015, Ridley *et al.*, 2017, Mahboub & Milbourn, 2015).

The involvement of EBE in nursing education was noted to be limited and often ad hoc (McCann *et al.*, 2009, Happell *et al.*, 2015), and therefore an underutilised resource. Co-produced nursing education as a principle reflects contemporary mental health policy (Commonwealth of Australia, 2017) and presents a potentially highly effective way to prepare nurses to provide high quality mental health care and attract more nurses to the mental health sector (Horgan *et al.*, 2018, Schneebeli *et al.*, 2010, Byrne *et al.*, 2013a). The cross country nature of the current research program suggests both the salience and subsequent international relevance of these findings.

Changing negative attitudes towards people labelled with mental illness has been an area of extensive efforts targeting health professionals, health care trainees and the broader public, and has been found to be a challenging task (Dabby *et al.*, 2015, Modgill *et al.*, 2014, Schomerus *et al.*, 2012, Simmons *et al.*, 2017). Building on previous studies reporting on nursing student attitudes (Bingham & O'Brien, 2018, Happell *et al.*, 2014b), this paper provides further evidence for positive reduction in negative stereotypes

which can be achieved via co-produced curricula with delivery by lived experience educators (EBE). Most notably, statistically significant and high effect reductions in negative stereotypes were observed in Ireland and Finland. Considering the more behaviourally based attitude of social distancing (Modgill et al., 2014), in the current research, moderate and statistically significant reductions in self-reported distancing were observed for Australia and Finland.

Demand for mental health services (Collins & Saxena, 2016, Betancourt & Chambers, 2016) and prevalence of mental illness throughout the health care system is high (Williams & Manning, 2008, Jayatilleke et al., 2018). A fundamental goal of undergraduate nursing education is that students see themselves as well prepared for working with people experiencing mental distress; in any clinical setting. The current findings demonstrate that EBE involvement increased students' perceived preparedness for mental health nursing practice across all three sites (Australia, Ireland and Finland). Similar findings were reported previously in one country (Australia) (Happell et al., 2014b), yet this is the first known study to encompass three countries. In light of the paucity of research addressing the role of EBE in influencing attitudes towards mental health nursing as a career, these findings make an important contribution and signal the need for further research.

For domains of attitudes tied to consumer participation, the most consistent changes were for views about involvement of consumers in their own treatment and diagnosis, and for input on services in general. However, aside from Finland, there were no statistically significant changes on other aspects of consumer participation, such as the capacity of consumers and higher-level modalities of participation, such as contributing to decision-making in the hiring of staff and training of staff. In Australia-based research, this is in contrast to an earlier study (Byrne et al., 2014) where there were

improvements via EBE-led education in lack of capacity and consumer as staff.

Less change being evident for more embedded forms of consumer participation is consistent with the few earlier studies that have used the CPQ. For instance, a study in Bangalore, India, found “mixed” support for the notion of consumer as staff (Poreddi et al., 2016). While in this study there were relatively high levels of agreement with the importance of a consumer academic in all three countries (over 68 out of 100 in Tables 3 to 5), it appears students hold exclusionary views towards other forms of higher level participation, particularly regarding consumers as staff in mental health services. These perspectives seem to be resistant to change. Efforts may need to be intensified reinforce to students the merits of higher level forms of consumer participation, to bring in line with contemporary mental health policy directions.

The Finnish data, demonstrated the largest number of significant changes in attitudes. This may reflect the newness and lack of consistency in consumer participation in Finland. This might also reflect the lack of clear policy direction on co-production, and consumer involvement in mental health practice and education in comparison with Ireland and Australia where a number of national policy documents have been published in this area.

Through the uniformity of research design across these country-based studies, the Commune program enabled robust evaluation of EBE involvement in mental health nursing education. As research about lived experience involvement in the higher education sector has been disparate and hence difficult to systematically compare (Happell et al., 2014a), this is a significant advance. The design was also strong in terms of reach, by covering a wide range of attitudinal domains (people with mental illness,

consumer participation and mental health care). Overall, we have provided some evidence for the efficacy of co-produced education, particularly relevant for education of nurses in Western university settings.

Limitations

A limitation of the design was the absence of a comparison group to increase confidence that attitudinal changes were solely attributable to the EBE-directed education. Ideally, an enhancement on the current approach would be inclusion of a control group of students receiving 'education as usual' (e.g. non-consumer 'traditional' instruction in mental health). In the case of this project, having a comparison group was not feasible as there was a need to maximise sample sizes, especially for the smaller Ireland-based student cohorts. Furthermore, it would have been impractical to implement a quasi-experimental arrangement given the complexity of logistics of undergraduate nursing programs.

A further limitation was that reliability levels of the self-report measures were not always at a high level to optimise evaluation of attitudinal change. As seen in Table 1, two scales of the OMS had poor reliability and so had to be excluded from the main analyses (t-tests). The questionable reliability of self-report measures regarding attitudes to mental illness has been an ongoing challenge in research (Wei *et al.*, 2015). There is a need for improving the internal consistency of this important group of measures to further establish the evidence-base on lived experience perspectives as an adjunct to mental health education.

Relevance for clinical practice

Contemporary mental health policy calls for recovery-focused mental health services which acknowledge consumers as key stakeholders in the

design, delivery, implementation and evaluation of services. Nurses with the skills, knowledge and attitudes to work collaboratively with consumers are essential to achieving these goals. Consumer involvement in professional education has been identified as an effective strategy in facilitating attitudes required in the nursing workforce and prompting interest in mental health nursing as a career. The Commune project has demonstrated positive changes in attitudes to people with mental illness, consumer participation and mental health nursing as a career. These positive findings suggest consumer involvement should be integral to quality mental health nursing education.

Conclusions

EBEs, through leadership and co-production activities, are increasingly contributing to innovation in nursing pedagogy. Participation can simultaneously benefit people with a mental health diagnosis, plus emerging nurses and their future patients. Students felt more prepared to work professionally in mental health sectors, potentially mitigating future workforce shortages. The tri-country-based setting within the current international collaboration program (COMMUNE) provides further evidence that co-produced nursing education is applicable internationally; as a principle and practice. It provides a unique learning platform for shifting stigmatised attitudes and preparing students to offer high quality mental health nursing practice.

References

- Angermeyer, M. C. & Dietrich, S. (2006). Public beliefs about and attitudes towards people with mental illness: a review of population studies. *Acta Psychiatrica Scandinavica*, 113, 163-179.
- Arblaster, K., Mackenzie, L. & Willis, K. (2015). Mental health consumer participation in education: a structured literature review. *Australian Occupational Therapy Journal*, 62, 341-362.
- Betancourt, T. S. & Chambers, D. A. (2016). Optimizing an Era of Global Mental Health Implementation Science. *JAMA Psychiatry*, 73, 99-100.
- Bingham, H. & O'Brien, A. J. (2018). Educational intervention to decrease stigmatizing attitudes of undergraduate nurses towards people with mental illness. *International Journal of Mental Health Nursing*, 27, 311-319.
- Byrne, L., Happell, B., Welch, A. & Moxham, L. (2013a). Reflecting on holistic nursing: the contribution of an academic with lived experience of mental health service use. *Issues in Mental Health Nursing*, 34, 265-272.
- Byrne, L., Happell, B., Welch, T. & Moxham, L. (2013b). 'Things you can't learn from books': Teaching recovery from a lived experience perspective. *International Journal of Mental Health Nursing*, 22, 195-204.
- Byrne, L., Platania-Phung, C., Happell, B., Harris, S. & Bradshaw, J. (2014). Changing Nursing Student Attitudes to Consumer Participation in Mental Health Services: A Survey Study of Traditional and Lived Experience-led Education. *Issues in Mental Health Nursing*, 35, 704-712.
- Byrne, L., Stratford, A. & Davidson, L. (2018). The global need for lived experience leadership. *Psychiatric Rehabilitation Journal*, 41, 76-79.

- Chambers, M., McAndrew, S., Nolan, F., Thomas, B., Watts, P. & Kantaris, X. (2017). Service user involvement in the coproduction of a mental health nursing metric: The Therapeutic Engagement Questionnaire. *Health Expectations*, 20, 871-877.
- Cohen, J. (1992). A power primer. *Psychological Bulletin*, 112, 155-159.
- Collins, P. Y. & Saxena, S. (2016). Action on mental health needs global cooperation. *Nature*, 532, 25-27.
- Commonwealth of Australia (2017). The Fifth National Mental Health and Suicide Prevention Plan. Canberra: Australian Government.
- Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika*, 16, 297-334.
- Cronise, R., Teixeira, C., Rogers, E. S. & Harrington, S. (2016). The peer support workforce: Results of a national survey. *Psychiatric Rehabilitation Journal*, 39, 211-221.
- Cutcliffe, J., Stevenson, C. & Lakeman, R. (2013). Oxymoronic or synergistic: deconstructing the psychiatric and/or mental health nurse. *International Journal of Mental Health Nursing*, 22, 125-134.
- Dabby, L., Tranulis, C. & Kirmayer, L. J. (2015). Explicit and implicit attitudes of Canadian psychiatrists toward people with mental illness. *Canadian Journal of Psychiatry*, 60, 451-459.
- Delaney, K. R. (2016). Psychiatric Mental Health Nursing Workforce Agenda: Optimizing Capabilities and Capacity to Address Workforce Demands. *Journal of the American Psychiatric Nurses Association*, 22, 122-131.

Department of Health and Children (2006). A vision for change: Report of the expert group on mental health policy. . Dublin: Stationary Office.

Felton, A., Cook, J. & Anthony, R. (2018). Evaluating a co-facilitation approach to service user and carer involvement in undergraduate nurse education. *Nursing Standard*, 32, 47-54.

Gill, K. H. (2018). creating an environment that cultivates consumer-led or co-produced research. Are we there yet? *New Paradigm*, Summer, 49-52.

Hagquist, C., Bruce, M. & Gustavsson, J. P. (2009). Using the Rasch model in nursing research: an introduction and illustrative example. *International Journal of Nursing Studies*, 46, 380-393.

Happell, B. & Bennetts, W. (2016). Triumph and adversity: Exploring the complexities of consumer storytelling in mental health nursing education. *International Journal of Mental Health Nursing*, 25, 546-553.

Happell, B., Bennetts, W., Tohotoa, J., Wynaden, D. & Platania-Phung, C. (2017). Promoting recovery-oriented mental health nursing practice through consumer participation in mental health nursing education. *Journal of Mental Health*, 1-7.

Happell, B., Byrne, L., McAllister, M., et al. (2014a). Consumer involvement in the tertiary-level education of mental health professionals: a systematic review. *International Journal of Mental Health Nursing*, 23, 3-16.

Happell, B., Byrne, L., Platania-Phung, C., Harris, S., Bradshaw, J. & Davies, J. (2014b). Lived-experience participation in nurse education: Reducing stigma and enhancing popularity. *International Journal of Mental Health Nursing*, 23, 427-434.

- Happell, B. & Hayman-White, K. G. (2009). Nursing students' attitudes to mental health nursing: psychometric properties of a self-report scale. *Archives of Psychiatric Nursing*, 23, 376-386.
- Happell, B., Moxham, L. & Platania-Phung, C. (2010). A psychometric analysis of the Mental Health Consumer Participation Questionnaire. *International Journal of Mental Health Nursing*, 19, 377-384.
- Happell, B., Platania-Phung, C., Byrne, L., Wynaden, D., Martin, G. & Harris, S. (2015). Consumer participation in nurse education: A national survey of Australian universities. *International Journal of Mental Health Nursing*, 24, 95-103.
- Health Service Executive (2017). A National Framework for Recovery in Mental Health. . Dublin: Health Services Executive.
- Horgan, A., Manning, F., Bocking, J., et al. (2018). 'To be treated as a human': Using co-production to explore experts by experience involvement in mental health nursing education - The COMMUNE project. *International Journal of Mental Health Nursing*.
- INVOLVE (2017). INVOLVE. Southampton: National Institute for Health Research.
- Jayatilleke, N., Hayes, R. D., Chang, C. K. & Stewart, R. (2018). Acute general hospital admissions in people with serious mental illness. *Psychological Medicine*, 1-8.
- Kassam, A., Papish, A., Modgill, G. & Patten, S. (2012). The development and psychometric properties of a new scale to measure mental illness

related stigma by health care providers: the Opening Minds Scale for Health Care Providers (OMS-HC). *BMC Psychiatry*, 12, 62.

Lenhard, W. & Lendhard, A. (2016). Calculation of effect sizes. Dettelbach, Germany.

Lwembe, S., Green, S. A., Chigwende, J., Ojwang, T. & Dennis, R. (2017). Co-production as an approach to developing stakeholder partnerships to reduce mental health inequalities: an evaluation of a pilot service. *Primary Health Care Research & Development*, 18, 14-23.

Mahboub, L. & Milbourn, B. T. (2015). Modernising occupational therapy teaching, research and practice in mental health. *Australian Occupational Therapy Journal*, 62, 363.

Manning, J. C., Carter, T., Latif, A., et al. (2017). 'Our Care through Our Eyes'. Impact of a co-produced digital educational programme on nurses' knowledge, confidence and attitudes in providing care for children and young people who have self-harmed: a mixed-methods study in the UK. *BMJ Open*, 7, e014750.

McCann, T. V., Moxham, L., Usher, K., Crookes, P. A. & Farrell, G. (2009). Mental health content of comprehensive pre-registration nursing curricula in Australia. *Journal of Research in Nursing*, 14, 519-530.

Michalak, E. E., Jones, S., Lobban, F., et al. (2016). Harnessing the potential of community-based participatory research approaches in bipolar disorder. *International Journal of Bipolar Disorders*, 4, 4.

Ministry of Social Affairs and Health, F. (2016). Plan for mental health and substance abuse work for 2009-2015. Final assessment of the plan and

proposals of the steering group. . In: Health, M. o. S. A. a. (Ed). Helsinki: Ministry of Social Affairs and Health.

Modgill, G., Patten, S. B., Knaak, S., Kassam, A. & Szeto, A. C. (2014). Opening Minds Stigma Scale for Health Care Providers (OMS-HC): examination of psychometric properties and responsiveness. *BMC Psychiatry*, 14, 120.

National Health and Medical Research Council (2016). Statement on consumer and community involvement in health and medical research. Canberra: Commonwealth of Australia.

O' Donnell, H. & Gormley, K. (2013). Service user involvement in nurse education: perceptions of mental health nursing students. *Journal of Psychiatric and Mental Health Nursing*, 20, 193-202.

Paul, C. & Holt, J. (2017). Involving the public in mental health and learning disability research: Can we, should we, do we? *Journal of Psychiatric and Mental Health Nursing*, 24, 570-579.

Poreddi, V., Gandhi, S., Thimmaiah, R. & Bm, S. (2016). Attitudes toward consumer involvement in mental health services: a cross-sectional survey of Indian medical and nursing undergraduates. *Investigación y Educación en Enfermería*, 34, 243-251.

Ridley, S., Martin, R. & Mahboub, L. (2017). Learning from Mental Health Lived Experience and the Influence on Students' Practice. *Australian Social Work*, 70, 372-380.

Roper, C., Grey, F. & Cadogan, E. (2018). Co-production: Putting principles into practice in mental health contexts.

https://recoverylibrary.unimelb.edu.au/_data/assets/pdf_file/0010/2659969/Coproduction_putting-principles-into-practice.pdf.

- Rose, D. (2015). The contemporary state of service-user-led research. *Lancet Psychiatry*, 2, 959-960.
- Rose, D. (2017). Service user/survivor-led research in mental health: epistemological possibilities. *Disability and Society*, 32, 773-789.
- Rose, D., MacDonald, D., Wilson, A., Crawford, M., Barnes, M. & Omeni, E. (2016). Service user led organisations in mental health today. *Journal of Mental Health*, 25, 254-259.
- Roskar, S., Bracic, M. F., Kolar, U., et al. (2017). Attitudes within the general population towards seeking professional help in cases of mental distress. *International Journal of Social Psychiatry*, 63, 614-621.
- Scammell, J., Heaslip, V. & Crowley, E. (2016). Service user involvement in preregistration general nurse education: a systematic review. *Journal of Clinical Nursing*, 25, 53-69.
- Schneebeli, C., O'Brien, A., Lampshire, D. & Hamer, H. P. (2010). Service user involvement in undergraduate mental health nursing in New Zealand. *International Journal of Mental Health Nursing*, 19, 30-35.
- Schomerus, G., Schwahn, C., Holzinger, A., et al. (2012). Evolution of public attitudes about mental illness: a systematic review and meta-analysis. *Acta Psychiatrica Scandinavica*, 125, 440-452.
- Simmons, L., Jones, T. & Bradley, E. (2017). Reducing mental health stigma: the relationship between knowledge and attitude change. *European Journal of Mental Health*, 12.

- Staley, K., Kabir, T. & Szmukler, G. (2013). Service users as collaborators in mental health research: less stick, more carrot. *Psychological Medicine*, 43, 1121-1125.
- Stratford, A., Brophy, L., Castle, D., et al. (2016). Embedding a Recovery Orientation into Neuroscience Research: Involving People with a Lived Experience in Research Activity. *Psychiatric Quarterly*, 87, 75-88.
- Vaeggemose, U., Ankersen, P. V., Aagaard, J. & Burau, V. (2018). Co-production of community mental health services: Organising the interplay between public services and civil society in Denmark. *Health and Social Care in the Community*, 26, 122-130.
- Veseth, M., Binder, P. E., Borg, M. & Davidson, L. (2017). Collaborating to stay open and aware: service user involvement in mental health research as an aid in reflexivity. *Nordic Psychology*, 69, 256-263.
- Wei, Y., McGrath, P. J., Hayden, J. & Kutcher, S. (2015). Mental health literacy measures evaluating knowledge, attitudes and help-seeking: a scoping review. *BMC Psychiatry*, 15, 291.
- Weise, J., Fisher, K. R. & Trollor, J. N. (2018). What makes generalist mental health professionals effective when working with people with an intellectual disability? A family member and support person perspective. *Journal of Applied Research Intellectual Disability*, 31, 413-422.
- Williams, J. W. & Manning, J. S. (2008). Collaborative mental health and primary care for bipolar disorder. *Journal of Psychiatric Practice*, 14, 55-64.

World Health Organisation (2013). Mental Health Action Plan 2013-2020. In:
Abuse, D. o. M. H. a. S. (Ed).
http://www.who.int/mental_health/action_plan_2013/en/.

World Health Organization (2017). Mental disorders. Geneva: WHO.

Author Manuscript

Table 1. Reliability levels for the self-report scales, at pre- and post-test, for Australia, Ireland and Finland.

	Australia		Ireland		Finland	
	PRE	POST	PRE	POST	PRE	POST
People with mental illness						
Negative Stereotypes (MHNES)	.70	.72	.76	.73	.74	.88
Social Distancing (OMS)	.75	.76	.65	.60	.74	.76
Attitudes Mental Illness (OMS)	.64	.63	.39	.58	.67	.79
Disclosure/Help-seeking (OMS)	.64	.50	.50	.53	.67	.65
Mental Health Care						
Preparedness for Mental Health Field (MHNES)	.84	.78	.79	.83	.76	.78
Valuable Contribution (MHNES)	.78	.69	.66	.52	.79	.78
Consumer Participation (CPQ)						
Consumer involvement	.74	.83	.75	.82	.80	.90
Lack of capacity	.73	.70	.64	.74	.55	.73
Sufficiency of services	.71	.67	.74	.62	.70	.58
Consumer academic	.68	.74	.74	.76	.54	.85

Consumer as staff

.78

.80

.71

.75

.64

.70

Author Manuscript

Table 2. Changes in attitudes to people with mental illness, mental health nursing and consumer participation in Australia (n=68).

	Pre-course			Post-course			95% Confidence interval for change	df	t- statistic	p-value & * significance
	M	SD	SE	M	SD	SE				
People with mental illness										
Negative stereotypes (MHNES)	41.87	12.46	1.51	38.62	12.73	1.54	0.93, 5.57	67	2.79	.003
Social distancing (OMS)	35.26	20.02	2.43	29.44	20.00	2.42	2.20, 9.45	67	3.21	.001*
Mental health care										
Preparedness for mental health field (MHNES)	53.62	12.57	1.55	62.76	12.98	1.60	-12.22, -6.05	65	-5.92	.000*
Valuable contribution (MHNES)	89.15	10.03	1.22	92.31	8.92	1.08	-5.66, -0.66	67	-2.53	.007
Consumer participation (CPQ)										
Consumer involvement	76.75	14.53	1.77	78.81	16.07	1.96	-6.12, 2.00	66	-1.01	.160

Lack of capacity	41.12	14.10	1.71	38.60	14.08	1.71	-1.01, 6.04	67	1.42	.080
Sufficiency of services	50.48	18.13	2.21	51.40	19.17	2.34	-4.53, 2.68	66	-0.51	.305
Consumer as staff	43.69	18.77	2.24	46.47	20.93	2.50	-7.88, 2.31	69	-1.09	.139
Consumer academic	70.71	17.20	2.07	68.88	17.51	2.11	-3.28, 6.93	68	0.71	.239

Note: MHNES: Mental Health Nurse Education Survey, OMS: Opening Minds Scale, CPQ: Consumer Participation Questionnaire; M: Mean, SD: Standard Deviation, SE: Standard error of mean.

Table 3. Changes in attitudes to people with mental illness, mental health nursing and consumer participation in Ireland (n=59).

	Pre-course			Post-course			95% Confidence interval for change	df	t-statistic	p-value & * significance
People with mental illness	M	SD	SE	M	SD	SE				
Negative stereotypes (MHNES)	38.39	12.44	1.66	30.84	13.97	1.87	4.92, 10.18	55	5.76	.000*
Social distancing (OMS)	29.26	17.18	2.26	24.12	16.34	2.14	1.59, 8.69	57	2.90	.002

Mental health care

Preparedness for mental health field (MHNES)	58.02	11.48	1.52	63.79	11.71	1.55	-8.44, -3.10	56	-4.33	.000*

Valuable contribution (MHNES)	92.16	9.47	1.25	92.74	8.59	1.14	-2.88, 1.72	56	-.50	.308

Consumer participation (CPQ)

Consumer involvement	73.28	14.29	1.89	79.81	16.36	2.17	-10.6, -2.45	56	-3.21	.001*

Lack of capacity	36.37	11.92	1.55	32.93	15.60	2.03	-0.50, 7.39	58	1.75	.043

Sufficiency of services	45.93	18.81	2.47	47.09	18.91	2.48	-5.13, 2.82	57	-0.58	.281

Consumer as staff	46.05	17.97	2.36	48.93	17.36	2.28	-7.26, 1.50	57	-1.32	.096

Consumer academic	77.83	15.28	1.99	79.54	16.95	2.21	-6.21, 2.79	58	-0.761	.225

Note: NES: Mental Health Nurse Education Survey, OMS: Opening Minds Scale, CPQ: Consumer Participation Questionnaire; M: Mean, SD: Standard Deviation, SE: Standard error of mean.

Table 4. Changes in attitudes to people with mental illness, mental health nursing and consumer participation in Finland (n=65).

	Pre-course			Post-course			95% Confidence interval for change	df	t- statistic	p-value & * significance
People with mental illness	M	SD	SE	M	SD	SE				
Negative stereotypes (MHNES)	43.98	13.70	1.74	33.87	16.17	2.05	6.88, 13.35	61	6.25	.000*
Social distancing (OMS)	42.25	16.60	2.09	36.02	17.77	2.24	2.72, 9.76	62	3.54	.000*
Mental health care										
Preparedness for mental health field (MHNES)	48.67	10.23	1.29	55.62	10.37	1.31	-8.77, -5.13	62	-7.63	.000*
Valuable contribution (MHNES)	88.97	10.54	1.34	89.92	10.60	1.35	-3.44, 1.53	61	-0.77	.223
Consumer participation (CPQ)										
Consumer involvement	62.74	12.67	1.61	67.27	15.45	1.96	-7.32, -1.74	61	-3.25	.001*

Lack of capacity	48.16	11.45	1.44	42.63	13.07	1.65	2.91, 8.14	62	4.22	.000*
Sufficiency of services	43.74	15.73	2.00	43.21	15.78	2.00	-2.81, 3.88	61	0.32	.375
Consumer as staff	38.13	12.94	1.62	46.72	14.31	1.79	-11.34, -5.85	63	-6.26	.000*
Consumer academic	73.80	13.95	1.74	78.70	17.31	2.16	-9.28, -.536	63	-2.24	.014

Note: MHNES: Mental Health Nurse Education Survey, OMS: Opening Minds Scale, CPQ: Consumer Participation Questionnaire; M: Mean, SD: Standard Deviation, SE: Standard error of mean.

Table 5. Summary of effect sizes and attitudinal changes where statistical significance was found.

	Australia		Ireland		Finland	
	Sig.	<i>D</i>	Sig.	<i>D</i>	Sig.	<i>d</i>
People with mental illness						
Negative stereotypes (MHNES)	-	.26	*	.56	*	.67
Social distancing (OMS)	*	.29	-	.30	*	.36
Mental health care						
Preparedness for mental health field (MHNES)	*	.71	*	.50	*	.67
Valuable contribution (MHNES)	-	.33	-	.06	-	.09
Consumer participation (CPQ)						
Consumer involvement	-	.13	*	.42	*	.31
Lack of capacity	-	.18	-	.24	*	.45
Sufficiency of services	-	.05	-	.06	-	.03
Consumer as staff	-	.14	-	.16	*	.63
Consumer academic	-	.10	-	.11	-	.31

Note: * indicates pre-post t-test statistical significance at .0027. '-' indicates cases of non-significance.

Minerva Access is the Institutional Repository of The University of Melbourne

Author/s:

Happell, B;Platania-Phung, C;Scholz, B;Bocking, J;Horgan, A;Manning, F;Doody, R;Hals, E;Granerud, A;Lahti, M;Pullo, J;Vatula, A;Koski, J;van der Vaart, KJ;Allon, J;Griffin, M;Russell, S;MacGabhann, L;Bjornsson, E;Biering, P

Title:

Changing attitudes: The impact of Expert by Experience involvement in Mental Health Nursing Education: An international survey study.

Date:

2019-04

Citation:

Happell, B., Platania-Phung, C., Scholz, B., Bocking, J., Horgan, A., Manning, F., Doody, R., Hals, E., Granerud, A., Lahti, M., Pullo, J., Vatula, A., Koski, J., van der Vaart, K. J., Allon, J., Griffin, M., Russell, S., MacGabhann, L., Bjornsson, E. & Biering, P. (2019). Changing attitudes: The impact of Expert by Experience involvement in Mental Health Nursing Education: An international survey study.. *Int J Ment Health Nurs*, 28 (2), pp.480-491. <https://doi.org/10.1111/inm.12551>.

Persistent Link:

<http://hdl.handle.net/11343/284763>