Anaphylaxis Presentations to the Emergency Department: Impending Victorian
Reporting Legislation.

2nd September 2018

Dr Celia Zubrinich
Professor Jo Douglass
Dr James Bartlett
Dr Mittal Patel
A/Prof Mark Hew

Correspondence: Dr Celia Zubrinich
Email : c.zubrinich@alfred.org.au

This is the author manuscript accepted for publication and has undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the [Version of Record](#). Please cite this article as doi: [10.1111/imj.14181](https://doi.org/10.1111/imj.14181)

Anaphylaxis Presentations to the Emergency Department: Impending Victorian Reporting Legislation

Dr Celia Zubrinich
Professor Jo Douglass
Dr James Bartlett
Dr Mittal Patel
A/Prof Mark Hew

2nd September 2018

Abstract:

Anaphylaxis presentations to Emergency Departments in Victoria will be subject to mandatory notification from November 2018. The aim of this legislation is to detect breaches of food allergen declaration in an effort to investigate and respond promptly. We present data regarding ED anaphylaxis presentations in our tertiary institution over time and consider this in the context of the impending changes.

In Victoria, anaphylaxis presentations to hospitals will be subject to mandatory reporting to the Department of Health and Human Services from 1st November 2018. This follows coronial recommendations arising from the death from food-related anaphylaxis of a child due to ingestion of an incorrectly labeled food product¹. This legislation seeks to detect breaches of food allergen declaration, trigger urgent investigation, and terminate ongoing risk to the public. It is unclear how often anaphylaxis is specifically attributable to undeclared food allergens, although it certainly occurs^{2,3}. Causes of anaphylaxis other than food will be reported under this legislation. Currently in Australia anaphylaxis fatalities are not subject to mandatory coronial notification.

In our adult tertiary institution in Melbourne, Australia, an audit of emergency department (ED) anaphylaxis presentations was undertaken at two time points eight years apart. Using hospital DRG coding, charts were reviewed for case ascertainment and key clinical variables. We acknowledge that variability in coding of these episodes may result in some omitted cases. Our data have implications for clinical practice in light of the approaching legislation.

Between 1 March 2006 and 28 February 2007, we identified 48 episodes of anaphylaxis occurring in 41 individuals; between 1 January and 30 June 2015, we identified 56 episodes in 50 individuals. Demographics across time-periods were similar; 63% and 70% of patients were female; age ranges were 15-77 years, and 8-68 years. At both time periods epinephrine was administered for the majority of episodes (73% and 79%), either self-administered prior to arrival or given in ED.

The suspected causes of anaphylaxis were similar, with food allergy in 42% and 43%, and drug allergy in 29% at both time points. Other aetiologies included insect venom, exercise, and idiopathic. Whether the food allergy was previously known, or if the food allergen was undeclared, was not systematically assessed in either group.

The majority of individuals were then referred for allergy specialist review (85% and 64%). Importantly, the final diagnosis in the 2007 cohort was altered in ten individuals following comprehensive allergy clinic review, highlighting that the initial diagnosis of the culprit allergen is often incorrect. Specifically, in five of these cases, the suspected food allergy diagnosis was completely revoked.

Food was the trigger for less than 50% of anaphylaxis episodes presenting to our adult ED. This contrasts with paediatric presentations, where the vast majority (82%) is attributable to food⁴. Furthermore, from Australian coronial data anaphylaxis fatalities were predominantly due to drug allergy rather than food⁵.

The impending mandatory reporting of anaphylaxis presents an opportunity to derive insights into anaphylaxis in our community beyond food-labelling safety. Ideally, the accuracy of initial diagnosis will need to be verified, and drug allergy data should be maximally utilized. Appropriate referral for specialist allergy review will ensure correct identification of culprit allergens in order to optimize management strategies and to minimize unwarranted food avoidances.

Systematic follow-up of this process must be undertaken and will determine the extent to which it achieves its stated aim of early identification and removal of inappropriately labeled foods.

References:

1. Victoria State Government, Department of Health and Human Services. (health.vic.gov.au) Anaphylaxis Notifications. <https://www2.health.vic.gov.au/public-health/anaphylaxis-notifications> (Accessed September 2018)
2. Zurzolo GA, Allen KJ, Peter RL, et al. Anaphylaxis to packaged foods in Australasia. *Journal of Paediatrics and Child Health* 2018; 54: 551-555.
3. Blom WM, Michelsen-Huisman AD, van Os-Medendorp H, et al. Accidental food allergy reactions: products and undeclared ingredients. *Journal of Allergy and Clinical Immunology* 2018; in press, doi: 10.1016/j.jaci.2018.04.041
4. Thomson H, Seith R, Craig S. Inaccurate diagnosis of paediatric anaphylaxis in three Australian Emergency Departments. *Journal of Paediatrics and Child Health* 2017; 53: 698-704.
5. Mullins RJ, Wainstein BK, Barnes EH, et al. Increases in anaphylaxis fatalities in Australia from 1997 to 2013. *Clinical and Experimental Allergy* 2016; 46: 1099-1110.

Minerva Access is the Institutional Repository of The University of Melbourne

Author/s:

Zubrinich, C;Douglass, J;Bartlett, J;Patel, M;Hew, M

Title:

Anaphylaxis presentations to the emergency department: impending Victorian reporting legislation

Date:

2019-01-01

Citation:

Zubrinich, C., Douglass, J., Bartlett, J., Patel, M. & Hew, M. (2019). Anaphylaxis presentations to the emergency department: impending Victorian reporting legislation. INTERNAL MEDICINE JOURNAL, 49 (1), pp.135-135. <https://doi.org/10.1111/imj.14181>.

Persistent Link:

<http://hdl.handle.net/11343/285220>