Article type : Letters to the editor (comment)

Article begins on page three of this document.

Title	The impact of rapid molecular diagnostic testing for respiratory viruses on outcomes for emergency department patients
--------------	--

Authors:

	Title	First name	Mid initials	Last name	Postnom (eg, PhD)	Position1	Address1	Position2	Address2	Tel	Email
1	Dr.	Anthea	Laura	Katellaris	MD, MSc		1		2		anthea.katellaris@anu.edu.au
2	Prof.	Ross	M	Andrews	PhD, MPH		2		3	(07) 3169 4229	ross.andrews@menzies.edu.au
3	Dr.	Jeremy		McAnulty		Executive Director	1				jeremy.mcanulty@health.nsw.gov.au
4											
5											

Number of corresponding author:	1
Number of alternative corresponding author:	

Addresses:

	Institution	City	State		
1	NSW Health	Sydney	NSW		
2	National Centre for Epidemiology and Population Health, Australian National University	Canberra	ACT		
3	Menzies School of Health Research, Charles Darwin University	Tiwi	NT		
4	NSW Health	Sydney	NSW		
5					

Postal address of first corresponding author (if different from the institutional address given above)	
--	--

This is the author manuscript accepted for publication and has undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the [Version of Record](#). Please cite this article as [doi: 10.1002/MJA2.50443](#)

Primary Keywords [Office use only]	Infectious diseases; General medicine; Statistics, epidemiology and research design
Secondary keywords [Office use only]	Influenza; Diagnostic tests and procedures
Notes:	

Article details (press ctrl – 9 to enter details):

Article type	Letter
Blurb	

Office use

<i>Ms. Number</i>	mja19.00606
<i>Medical editor</i>	Zoe Silverstone
<i>Medical editor email</i>	zsilverstone@mja.com.au
<i>Structural editor</i>	Graeme Prince
<i>Structural editor email</i>	gprince@mja.com.au
<i>Section/Category</i>	Letters to the editor (comment)
<i>Strapheading</i>	Letter
<i>Substrap</i>	

Elsevier – file data:

Filename for copyediting	kat_mja19.00606_ms
Accompanying graphics	
Stock images	
Appendices	

Office use – history:

Event	Date
Original submission received	29/06/2019

Event	Date
Accept	22/07/2019

Proof sent to author	
Proof returned by author	
Published (date format xx/xx/xx)	03/02/20
Issue	2
Vol	212
DOI	10.5694/mja19.00606
Journal	The Medical Journal of Australia
Original article DOI (for response)	

The impact of rapid molecular diagnostic testing for respiratory viruses on outcomes for emergency department patients

TO THE EDITOR: Uncontrolled before-and-after studies are highly prone to bias. Wabe and colleagues report on the impact of rapid influenza testing on outcomes for emergency department (ED) patients.¹ They compared outcomes across four hospitals between the 2016 influenza season, when standard testing was used, and 2017, when rapid testing was used. Rapid testing was associated with shorter test turnaround times, more patients receiving results, and lower admission rates.

Before-and-after studies use historical controls, in this case the prior influenza season, to evaluate the impact of interventions. This may be adequate for comparing simple indicators, such as test turnaround time, or for generating hypotheses. However, uncontrolled before-and-after studies are not useful for assessing more complex outcomes, such as admission rates, which are highly vulnerable to bias from other factors that may impact the observed results. For this reason, they are discouraged by some publishing groups.²

Frequent genetic drift in influenza virus strains causes variations in the burden and severity of illness each year, which influences ED presentations, testing and admission rates. The 2017 influenza season saw unprecedented numbers of influenza cases and ED presentations in NSW,³ which likely influenced admission practices. Teasing out the effect of rapid testing on admission rates is therefore not possible using an uncontrolled comparison between two disparate influenza seasons, in the manner of Wabe and colleagues. The steps taken to attempt to reduce seasonal effects cannot address this. It is also not possible to determine the net direction of biases in this study.

Given the higher cost of rapid tests, it is important to have good estimates of their impact to inform economic evaluations. There are stronger methodologies that still allow timely evaluation using routinely collected data. At minimum, a comparison could be made to hospitals that did not implement rapid testing. When data from more seasons are available, an interrupted time series analysis may be appropriate.⁴

Interventions that mitigate the burden of seasonal influenza on health services are critical. Rapid testing is likely one such intervention, and therefore warrants careful evaluation with robust methodologies to inform their use.

Author details

Anthea L Katelaris^{1,2}

Ross M Andrews^{2,3}

Jeremy McAnulty¹

1 NSW Health, Sydney, NSW.

2 National Centre for Epidemiology and Population Health, Australian National University, Canberra, ACT.

3 Menzies School of Health Research, Charles Darwin University, Tiwi, NT.

4 NSW Health, Sydney, NSW.

anthea.katellaris@anu.edu.au

Competing interests: No relevant disclosures.

doi: 10.5694/mja19.00606

References

- 1 Wabe N, Li L, Lindeman R, et al. The impact of rapid molecular diagnostic testing for respiratory viruses on outcomes for emergency department patients. *Med J Aust* 2019; 210: 316-320. <https://www.mja.com.au/journal/2019/210/7/impact-rapid-molecular-diagnostic-testing-respiratory-viruses-outcomes-emergency>
- 2 Goodacre S. Uncontrolled before-after studies: discouraged by Cochrane and the EMJ. *Emerg Med J* 2015; 32: 507-508.
- 3 NSW Health. Influenza monthly epidemiology report, NSW, December 2017 (including a summary for the year 2017). Sydney: NSW Government, 2018. <https://www.health.nsw.gov.au/Infectious/Influenza/Publications/2017/december-flu-report.pdf> (viewed Nov 2019).
- 4 Bernal JL, Cummins S, Gasparrini A. Interrupted time series regression for the evaluation of public health interventions: a tutorial. *Int J Epidemiol*. 2017; 46: 348-355.

Minerva Access is the Institutional Repository of The University of Melbourne

Author/s:

Katellaris, AL;Andrews, RM;McAnulty, J

Title:

The impact of rapid molecular diagnostic testing for respiratory viruses on outcomes for emergency department patients.

Date:

2020-02

Citation:

Katellaris, A. L., Andrews, R. M. & McAnulty, J. (2020). The impact of rapid molecular diagnostic testing for respiratory viruses on outcomes for emergency department patients.. Med J Aust, 212 (2), pp.94-94.e1. <https://doi.org/10.5694/mja2.50443>.

Persistent Link:

<http://hdl.handle.net/11343/286727>