

**Upper Bounds for Ultimate Ruin Probabilities
in the Sparre Andersen Model with Interest**

by

Jun Cai
University of Waterloo

and

David C M Dickson
The University of Melbourne

RESEARCH PAPER NUMBER 97

June 2002

Centre for Actuarial Studies
Department of Economics
The University of Melbourne
Victoria 3010
Australia

Upper bounds for ultimate ruin probabilities in the Sparre Andersen model with interest

Jun Cai^a and David C. M. Dickson^b

^aDepartment of Statistics and Actuarial Science

University of Waterloo

Waterloo, Ontario N2L 3G1

Canada

and

^bCentre for Actuarial Studies

Faculty of Economics and Commerce

University of Melbourne

Victoria 3010

Australia

Abstract

We consider the Sparre Andersen model modified by the inclusion of interest on the surplus. Exponential type upper bounds for the ultimate ruin probability are derived by martingale and recursive techniques. Applications of the results to the compound Poisson model are given. Numerical comparisons of upper bounds derived by each technique are presented.

Key words: Sparre Andersen model; compound Poisson model; force of interest; ruin probability; adjustment coefficient; Lundberg's inequality; martingale; optional stopping theorem.

1 Introduction

Consider the Sparre Andersen risk model. Let X_1, X_2, \dots , denote the inter-claim times, and let $T_n = \sum_{k=1}^n X_k$ denote the time of the n th claim, with $T_0 = 0$. Let Y_n be the amount of the n th claim.

We assume that $\{X_n, n \geq 1\}$ and $\{Y_n, n \geq 1\}$ are independent sequences of i.i.d. non-negative random variables. $\{X_n, n \geq 1\}$ have a common distribution $G(x) = \Pr\{X \leq x\}$ with $G(0) = 0$, and $\{Y_n, n \geq 1\}$ have a common distribution $F(x) = \Pr\{Y \leq x\}$ with $F(0) = 0$. Let $\bar{F}(x) = 1 - F(x)$.

The number of claims up to time t is denoted by $N(t) = \sup\{n : T_n \leq t\}$. Then the aggregate claim amount up to time t is

$$Z(t) = \sum_{n=1}^{N(t)} Y_n.$$

If the insurer's initial surplus is $u \geq 0$, then the Sparre Andersen model is given by

$$U(t) = u + ct - Z(t), \quad t \geq 0, \quad (1.1)$$

where $c > 0$ is the rate of premium income and $U(0) = u$. See, for example, Grandell (1991). We assume that the positive net profit condition holds in this model, namely $c E(X) > E(Y)$.

In this paper, we consider the Sparre Andersen model modified by the inclusion of interest. We assume that the insurer receives interest on its surplus at a constant continuously compounded force of interest $\delta > 0$.

Let the time of ruin for this modified surplus process be $\tau_\delta = \inf\{t : U_\delta(t) < 0\}$, where $U_\delta(t)$ is the surplus at time t with $U_\delta(0) = u$. We denote by $\psi_\delta(u)$ the ultimate ruin probability when the force of interest is δ . Then

$$\psi_\delta(u) = \Pr\{\tau_\delta < \infty\} = \Pr\{\cup_{t \geq 0} (U_\delta(t) < 0)\}. \quad (1.2)$$

Since ruin can occur only at the time of a claim, we have

$$\psi_\delta(u) = \Pr\{\cup_{n=1}^{\infty} (U_\delta(T_n) < 0)\} = \Pr\{\cup_{n=1}^{\infty} (V_\delta(T_n) < 0)\} \quad (1.3)$$

where $V_\delta(T_n) = U_\delta(T_n)e^{-\delta T_n}$ is the present value at time 0 of $U_\delta(T_n)$.

We first consider expressions for $U_\delta(T_n)$ and $V_\delta(T_n)$. Recalling the notation for the present and accumulated values of an annuity payable continuously, we denote

$$\bar{a}_{\overline{t}|}^{(\delta)} = \begin{cases} (1 - e^{-\delta t})/\delta, & \text{if } \delta > 0, \\ t, & \text{if } \delta = 0, \end{cases}$$

and $\bar{s}_{\bar{t}}^{(\delta)} = \bar{a}_{\bar{t}}^{(\delta)} e^{\delta t}$, or, equivalently,

$$\bar{s}_{\bar{t}}^{(\delta)} = \begin{cases} (e^{\delta t} - 1)/\delta, & \text{if } \delta > 0, \\ t, & \text{if } \delta = 0. \end{cases}$$

Since $\delta > 0$ is a constant, we have

$$\begin{aligned} U_\delta(T_1) &= ue^{\delta X_1} + c(e^{\delta X_1} - 1)/\delta - Y_1, \\ U_\delta(T_2) &= U_\delta(T_1)e^{\delta X_2} + c(e^{\delta X_2} - 1)/\delta - Y_2 \\ &= ue^{\delta(X_1+X_2)} + c(e^{\delta(X_1+X_2)} - 1)/\delta - Y_1e^{\delta X_2} - Y_2, \\ &\dots\dots \\ U_\delta(T_n) &= U_\delta(T_{n-1})e^{\delta X_n} + c(e^{\delta X_n} - 1)/\delta - Y_n \end{aligned} \quad (1.4)$$

$$= ue^{\delta T_n} + c(e^{\delta T_n} - 1)/\delta - \sum_{k=1}^n Y_k \exp\left\{\delta \sum_{i=k+1}^n X_i\right\}, \quad (1.5)$$

where we adopt the convention that $\sum_a^b = 0$ when $b < a$. Thus,

$$V_\delta(T_n) = U_\delta(T_n)e^{-\delta T_n} = u + c(1 - e^{-\delta T_n})/\delta - \sum_{k=1}^n Y_k \exp\left\{-\delta \sum_{i=1}^k X_i\right\} \quad (1.6)$$

$$= u + c\bar{a}_{T_n}^{(\delta)} - \sum_{k=1}^n Y_k e^{-\delta T_k} \quad (1.7)$$

with $V_\delta(T_0) = u$.

In fact, $\{U_\delta(T_n), n \geq 0\}$ is an embedded discrete surplus process of the Sparre Andersen model modified by the inclusion of interest. A similar expression to (1.4) for $U_\delta(T_n)$ for the compound Poisson model modified by the inclusion of interest has been given by Sundt and Teugels (1995) and by Vázquez-Abad (2000).

Further, we define

$$\psi_\delta(u; n) = \Pr\{\cup_{k=1}^n (U_\delta(T_k) < 0)\} = \Pr\{\cup_{k=1}^n (V_\delta(T_k) < 0)\}. \quad (1.8)$$

Then

$$\lim_{n \rightarrow \infty} \psi_\delta(u; n) = \psi_\delta(u). \quad (1.9)$$

In fact, $\psi_\delta(u; n)$ is the probability that ruin occurs no later than the n th claim.

Exact solutions for the ruin probability $\psi_\delta(u)$ are difficult to find. In this paper, we instead derive upper bounds for $\psi_\delta(u)$ by two different methods, which are martingale techniques and recursive techniques, when suitable adjustment coefficients exist in the modified

Sparre Andersen model. As applications of the results, upper bounds for the ruin probability in the compound Poisson model are given, which are more amenable to calculation than those given by Sundt and Teugels (1995, 1997). Numerical examples are given to illustrate the applications of these upper bounds.

2 Upper bounds by martingales

Unlike the process $\{U(T_n), n \geq 0\}$ in the Sparre Andersen model of (1.1), the processes $\{U_\delta(T_n), n \geq 0\}$ given by (1.5) and $\{V_\delta(T_n), n \geq 0\}$ given by (1.7) do not have stationary and independent increments. Further, for any $R > 0$, the process $\{\exp\{-RV_\delta(T_n)\}, n \geq 0\}$ is not a martingale. However, we can show that there exists a constant $R_1 > 0$ such that $\{\exp\{-R_1V_\delta(T_n)\}, n \geq 0\}$ is a super-martingale. Hence, using similar arguments to those in the martingale proof of Lundberg's inequality and the optional stopping theorem for super-martingales, we can derive an exponential upper bound for ψ_δ . First, we recall a modification of Proposition A.2.5 of Lambertson and Lapeyre (1996) concerning conditional expectations.

Lemma 2.1 *Let X and Y be two independent random vectors. For any non-negative (or bounded) Borel function f ,*

$$E[f(X, Y)|\sigma(X)] = g(X), \text{ a.s.}$$

where the function g , defined by

$$g(x) = E[f(x, Y)],$$

is a Borel function. In other words, under the assumptions, we can compute $E[f(X, Y)|\sigma(X)]$ as if X was a constant vector. \square

Throughout this section, and the next two, we assume that $E(e^{tY})$ exists for $0 < t < \xi$, and that $\lim_{t \rightarrow \xi} E(e^{tY}) = \infty$.

Lemma 2.2 *There exists a unique positive number, R_1 , such that*

$$E \left[\exp\left\{-R_1 \left(c \bar{a}_{X|}^{(\delta)} - Y e^{-\delta X}\right)\right\} \right] = 1. \tag{2.1}$$

Proof. This follows by considering the properties of the function

$$h(r) = E \left[\exp \left\{ -r \left(c \bar{a} \frac{(\delta)}{X} - Y e^{-\delta X} \right) \right\} \right].$$

Theorem 2.1 *Let R_1 be defined as in Lemma 2.2. Then, for any $u \geq 0$,*

$$\psi_\delta(u) \leq e^{-R_1 u}. \quad (2.2)$$

Proof. First, by (1.7), we have

$$\begin{aligned} V_\delta(T_{n+1}) &= V_\delta(T_n) + c \left(e^{-\delta T_n} - e^{-\delta T_{n+1}} \right) / \delta - Y_{n+1} e^{-\delta T_{n+1}} \\ &= V_\delta(T_n) + e^{-\delta T_n} \left[c \bar{a} \frac{(\delta)}{X_{n+1}} - Y_{n+1} e^{-\delta X_{n+1}} \right]. \end{aligned}$$

Let $\mathcal{F}_n = \sigma\{T_1, \dots, T_n\}$. Then, for any $n \geq 0$,

$$\begin{aligned} E \left[e^{-R_1 V_\delta(T_{n+1})} \mid \mathcal{F}_n \right] &= e^{-R_1 V_\delta(T_n)} E \left[e^{-R_1 e^{-\delta T_n} \left[c \bar{a} \frac{(\delta)}{X_{n+1}} - Y_{n+1} e^{-\delta X_{n+1}} \right]} \mid \mathcal{F}_n \right] \\ &= e^{-R_1 V_\delta(T_n)} E \left[\left(e^{-R_1 \left[c \bar{a} \frac{(\delta)}{X_{n+1}} - Y_{n+1} e^{-\delta X_{n+1}} \right]} \right)^{e^{-\delta T_n}} \mid \mathcal{F}_n \right] \\ &\leq e^{-R_1 V_\delta(T_n)} \left(E \left[e^{-R_1 \left[c \bar{a} \frac{(\delta)}{X_{n+1}} - Y_{n+1} e^{-\delta X_{n+1}} \right]} \mid \mathcal{F}_n \right] \right)^{e^{-\delta T_n}} \quad (2.3) \end{aligned}$$

$$= e^{-R_1 V_\delta(T_n)} \left(E \left[e^{-R_1 \left[c \bar{a} \frac{(\delta)}{X_{n+1}} - Y_{n+1} e^{-\delta X_{n+1}} \right]} \right] \right)^{e^{-\delta T_n}} \quad (2.4)$$

$$= e^{-R_1 V_\delta(T_n)}, \quad (2.5)$$

which implies that $\{e^{-R_1 V_\delta(T_n)}, n \geq 0\}$ is a super-martingale, where the inequality (2.3) follows from $0 < e^{-\delta T_n} \leq 1$, Lemma 2.1 and Jensen's inequality for conditional expectations; equality (2.4) holds since X_{n+1} and Y_{n+1} are independent of \mathcal{F}_n ; and the equality (2.5) follows from (2.1).

We know that $\tau_\delta \wedge n$ is a bounded stopping time since τ_δ is a stopping time. Thus, by the optional stopping theorem for super-martingales, we get

$$E \left[\exp \left\{ -R_1 V_\delta(T_{\tau_\delta \wedge n}) \right\} \right] \leq E \left[\exp \left\{ -R_1 V_\delta(T_0) \right\} \right] = \exp \left\{ -R_1 u \right\}. \quad (2.6)$$

However,

$$E \left[\exp \left\{ -R_1 V_\delta(T_{\tau_\delta \wedge n}) \right\} \right] \geq E \left[\exp \left\{ -R_1 V_\delta(T_{\tau_\delta \wedge n}) \right\} I(\tau_\delta \leq n) \right]$$

$$\begin{aligned}
&= E[\exp\{-R_1 V_\delta(T_{\tau_\delta})\} I(\tau_\delta \leq n)] \\
&\geq E[I(\tau_\delta \leq n)] \\
&= \psi_\delta(u; n).
\end{aligned} \tag{2.7}$$

Hence equations (2.6) and (2.7) yield

$$\psi_\delta(u; n) \leq e^{-R_1 u}, \tag{2.8}$$

which gives (2.2) by letting $n \rightarrow \infty$. \square

It can be checked that if $\delta \downarrow 0$ in (2.1), then R_1 reduces to the adjustment coefficient for the Sparre Andersen model, which we denote by R_0 . It is well known that R_0 satisfies

$$E[\exp\{-R_0(cX - Y)\}] = 1. \tag{2.9}$$

Thus, Theorem 2.1 is a generalisation of Lundberg's inequality for the Sparre Andersen model.

Moreover, we note that the distribution of $c\bar{a}_{\overline{X}|}^{(\delta)} - Y e^{-\delta X}$ in (2.1) is that of the discounted value of the gain between two consecutive claims. However, the distribution of $c\bar{s}_{\overline{X}|}^{(\delta)} - Y$ is that of the accumulated value of the gain between two consecutive claims. Hence, we expect a different upper bound for ψ_δ if we replace $c\bar{a}_{\overline{X}|}^{(\delta)} - Y e^{-\delta X}$ in (2.1) by $c\bar{s}_{\overline{X}|}^{(\delta)} - Y$. Such an upper bound, derived by a different method, is given in Section 3.

3 Upper bounds by recursive techniques

In this section, we derive a different upper bound to that of the previous section by recursive techniques. Numerical comparisons between this upper bound and that in Theorem 2.1 are given in Section 4.

Lemma 3.1 *There exists a unique positive number, R_2 , such that*

$$E[\exp\{-R_2(c\bar{s}_{\overline{X}|}^{(\delta)} - Y)\}] = 1. \tag{3.1}$$

Proof. This follows by considering the properties of the function

$$h(r) = E[\exp\{-r(c\bar{s}_{\overline{X}|}^{(\delta)} - Y)\}].$$

Theorem 3.1 Let R_2 be defined as in Lemma 3.1. Then, for any $u \geq 0$,

$$\psi_\delta(u) \leq \beta E[\exp\{R_2 Y\}] E\left[\exp\left\{-R_2\left(ue^{\delta X} + c\bar{s}_{X_1}^{(\delta)}\right)\right\}\right] \quad (3.2)$$

where

$$\beta^{-1} = \inf_{t \geq 0} \frac{\int_t^\infty e^{R_2 y} dF(y)}{e^{R_2 t} \bar{F}(t)}. \quad (3.3)$$

In particular, if F is NWUC (new worse than used in convex ordering), then for any $u \geq 0$,

$$\psi_\delta(u) \leq E\left[\exp\left\{-R_2\left(ue^{\delta X} + c\bar{s}_{X_1}^{(\delta)}\right)\right\}\right]. \quad (3.4)$$

Proof. First, we condition on X_1 and Y_1 to obtain the following recursive equation for $\psi_\delta(u; n)$:

$$\begin{aligned} \psi_\delta(u; n+1) &= E\left[\psi_\delta(ue^{\delta X_1} + c\bar{s}_{X_1}^{(\delta)} - Y_1; n)\right] \\ &= \int_0^\infty \int_0^\infty \psi_\delta(ue^{\delta x} + c\bar{s}_{x_1}^{(\delta)} - y; n) dF(y) dG(x) \\ &= \int_0^\infty \left[\bar{F}(ue^{\delta x} + c\bar{s}_{x_1}^{(\delta)}) + \int_0^{ue^{\delta x} + c\bar{s}_{x_1}^{(\delta)}} \psi_\delta(ue^{\delta x} + c\bar{s}_{x_1}^{(\delta)} - y; n) dF(y) \right] dG(x). \end{aligned} \quad (3.5)$$

Also, from the definition of β above we know that for any $x \geq 0$,

$$\bar{F}(x) \leq \beta e^{-R_2 x} \int_x^\infty e^{R_2 y} dF(y) \quad (3.6)$$

$$\leq \beta e^{-R_2 x} E\left(e^{R_2 Y}\right). \quad (3.7)$$

Thus, by equation (3.7), we have

$$\begin{aligned} \psi_\delta(u; 1) &= \Pr\{Y_1 > ue^{\delta X_1} + c\bar{s}_{X_1}^{(\delta)}\} \\ &= \int_0^\infty \bar{F}(ue^{\delta x} + c\bar{s}_{x_1}^{(\delta)}) dG(x) \\ &\leq \beta E\left(e^{R_2 Y}\right) \int_0^\infty \exp\left\{-R_2\left(ue^{\delta x} + c\bar{s}_{x_1}^{(\delta)}\right)\right\} dG(x) \\ &= \beta E\left(e^{R_2 Y}\right) E\left[\exp\left\{-R_2\left(ue^{\delta X} + c\bar{s}_{X_1}^{(\delta)}\right)\right\}\right]. \end{aligned} \quad (3.8)$$

Under an inductive hypothesis, for some integer $n > 1$ we assume that

$$\psi_\delta(u; n) \leq \beta E\left(e^{R_2 Y}\right) E\left[\exp\left\{-R_2\left(ue^{\delta X} + c\bar{s}_{X_1}^{(\delta)}\right)\right\}\right]. \quad (3.9)$$

Using equation (3.1) and the fact that $e^{\delta X} \geq 1$ we see that

$$\psi_\delta(u; n) \leq \beta E\left(e^{R_2 Y}\right) E\left(\exp\left\{-R_2\left(u + c \frac{\bar{s}^{(\delta)}}{X}\right)\right\}\right) = \beta e^{-R_2 u}. \quad (3.10)$$

Thus, by equations (3.5), (3.6) and (3.10), we have

$$\begin{aligned} \psi_\delta(u; n+1) &= \int_0^\infty \beta \exp\left\{-R_2\left(ue^{\delta x} + c \frac{\bar{s}^{(\delta)}}{X}\right)\right\} \int_{ue^{\delta x} + c \frac{\bar{s}^{(\delta)}}{X}}^\infty e^{R_2 y} dF(y) dG(x) \\ &\quad + \int_0^\infty \int_0^{ue^{\delta x} + c \frac{\bar{s}^{(\delta)}}{X}} \beta \exp\left\{-R_2\left(ue^{\delta x} + c \frac{\bar{s}^{(\delta)}}{X} - y\right)\right\} dF(y) dG(x) \\ &= \beta \int_0^\infty \exp\left\{-R_2\left(ue^{\delta x} + c \frac{\bar{s}^{(\delta)}}{X}\right)\right\} \int_0^\infty e^{R_2 y} dF(y) dG(x) \\ &= \beta E\left(e^{R_2 Y}\right) E\left(\exp\left\{-R_2\left(ue^{\delta X} + c \frac{\bar{s}^{(\delta)}}{X}\right)\right\}\right). \end{aligned}$$

Hence equation (3.9) holds for any $n \geq 1$. Thus, inequality (3.2) follows by letting $n \rightarrow \infty$ in (3.9). In addition, inequality (3.4) follows from inequality (3.2) and the well known fact that if F is NWUC, then $\beta = \left[E\left(e^{R_2 Y}\right)\right]^{-1}$. See, for example, Willmot and Lin (2000). \square

The upper bounds in Theorem 3.1 are different to that in Theorem 2.1. Also, since $\left[E\left(e^{R_2 Y}\right)\right]^{-1} \leq \beta \leq 1$ and $e^{\delta X} \geq 1$, we have the following simplified but weaker upper bound for ψ_δ .

Corollary 3.1 *Under the conditions of Theorem 3.1, for any $u \geq 0$, $\psi_\delta(u) \leq e^{-R_2 u}$.*

Proof. From (3.2), we have

$$\begin{aligned} \psi_\delta(u) &\leq \beta E\left(e^{R_2 Y}\right) E\left(\exp\left\{-R_2\left(u + c \frac{\bar{s}^{(\delta)}}{X}\right)\right\}\right) \\ &= \beta e^{-R_2 u} E\left(e^{R_2 Y}\right) E\left(\exp\left\{-R_2 c \frac{\bar{s}^{(\delta)}}{X}\right\}\right) \\ &= \beta e^{-R_2 u} \leq e^{-R_2 u}. \end{aligned}$$

\square

Furthermore, it can be seen that if $\delta \downarrow 0$ in equation (3.1), then R_2 is reduced to R_0 in equation (2.9). Thus, Theorem 3.1 is also a generalisation of Lundberg's inequality for the Sparre Andersen model without interest. In the next section we give applications of Theorem 3.1 to the ruin probability in the compound Poisson model modified by the inclusion of interest, a model which has been studied by many authors: see, for example, Dickson and Waters (1999), Sundt and Teugels (1995, 1997), Vázquez-Abad (2000), and references therein. In addition, numerical examples in Section 4 show that the upper bounds in Theorem 3.1 appear to be better than that in Theorem 2.1.

4 Applications to the compound Poisson model

An important special case of the Sparre Andersen model is the compound Poisson model, in which $G(x) = 1 - e^{-\lambda x}$, $x \geq 0$, $\lambda > 0$. In this case, the positive net profit condition is $c > \lambda E(Y)$.

We denote by $\psi_\delta^*(u)$ the ruin probability in the compound Poisson model modified by the inclusion of interest, and we denote the moment generating function of Y as $M_Y(t) = E(e^{tY})$. Then equation (2.1) is equivalent to

$$E \left[\exp \left\{ -R_1 c a \frac{(\delta)}{X} \right\} M_Y(R_1 e^{-\delta X}) \right] = 1. \quad (4.1)$$

First, we apply Lemma 2.1 and Theorem 2.1 to the compound Poisson risk model modified by interest.

Lemma 4.1 *There exists a unique positive number, κ_1 , such that*

$$\int_0^{c/\delta} e^{-\kappa_1 y} (1 - \delta y/c)^{\lambda/\delta - 1} M_Y[\kappa_1(1 - \delta y/c)] dy = c/\lambda. \quad (4.2)$$

Theorem 4.1 *Let κ_1 be as in Lemma 4.1. Then for any $u \geq 0$,*

$$\psi_\delta^*(u) \leq e^{-\kappa_1 u}. \quad (4.3)$$

Proof. In the compound Poisson model, X is an exponential random variable with mean $1/\lambda$. Thus,

$$\begin{aligned} & E \left[\exp \left\{ -\kappa_1 c a \frac{(\delta)}{X} \right\} M_Y(\kappa_1 e^{-\delta X}) \right] \\ &= \int_0^\infty \exp \left\{ -\kappa_1 c (1 - e^{-\delta x})/\delta \right\} M_Y(\kappa_1 e^{-\delta x}) \lambda e^{-\lambda x} dx \\ &= \frac{\lambda}{c} \int_0^{c/\delta} e^{-\kappa_1 y} (1 - \delta y/c)^{\lambda/\delta - 1} M_Y[\kappa_1(1 - \delta y/c)] dy, \end{aligned} \quad (4.4)$$

where (4.4) follows from the substitution $y = c(1 - e^{-\delta x})/\delta$. Hence, equation (4.2) implies that equation (4.1) holds, and so equation (2.2) yields equation (4.3). \square

Next, we apply Lemma 3.1 and Theorem 3.1 to the compound Poisson risk model modified by interest.

Lemma 4.2 *There exists a unique positive number, κ_2 , such that*

$$[E(\exp \{\kappa_2 Y\})]^{-1} = \frac{\lambda}{c} \int_0^\infty \frac{e^{-\kappa_2 y}}{(1 + \delta y/c)^{\lambda/\delta + 1}} dy. \quad (4.5)$$

Theorem 4.2 Let κ_2 be as in Lemma 4.2. Then for any $u \geq 0$,

$$\psi_\delta^*(u) \leq \beta^* E(e^{\kappa_2 Y}) \frac{\lambda}{c} e^{-\kappa_2 u} \int_0^\infty \frac{e^{-\kappa_2 y(1+\delta u/c)}}{(1+\delta y/c)^{\lambda/\delta+1}} dy, \quad (4.6)$$

where

$$(\beta^*)^{-1} = \inf_{t \geq 0} \frac{\int_t^\infty e^{\kappa_2 y} dF(y)}{e^{\kappa_2 t} \bar{F}(t)}. \quad (4.7)$$

In particular, if F is NWUC, then for any $u \geq 0$,

$$\psi_\delta^*(u) \leq \frac{\lambda}{c} e^{-\kappa_2 u} \int_0^\infty \frac{e^{-\kappa_2 y(1+\delta u/c)}}{(1+\delta y/c)^{\lambda/\delta+1}} dy. \quad (4.8)$$

Proof. In this case, we have

$$\begin{aligned} E\left(\exp\left\{-\kappa_2 c \frac{\bar{s}^{(\delta)}}{\bar{X}^1}\right\}\right) &= \int_0^\infty \exp\left\{-\kappa_2 c(e^{\delta x} - 1)/\delta\right\} \lambda e^{-\lambda x} dx \\ &= \frac{\lambda}{c} \int_0^\infty \frac{e^{-\kappa_2 y}}{(1+\delta y/c)^{\lambda/\delta+1}} dy \end{aligned} \quad (4.9)$$

where equation (4.9) follows from the substitution

$$y = c(e^{\delta x} - 1)/\delta. \quad (4.10)$$

Hence, for this model equation (3.1) can be expressed as (4.5). Moreover,

$$\begin{aligned} E\left[\exp\left\{-\kappa_2(u e^{\delta X} + c \frac{\bar{s}^{(\delta)}}{\bar{X}^1})\right\}\right] &= \int_0^\infty \exp\left\{-\kappa_2(u e^{\delta x} + c(e^{\delta x} - 1)/\delta)\right\} \lambda e^{-\lambda x} dx \\ &= \frac{\lambda}{c} e^{-\kappa_2 u} \int_0^\infty \frac{e^{-\kappa_2 y(1+\delta u/c)}}{(1+\delta y/c)^{\lambda/\delta+1}} dy \end{aligned} \quad (4.11)$$

where equation (4.11) follows from the substitution given by equation (4.10).

Thus, equations (3.2) and (4.11) yield equation (4.6), and equations (3.4) and (4.11) lead to equation (4.8). \square

Remark 4.1 If the individual claim amount distribution belongs to the class of NWUC distributions, which includes the class of DFR (decreasing failure rate) distributions, then equation (4.8) applies. Otherwise, we can replace β^* by 1 in equation (4.6) for other cases since $[E(e^{\kappa_2 Y})]^{-1} \leq \beta^* \leq 1$.

Sundt and Teugels (1995, 1997) give a Lundberg type upper bound for $\psi_\delta^*(u)$ in terms of an adjustment coefficient function $\xi_\delta(u)$; see equation (7) of Sundt and Teugels (1997). However, $\xi_\delta(u)$ itself is the solution of a differential equation for the Laplace transform of an auxiliary function of $\psi_\delta^*(u)$. Hence $\xi_\delta(u)$ is not calculable since $\psi_\delta^*(u)$ is not available.

Since

$$\int_0^{\infty} \frac{e^{-\kappa_2 y(1+u\delta/c)}}{(1+\delta y/c)^{\lambda/\delta+1}} dy \leq \int_0^{\infty} e^{-\kappa_2 y(1+\delta u/c)} dy = 1/\kappa_2(1+\delta u/c),$$

by Theorem 4.2 we have the following simplified upper bounds for $\psi_{\delta}^*(u)$, which imply that the upper bounds in Theorem 4.2 go to zero much more quickly than the exponential upper bound $e^{-\kappa_2 u}$ does.

Corollary 4.1 *Under the conditions of Theorem 4.2, for any $u \geq 0$,*

$$\psi_{\delta}^*(u) \leq \beta^* E(e^{\kappa_2 Y}) \frac{\lambda}{c\kappa_2} \frac{e^{-\kappa_2 u}}{1+\delta u/c}. \quad (4.12)$$

In particular, if F is NWUC, then for any $u \geq 0$,

$$\psi_{\delta}^*(u) \leq \frac{\lambda}{c\kappa_2} \frac{e^{-\kappa_2 u}}{1+\delta u/c}. \quad (4.13)$$

□

We note, however, that for small values of u , the bounds in Corollary 4.1 can easily exceed 1.

We now give some numerical examples to illustrate the application of the bounds in Theorems 4.1 and 4.2.

Example 4.1 Let Y have an exponential distribution with

$$F(y) = 1 - e^{-y/\mu}, \quad y \geq 0, \quad \mu > 0.$$

In this case, an explicit formula for $\psi_{\delta}^*(u)$ is available, namely

$$\psi_{\delta}^*(u) = \frac{\Gamma\left(\frac{\lambda}{\delta}, \frac{c}{\delta\mu} + \frac{u}{\mu}\right)}{\Gamma\left(\frac{\lambda}{\delta}, \frac{c}{\delta\mu}\right) + \frac{\delta}{\lambda} \left(\frac{c}{\lambda\mu}\right)^{\lambda/\delta} e^{-c/\delta\mu}} \quad (4.14)$$

where $\Gamma(\alpha, z) = \int_z^{\infty} y^{\alpha-1} e^{-y} dy$, $\alpha > 0$, $z \geq 0$ is the incomplete gamma function. See, for example, Gerber (1979).

We set $c = 110$, $\lambda = 100$ and $\mu = 1$ so that $E(Y) = Var(Y) = 1$. We consider three different values of δ : 0.01, 0.05 and 0.1. We first calculate the adjustment coefficients κ_1 and κ_2 , shown in Table 1, then compare upper bounds with exact values in Tables 2-4, where

‘Exact’ means exact value calculated from (4.14), ‘Recursion’ means the upper bound (4.8) derived by the recursive method, ‘Martingale’ means the upper bound (4.3) derived by the martingale method, and ‘Lundberg’ means Lundberg’s upper bound $e^{-\kappa_0 u}$, where κ_0 is the adjustment coefficient in the compound Poisson risk model (without interest), which satisfies

$$E[\exp\{-\kappa_0(cX - Y)\}] = 1.$$

It is easily verified that $\kappa_0 = 1/11$. It can be seen from Tables 2-4 that the upper bounds derived by the recursive method are tighter than both those derived by the martingale method and by Lundberg’s upper bound, and are fairly close to the exact values for the two smaller values of δ . In each case, a simple upper bound is $\psi_0^*(u) = (1 - \kappa_0)e^{-\kappa_0 u}$, i.e. the ultimate ruin probability when $\delta = 0$. This gives much tighter bounds than those derived by the martingale method, but these bounds are not as tight as those derived by the recursive method, and the difference between these two bounds increases as δ increases. \square

Example 4.2 Let Y have the gamma density

$$f(y) = \frac{\gamma^\alpha y^{\alpha-1}}{\Gamma(\alpha)} e^{-\gamma y}, \quad y \geq 0, \quad (4.15)$$

where $\gamma > 0$ and $0 < \alpha < 1$, so that the distribution has a DFR. In this case,

$$M_Y(t) = \left(\frac{\gamma}{\gamma - t}\right)^\alpha, \quad t < \gamma. \quad (4.16)$$

We set $\delta = 0.1$, $\alpha = \gamma = 0.75$, $c = 110$, and $\lambda = 100$. We note that $E(Y) = \alpha/\gamma = 1$ as is the case in Example 4.1, but $Var(Y) = \alpha/\gamma^2 = 4/3$ is greater than that in Example 4.1. Thus, we expect that the ruin probabilities, and hence the upper bounds, in this example will be greater than those in Example 4.1. An explicit formula for $\psi_\delta^*(u)$ is not available in this case. However, we find that $\kappa_0 = 0.07757$, $\kappa_1 = 0.07764$, and $\kappa_2 = 0.07828$, and Table 5 shows that the upper bounds in this case are greater than those in Table 4. \square

Example 4.3 Let Y have the gamma density of (4.15), but with $\alpha > 1$, so that the distribution has an increasing failure rate. We set $\delta = 0.1$, $\alpha = \gamma = 1.25$, $c = 110$, and $\lambda = 100$. Then $E(Y) = \alpha/\gamma = 1$ as is the case in Examples 4.1 and 4.2, but $Var(Y) = \alpha/\gamma^2 = 0.8$ is smaller than in Examples 4.1 and 4.2. Thus, we expect that the ruin probabilities, and hence the upper bounds, in this example will be less than in Examples 4.1 and 4.2. In this

example, equations (4.3) and (4.6) apply to $\psi_\delta^*(u)$ with $\beta^* = 1$ in equation (4.6). We find that $\kappa_0 = 0.10137$, $\kappa_1 = 0.10146$, and $\kappa_2 = 0.10228$, and the values in Table 6 confirm the above comments. \square

We again observe in Examples 4.2 and 4.3 that the upper bounds obtained by the martingale method are not a great improvement on the Lundberg bound. Indeed, in each case the values of κ_0 and κ_1 are very similar. In each of Examples 4.2 and 4.3, we also calculated a tight numerical upper bound for $\psi_0^*(u)$. This is shown under “Numerical” in Tables 5 and 6. These values were calculated using the algorithm described as “Method 1” in Dickson *et al* (1995, Section 3.1), with a scaling factor of 100, a value which gives tight numerical bounds. We observe that in Table 5, the numerical bound is tighter for lower values of u , whereas in Table 6, the recursive method gives the tightest bounds. In general, the tightest upper bound will not always be given by the recursive method. We note that in each of Examples 4.1-4.3 the value of κ_2 is greater than the value of κ_0 . It can be shown that this is always the case, and in the more general Sparre Andersen model R_2 is always greater than R_0 .

In conclusion, the results in this paper give analytical upper bounds for the ruin probability in the Sparre Andersen model with interest, and yield applications to the compound Poisson model. All of our numerical investigations showed that upper bounds derived by the recursive method are tighter than those derived by the martingale method.

References

- [1] Dickson, D.C.M. and Waters, H.R. (1999) Ruin probabilities with compounding assets. *Insurance: Math. Econom.* **25**, 49–62.
- [2] Dickson, D.C.M., Egídio dos Reis, A.D., and Waters, H.R. (1995) Some stable algorithms in ruin theory and their applications. *ASTIN Bulletin* **25**, 153-176.
- [3] Gerber, H.U. (1979) *An Introduction to Mathematical Risk Theory*. S.S. Heubner Foundation Monograph Series 8, Philadelphia.
- [4] Grandell, J. (1991) *Aspects of Risk Theory*. Springer-Verlag, New York.
- [5] Lambertson, D. and Lapeyre, B. (1996) *Introduction to Stochastic Calculus Applied to Finance*. Chapman & Hall.

- [6] Panjer, H.H. and Willmot, G.E. (1992) *Insurance Risk Models*. The Society of Actuaries, Schaumburg, IL.
- [7] Sundt, B. and Teugels, J.L. (1995) Ruin estimates under interest force. *Insurance: Math. Econom.* **16**, 7-22.
- [8] Sundt, B. and Teugels, J.L. (1997) The adjustment function in ruin estimates under interest force. *Insurance: Math. Econom.* **19**, 85-94.
- [9] Vázquez-Abad, F. (2000) RPA pathwise derivative estimation of ruin probabilities. *Insurance: Math. Econom.* **26**, 269-288.
- [10] Willmot, G.E. and Lin, X.S. (2000) *Lundberg Approximations for Compound Distributions with Insurance Applications*. Springer-Verlag, New York.

Table 1: Adjustment coefficients in Example 4.1

δ	κ_1	κ_2
0.01	0.09092	0.09100
0.05	0.09096	0.09133
0.10	0.09100	0.09174

Table 2: Upper bounds in Example 4.1 when $\delta = 0.01$

u	Exact	Recursion	Martingale	Lundberg
0	0.9082	0.9090	1.0000	1.0000
10	0.3609	0.3659	0.4028	0.4029
20	0.1422	0.1473	0.1623	0.1623
30	0.0556	0.0593	0.0654	0.0654
40	0.0216	0.0239	0.0263	0.0263
50	0.0083	0.0096	0.0106	0.0106

Table 3: Upper bounds in Example 4.1 when $\delta = 0.05$

u	Exact	Recursion	Martingale	Lundberg
0	0.9049	0.9087	1.0000	1.0000
10	0.3415	0.3644	0.4027	0.4029
20	0.1239	0.1461	0.1622	0.1623
30	0.0433	0.0586	0.0653	0.0654
40	0.0145	0.0235	0.0263	0.0263
50	0.0047	0.0094	0.0106	0.0106

Table 4: Upper bounds in Example 4.1 when $\delta = 0.1$

u	Exact	Recursion	Martingale	Lundberg
0	0.9014	0.9083	1.0000	1.0000
10	0.3209	0.3626	0.4025	0.4029
20	0.1060	0.1448	0.1620	0.1623
30	0.0325	0.0578	0.0652	0.0654
40	0.0092	0.0231	0.0263	0.0263
50	0.0024	0.0092	0.0106	0.0106

Table 5: Upper bounds in Example 4.2 when $\delta = 0.1$

u	Recursion	Martingale	Lundberg	Numerical
0	0.9207	1.0000	1.0000	0.9091
10	0.4205	0.4601	0.4604	0.4178
20	0.1921	0.2117	0.2120	0.1929
30	0.0878	0.0974	0.0976	0.0891
40	0.0401	0.0448	0.0449	0.0411
50	0.0183	0.0206	0.0207	0.0190

Table 6: Upper bounds in Example 4.3 when $\delta = 0.1$

u	Recursion	Martingale	Lundberg	Numerical
0	0.8988	1.0000	1.0000	0.9091
10	0.3229	0.3626	0.3629	0.3328
20	0.1160	0.1314	0.1317	0.1214
30	0.0417	0.0477	0.0478	0.0443
40	0.0150	0.0173	0.0173	0.0162
50	0.0054	0.0063	0.0063	0.0059

RESEARCH PAPER SERIES

No.	Date	Subject	Author
1	MAR 1993	AUSTRALIAN SUPERANNUATION: THE FACTS, THE FICTION, THE FUTURE	David M Knox
2	APR 1993	AN EXPONENTIAL BOUND FOR RUIN PROBABILITIES	David C M Dickson
3	APR 1993	SOME COMMENTS ON THE COMPOUND BINOMIAL MODEL	David C M Dickson
4	AUG 1993	RUIN PROBLEMS AND DUAL EVENTS	David C M Dickson Alfredo D Egidio dos Reis
5	SEP 1993	CONTEMPORARY ISSUES IN AUSTRALIAN SUPERANNUATION – A CONFERENCE SUMMARY	David M Knox John Piggott
6	SEP 1993	AN ANALYSIS OF THE EQUITY INVESTMENTS OF AUSTRALIAN SUPERANNUATION FUNDS	David M Knox
7	OCT 1993	A CRITIQUE OF DEFINED CONTRIBUTION USING A SIMULATION APPROACH	David M Knox
8	JAN 1994	REINSURANCE AND RUIN	David C M Dickson Howard R Waters
9	MAR 1994	LIFETIME INSURANCE, TAXATION, EXPENDITURE AND SUPERANNUATION (LITES): A LIFE-CYCLE SIMULATION MODEL	Margaret E Atkinson John Creedy David M Knox
10	FEB 1994	SUPERANNUATION FUNDS AND THE PROVISION OF DEVELOPMENT/VENTURE CAPITAL: THE PERFECT MATCH? YES OR NO	David M Knox
11	JUNE 1994	RUIN PROBLEMS: SIMULATION OR CALCULATION?	David C M Dickson Howard R Waters
12	JUNE 1994	THE RELATIONSHIP BETWEEN THE AGE PENSION AND SUPERANNUATION BENEFITS, PARTICULARLY FOR WOMEN	David M Knox
13	JUNE 1994	THE COST AND EQUITY IMPLICATIONS OF THE INSTITUTE OF ACTUARIES OF AUSTRALIA PROPOSED RETIREMENT INCOMES SRATEGY	Margaret E Atkinson John Creedy David M Knox Chris Haberecht
14	SEPT 1994	PROBLEMS AND PROSPECTS FOR THE LIFE INSURANCE AND PENSIONS SECTOR IN INDONESIA	Catherine Prime David M Knox

No.	Date	Subject	Author
15	OCT 1994	PRESENT PROBLEMS AND PROSPECTIVE PRESSURES IN AUSTRALIA'S SUPERANNUATION SYSTEM	David M Knox
16	DEC 1994	PLANNING RETIREMENT INCOME IN AUSTRALIA: ROUTES THROUGH THE MAZE	Margaret E Atkinson John Creedy David M Knox
17	JAN 1995	ON THE DISTRIBUTION OF THE DURATION OF NEGATIVE SURPLUS	David C M Dickson Alfredo D Egidio dos Reis
18	FEB 1995	OUTSTANDING CLAIM LIABILITIES: ARE THEY PREDICTABLE?	Ben Zehnwirth
19	MAY 1995	SOME STABLE ALGORITHMS IN RUIN THEORY AND THEIR APPLICATIONS	David C M Dickson Alfredo D Egidio dos Reis Howard R Waters
20	JUNE 1995	SOME FINANCIAL CONSEQUENCES OF THE SIZE OF AUSTRALIA'S SUPERANNUATION INDUSTRY IN THE NEXT THREE DECADES	David M Knox
21	JUNE 1995	MODELLING OPTIMAL RETIREMENT IN DECISIONS IN AUSTRALIA	Margaret E Atkinson John Creedy
22	JUNE 1995	AN EQUITY ANALYSIS OF SOME RADICAL SUGGESTIONS FOR AUSTRALIA'S RETIREMENT INCOME SYSTEM	Margaret E Atkinson John Creedy David M Knox
23	SEP 1995	EARLY RETIREMENT AND THE OPTIMAL RETIREMENT AGE	Angela Ryan
24	OCT 1995	APPROXIMATE CALCULATIONS OF MOMENTS OF RUIN RELATED DISTRIBUTIONS	David C M Dickson
25	DEC 1995	CONTEMPORARY ISSUES IN THE ONGOING REFORM OF THE AUSTRALIAN RETIREMENT INCOME SYSTEM	David M Knox
26	FEB 1996	THE CHOICE OF EARLY RETIREMENT AGE AND THE AUSTRALIAN SUPERANNUATION SYSTEM	Margaret E Atkinson John Creedy
27	FEB 1996	PREDICTIVE AGGREGATE CLAIMS DISTRIBUTIONS	David C M Dickson Ben Zehnwirth
28	FEB 1996	THE AUSTRALIAN GOVERNMENT SUPERANNUATION CO-CONTRIBUTIONS: ANALYSIS AND COMPARISON	Margaret E Atkinson
29	MAR 1996	A SURVEY OF VALUATION ASSUMPTIONS AND FUNDING METHODS USED BY AUSTRALIAN ACTUARIES IN DEFINED BENEFIT SUPERANNUATION FUND VALUATIONS	Des Welch Shauna Ferris

No.	Date	Subject	Author
30	MAR 1996	THE EFFECT OF INTEREST ON NEGATIVE SURPLUS	David C M Dickson Alfredo D Egídio dos Reis
31	MAR 1996	RESERVING CONSECUTIVE LAYERS OF INWARDS EXCESS-OFF-LOSS REINSURANCE	Greg Taylor
32	AUG 1996	EFFECTIVE AND ETHICAL INSTITUTIONAL INVESTMENT	Anthony Asher
33	AUG 1996	STOCHASTIC INVESTMENT MODELS: UNIT ROOTS, COINTEGRATION, STATE SPACE AND GARCH MODELS FOR AUSTRALIA	Michael Sherris Leanna Tedesco Ben Zehnwrith
34	AUG 1996	THREE POWERFUL DIAGNOSTIC MODELS FOR LOSS RESERVING	Ben Zehnwrith
35	SEPT 1996	KALMAN FILTERS WITH APPLICATIONS TO LOSS RESERVING	Ben Zehnwrith
36	OCT 1996	RELATIVE REINSURANCE RETENTION LEVELS	David C M Dickson Howard R Waters
37	OCT 1996	SMOOTHNESS CRITERIA FOR MULTI-DIMENSIONAL WHITTAKER GRADUATION	Greg Taylor
38	OCT 1996	GEOGRAPHIC PREMIUM RATING BY WHITTAKER SPATIAL SMOOTHING	Greg Taylor
39	OCT 1996	RISK, CAPITAL AND PROFIT IN INSURANCE	Greg Taylor
40	OCT 1996	SETTING A BONUS-MALUS SCALE IN THE PRESENCE OF OTHER RATING FACTORS	Greg Taylor
41	NOV 1996	CALCULATIONS AND DIAGNOSTICS FOR LINK RATION TECHNIQUES	Ben Zehnwrith Glen Barnett
42	DEC 1996	VIDEO-CONFERENCING IN ACTUARIAL STUDIES -- A THREE YEAR CASE STUDY	David M Knox
43	DEC 1996	ALTERNATIVE RETIREMENT INCOME ARRANGEMENTS AND LIFETIME INCOME INEQUALITY: LESSONS FROM AUSTRALIA	Margaret E Atkinson John Creedy David M Knox
44	JAN 1997	AN ANALYSIS OF PENSIONER MORTALITY BY PRE-RETIREMENT INCOME	David M Knox Andrew Tomlin
45	JUL 1997	TECHNICAL ASPECTS OF DOMESTIC LINES PRICING	Greg Taylor
46	AUG 1997	RUIN PROBABILITIES WITH COMPOUNDING ASSETS	David C M Dickson Howard R Waters
47	NOV 1997	ON NUMERICAL EVALUATION OF FINITE TIME RUIN PROBABILITIES	David C M Dickson

No.	Date	Subject	Author
48	NOV 1997	ON THE MOMENTS OF RUIN AND RECOVERY TIMES	Alfredo G Egídio dos Reis
49	JAN 1998	A DECOMPOSITION OF ACTUARIAL SURPLUS AND APPLICATIONS	Daniel Dufresne
50	JAN 1998	PARTICIPATION PROFILES OF AUSTRALIAN WOMEN	M. E. Atkinson Roslyn Cornish
51	MAR 1998	PRICING THE STOCHASTIC VOLATILITY PUT OPTION OF BANKS' CREDIT LINE COMMITMENTS	J.P. Chateau Daniel Dufresne
52	MAR 1998	ON ROBUST ESTIMATION IN BÜHLMANN STRAUB'S CREDIBILITY MODEL	José Garrido Georgios Pitselis
53	MAR 1998	AN ANALYSIS OF THE EQUITY IMPLICATIONS OF RECENT TAXATION CHANGES TO AUSTRALIAN SUPERANNUATION	David M Knox M. E. Atkinson Susan Donath
54	APR 1998	TAX REFORM AND SUPERANNUATION – AN OPPORTUNITY TO BE GRASPED.	David M Knox
55	APR 1998	SUPER BENEFITS? ESTIMATES OF THE RETIREMENT INCOMES THAT AUSTRALIAN WOMEN WILL RECEIVE FROM SUPERANNUATION	Susan Donath
56	APR 1998	A UNIFIED APPROACH TO THE STUDY OF TAIL PROBABILITIES OF COMPOUND DISTRIBUTIONS	Jun Cai José Garrido
57	MAY 1998	THE DE PRIL TRANSFORM OF A COMPOUND R_k DISTRIBUTION	Bjørn Sundt Okechukwu Ekuma
58	MAY 1998	ON MULTIVARIATE PANJER RECURSIONS	Bjørn Sundt
59	MAY 1998	THE MULTIVARIATE DE PRIL TRANSFORM	Bjørn Sundt
60	JUNE 1998	ON ERROR BOUNDS FOR MULTIVARIATE DISTRIBUTIONS	Bjørn Sundt
61	JUNE 1998	THE EQUITY IMPLICATIONS OF CHANGING THE TAX BASIS FOR PENSION FUNDS	M E Atkinson John Creedy David Knox
62	JUNE 1998	ACCELERATED SIMULATION FOR PRICING ASIAN OPTIONS	Felisa J Vázquez-Abad Daniel Dufresne
63	JUNE 1998	AN AFFINE PROPERTY OF THE RECIPROCAL ASIAN OPTION PROCESS	Daniel Dufresne
64	AUG 1998	RUIN PROBLEMS FOR PHASE-TYPE(2) RISK PROCESSES	David C M Dickson Christian Hipp
65	AUG 1998	COMPARISON OF METHODS FOR EVALUATION OF THE n -FOLD CONVOLUTION OF AN ARITHMETIC DISTRIBUTION	Bjørn Sundt David C M Dickson

No.	Date	Subject	Author
66	NOV 1998	COMPARISON OF METHODS FOR EVALUATION OF THE CONVOLUTION OF TWO COMPOUND R_1 DISTRIBUTIONS	David C M Dickson Bjørn Sundt
67	NOV 1998	PENSION FUNDING WITH MOVING AVERAGE RATES OF RETURN	Diane Bédard Daniel Dufresne
68	DEC 1998	MULTI-PERIOD AGGREGATE LOSS DISTRIBUTIONS FOR A LIFE PORTFOLIO	David C M Dickson Howard R Waters
69	FEB 1999	LAGUERRE SERIES FOR ASIAN AND OTHER OPTIONS	Daniel Dufresne
70	MAR 1999	THE DEVELOPMENT OF SOME CHARACTERISTICS FOR EQUITABLE NATIONAL RETIREMENT INCOME SYSTEMS	David Knox Roslyn Cornish
71	APR 1999	A PROPOSAL FOR INTEGRATING AUSTRALIA'S RETIREMENT INCOME POLICY	David Knox
72	NOV 1999	THE STATISTICAL DISTRIBUTION OF INCURRED LOSSES AND ITS EVOLUTION OVER TIME I: NON-PARAMETRIC MODELS	Greg Taylor
73	NOV 1999	THE STATISTICAL DISTRIBUTION OF INCURRED LOSSES AND ITS EVOLUTION OVER TIME II: PARAMETRIC MODELS	Greg Taylor
74	DEC 1999	ON THE VANDERMONDE MATRIX AND ITS ROLE IN MATHEMATICAL FINANCE	Ragnar Norberg
75	DEC 1999	A MARKOV CHAIN FINANCIAL MARKET	Ragnar Norberg
76	MAR 2000	STOCHASTIC PROCESSES: LEARNING THE LANGUAGE	A J G Cairns D C M Dickson A S Macdonald H R Waters M Willder
77	MAR 2000	ON THE TIME TO RUIN FOR ERLANG(2) RISK PROCESSES	David C M Dickson
78	JULY 2000	RISK AND DISCOUNTED LOSS RESERVES	Greg Taylor
79	JULY 2000	STOCHASTIC CONTROL OF FUNDING SYSTEMS	Greg Taylor
80	NOV 2000	MEASURING THE EFFECTS OF REINSURANCE BY THE ADJUSTMENT COEFFICIENT IN THE SPARRE ANDERSON MODEL	Maria de Lourdes Centeno
81	NOV 2000	THE STATISTICAL DISTRIBUTION OF INCURRED LOSSES AND ITS EVOLUTION OVER TIME III: DYNAMIC MODELS	Greg Taylor

No.	Date	Subject	Author
82	DEC 2000	OPTIMAL INVESTMENT FOR INVESTORS WITH STATE DEPENDENT INCOME, AND FOR INSURERS	Christian Hipp
83	DEC 2000	HEDGING IN INCOMPLETE MARKETS AND OPTIMAL CONTROL	Christian Hipp Michael Taksar
84	FEB 2001	DISCRETE TIME RISK MODELS UNDER STOCHASTIC FORCES OF INTEREST	Jun Cai
85	FEB 2001	MODERN LANDMARKS IN ACTUARIAL SCIENCE Inaugural Professorial Address	David C M Dickson
86	JUNE 2001	LUNDBERG INEQUALITIES FOR RENEWAL EQUATIONS	Gordon E Willmot Jun Cai X Sheldon Lin
87	SEPTEMBER 2001	VOLATILITY, BETA AND RETURN WAS THERE EVER A MEANINGFUL RELATIONSHIP?	Richard Fitzherbert
88	NOVEMBER 2001	EXPLICIT, FINITE TIME RUIN PROBABILITIES FOR DISCRETE, DEPENDENT CLAIMS	Zvetan G Ignatov Vladimir K Kaishev Rossen S Krachunov
89	NOVEMBER 2001	ON THE DISTRIBUTION OF THE DEFICIT AT RUIN WHEN CLAIMS ARE PHASE-TYPE	Steve Drekcic David C M Dickson David A Stanford Gordon E Willmot
90	NOVEMBER 2001	THE INTEGRATED SQUARE-ROOT PROCESS	Daniel Dufresne
91	NOVEMBER 2001	ON THE EXPECTED DISCOUNTED PENALTY FUNCTION AT RUIN OF A SURPLUS PROCESS WITH INTEREST	Jun Cai David C M Dickson
92	JANUARY 2002	CHAIN LADDER BIAS	Greg Taylor
93	JANUARY 2002	FURTHER OBSERVATIONS ON CHAIN LADDER BIAS	Greg Taylor
94	JANUARY 2002	A GENERAL CLASS OF RISK MODELS	Daniel Dufresne
95	JANUARY 2002	THE DISTRIBUTION OF THE TIME TO RUIN IN THE CLASSICAL RISK MODEL	David C M Dickson Howard R Waters
96	MAY 2002	A NOTE ON THE MAXIMUM SEVERITY OF RUIN AND RELATED PROBLEMS	David C M Dickson
97	JUNE 2002	UPPER BOUNDS FOR ULTIMATE RUIN PROBABILITIES IN THE SPARRE ANDERSEN MODEL WITH INTEREST	Jun Cai David C M Dickson



Minerva Access is the Institutional Repository of The University of Melbourne

Author/s:

CAI, J;DICKSON, DCM

Title:

Upper bounds for ultimate ruin probabilities in the Sparre Andersen model with interest

Date:

2003

Citation:

CAI, J. & DICKSON, D. C. M. (2003). Upper bounds for ultimate ruin probabilities in the Sparre Andersen model with interest. *Insurance: Mathematics & Economics*, 32 (1), pp.61-71. [https://doi.org/10.1016/S0167-6687\(02\)00204-4](https://doi.org/10.1016/S0167-6687(02)00204-4).

Persistent Link:

<http://hdl.handle.net/11343/33691>