



Minerva Access is the Institutional Repository of The University of Melbourne

Author/s:

Hill, AO;Distefano, A;Gilmour, S;Bavinton, BR;Hidaka, Y;Bourne, A;Armstrong, G

Title:

Correction to: Social Correlates of Recent Suicidal Ideation Among Men Who Have Sex with Men in Greater Tokyo (Sexuality Research and Social Policy, (2020), 10.1007/s13178-020-00472-8)

Date:

2020-12-23

Citation:

Hill, A. O., Distefano, A., Gilmour, S., Bavinton, B. R., Hidaka, Y., Bourne, A. & Armstrong, G. (2020). Correction to: Social Correlates of Recent Suicidal Ideation Among Men Who Have Sex with Men in Greater Tokyo (Sexuality Research and Social Policy, (2020), 10.1007/s13178-020-00472-8). SEXUALITY RESEARCH AND SOCIAL POLICY, 18 (2), <https://doi.org/10.1007/s13178-020-00503-4>.

Persistent Link:

<https://hdl.handle.net/11343/268053>



## Correction to: Social Correlates of Recent Suicidal Ideation Among Men Who Have Sex with Men in Greater Tokyo

Adam O. Hill<sup>1</sup> · Anthony Distefano<sup>2</sup> · Stuart Gilmour<sup>3</sup> · Benjamin R. Bavinton<sup>4</sup> · Yasuharu Hidaka<sup>5</sup> · Adam Bourne<sup>1</sup> · Gregory Armstrong<sup>6</sup>

© Springer Science+Business Media, LLC, part of Springer Nature 2020

### Correction to: Sexuality Research and Social Policy

<https://doi.org/10.1007/s13178-020-00472-8>

The original version of this article unfortunately contained a mistake. The second sentence of the Introduction should read as:

In 2016, the crude suicide rate in Japan was 18.5 per 100,000, and the age-standardized rate was 14.3 per 100,000 (World Health Organization 2019). These rates were 75% and 36% higher, respectively, compared to the global averages of 10.6 per 100,000 (crude) and 10.5 per 100,000 (age-standardized; World Health Organization 2018, 2019).

References:

World Health Organization (2019). Suicide in the world: global health estimates. Retrieved from <https://apps.who.int/iris/handle/10665/326948>. Accessed 15 September 2020.

World Health Organization (2018). Global health estimates 2016: deaths by cause, age, sex, by country and by region, 2000-2016. Retrieved from [https://www.who.int/healthinfo/global\\_burden\\_disease/estimates/en/](https://www.who.int/healthinfo/global_burden_disease/estimates/en/). Accessed 15 September 2020.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

---

The online version of the original article can be found at <https://doi.org/10.1007/s13178-020-00472-8>

---

✉ Adam O. Hill  
adam.hill@latrobe.edu.au

- <sup>1</sup> Australian Research Centre in Sex, Health and Society, La Trobe University, Melbourne, Australia
- <sup>2</sup> California State University, Fullerton, CA, USA
- <sup>3</sup> St Luke's International University, Tokyo, Japan
- <sup>4</sup> Kirby Institute, University of New South Wales, Sydney, Australia
- <sup>5</sup> School of Nursing, Takarazuka University, Osaka, Japan
- <sup>6</sup> Nossal Institute for Global Health, Melbourne School of Population and Global Health, University of Melbourne, Melbourne, Australia